

Date of last issue: 20.12.2023	Version 7.14	Print Date 29.02.2024
Revision Date: 20.12.2023		

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Sarnacol®-2162

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone Telefax	:	+44 (0)1707 394444 +44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

#### **1.4 Emergency telephone number**

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12 Acute toxicity, Category 4	<b>72/2008)</b> H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure if inhaled.

Date of last issue: 20.12.2023

R	Revision Date: 20.12.2023		V		1 mill Date 20.02.2024
:	2.2 Label elements				
	Labelling (REGULATION (	EC)	No 1272/2008)		
	Hazard pictograms	:		!>	
	Signal word	:	Danger		
	Hazard statements	:	H315 H317 H319 H332 H334 H335 H351 H373	Causes skin irritation. May cause an allergic skin rea Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma s breathing difficulties if inhaled. May cause respiratory irritation Suspected of causing cancer. May cause damage to organs longed or repeated exposure if	symptoms or 1. through pro-
	Precautionary statements	:	<b>Prevention:</b> P201 P260 P264 P280	Obtain special instructions before Do not breathe mist or vapours Wash skin thoroughly after har Wear protective gloves/ protection eye protection/ face protection	s. ndling. tive clothing/
			<b>Response:</b> P304 + P340 + P308 + P313	P312 IF INHALED: Remove p air and keep comfortable for bi POISON CENTER/ doctor if yo IF exposed or concerned: Get vice/ attention.	reathing. Call a ou feel unwell.

### Hazardous components which must be listed on the label:

4,4'-methylenediphenyl diisocyanate

### **Additional Labelling**

"As from 24 August 2023 adequate training is required before industrial or professional use."

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Print Date 29.02.2024

Version 7.14



Date of last issue: 20.12.2023	Version 7.14	Print Date 29.02.2024
Revision Date: 20.12.2023		

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
4,4'-methylenediphenyl diisocya- nate	101-68-8 202-966-0 01-2119457014-47- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 	>= 25 - < 40
		Acute toxicity esti-	
		mate	
		Acute inhalation tox- icity (dust/mist): 1,5 mg/l	

For explanation of abbreviations see section 16.



Date of last issue: 20.12.2023 Revision Date: 20.12.2023 Version 7.14

Print Date 29.02.2024

## SECTION 4: First aid measures

4.1 Description of first aid measures					
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.				
If inhaled	: Move to fresh air. Consult a physician after significant exposure.				
In case of skin contact	<ul> <li>Take off contaminated clothing and shoes immediately.</li> <li>Wash off with soap and plenty of water.</li> <li>If symptoms persist, call a physician.</li> </ul>				
In case of eye contact	<ul> <li>Immediately flush eye(s) with plenty of water.</li> <li>Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>				
If swallowed	<ul> <li>Do not induce vomiting without medical advice.</li> <li>Rinse mouth with water.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul>				
4.2 Most important symptoms a	and effects, both acute and delayed				
Symptoms	<ul> <li>Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information on health effects and symptoms.</li> </ul>				
Risks	<ul> <li>irritant effects sensitising effects</li> <li>Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure if inhaled.</li> </ul>				



cal attention and special treatment need	led
•	
3	
de/sand/foam/alcohol resistant foam/chem	
substance or mixture	
No hazardous combustion products are known	own
n the event of fire, wear self-contained bre	athing apparatus.
Standard procedure for chemical fires.	
	s In case of fire, use water/water spray/water de/sand/foam/alcohol resistant foam/chem extinction. substance or mixture No hazardous combustion products are know In the event of fire, wear self-contained bre Standard procedure for chemical fires.

Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.

## **6.2 Environmental precautions**

Environmental precautions : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For personal protection see section 8.



Date of last issue: 20.12.2023 Revision Date: 20.12.2023 Version 7.14

Print Date 29.02.2024

## **SECTION 7: Handling and storage**

7.1 Precautions for safe handling	
Advice on safe handling	<ul> <li>Avoid formation of aerosol. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Follow standard hygiene measures when handling chemical products</li> </ul>
Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, ir	ncluding any incompatibilities
Requirements for storage areas and containers	: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations.
Further information on stor- age stability	: No decomposition if stored and applied as directed.
7.3 Specific end use(s)	
Specific use(s)	: Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any use.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	



Date of last issue: 20.12.2023 Revision Date: 20.12.2023	Version 7.14	Print Date 29.02.2024
4.4'-methylenediphenyl diisocyanate	101-68-8   TWA	0.02 ma/m3 GB EH40

4,4'-methylenediphenyl diisocyanate	101-68-8	TWA	0,02 mg/m3 (NCO)	GB EH40
	Further informa	ation: Capable of ca	using occupationa	al asthma.
		STEL	0,07 mg/m3	GB EH40
			(NCO)	

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### **Biological occupational exposure limits**

Substance name	CAS-No.	Control parame- ters	Sampling time	Basis
4,4'-methylenediphenyl diisocyanate	101-68-8	isocyanate- derived diamine (Isocyanates): 1 µmol/mol creati- nine (Urine)	At the end of the period of expo- sure	GB EH40 BAT

#### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A)



ate of last issue: 20.12.2023 evision Date: 20.12.2023		Version 7.14	Print Date 29.02.202
	E e t t	A1: < 1000 ppm; A2: < 5000 ppm; A3: Ensure adequate ventilation. This can exhaust extraction or by general ventilations ods for determining inhalation exposur- icular to the mixing / stirring area. In can o keep the concentrations under the o imits then respiration protection measure Ensure adequate ventilation, especially	be achieved by local ation. (EN 689 - Meth- e). This applies in par- ase this is not sufficent ccupational exposure ures must be used.
Environmental exposure	e control:	6	
General advice	I	Do not flush into surface water or sanit f the product contaminates rivers and respective authorities.	
ECTION 9: Physical and			
.1 Information on basic phy			
Physical state Colour		liquid various	
Coloal			
Odour	:	musty	

Initial boiling point and boiling : 330 °C range

Flammability (solid, gas) : No data available

## Upper/lower flammability or explosive limits

Upper explosion limit / Up- per flammability limit	:	0,6 - 11,5 %(V)
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 200 °C Method: closed cup
Auto-ignition temperature	:	600 °C

No data available



Date of last issue: 20.12.2023 Revision Date: 20.12.2023	Version 7.14	Print Date 29.02.2024
Decomposition temperature	: No data available	
рН	: 7 - 8 (20 °C)	
Viscosity Viscosity, dynamic	: > 2.000 mPa.s (25 °C)	
Viscosity, kinematic	: > 20,5 mm2/s (70 °C)	
<b>Solubility(ies)</b> Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 0,01 hPa	
Density	: ca. 1,12 g/cm3 (20 °C)	
Relative vapour density	: 8,5	
Particle characteristics	: No data available	

## 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### **10.2 Chemical stability**

The product is chemically stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

### 10.4 Conditions to avoid



Date of last issue: 20.12.2023 Revision Date: 20.12.2023	Version 7.14	Print Date 29.02.202
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
<b>10.6 Hazardous decomposition</b> No decomposition if stored a	-	
SECTION 11: Toxicological i	nformation	
11.1 Information on hazard clas	sses as defined in Regulation (EC) No 1272/200	8
Acute toxicity Harmful if inhaled.		
Components:		
4,4'-methylenediphenyl dii	-	
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401	
Acute inhalation toxicity	: LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement	
	Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method	
Skin corrosion/irritation Causes skin irritation.		
Serious eye damage/eye ir	ritation	
Causes serious eye irritation		
Respiratory or skin sensiti	sation	
<b>Skin sensitisation</b> May cause an allergic skin re	action	
Respiratory sensitisation	a symptoms or breathing difficulties if inhaled.	
Germ cell mutagenicity	a symptoms of breating difficulties if inflated.	
Not classified based on avail	lable information.	
Carcinogenicity		
Suspected of causing cance	r.	
Country GB 100000017150		10 / 15



Date of last issue: 20.12.2023 Revision Date: 20.12.2023 Version 7.14

Print Date 29.02.2024

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT - single exposure

May cause respiratory irritation.

#### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

#### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### **12.6 Endocrine disrupting properties**

2

### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to



Date of last issue: 20.12.2023 Revision Date: 20.12.2023	Version 7.14	Print Date 29.02.2024
	REACH Article 57(f) or Commission De (EU) 2017/2100 or Commission Regulation	
12.7 Other adverse effects		
Product: Additional ecological infor- mation	: There is no data available for this prod	luct.
SECTION 13: Disposal conside	erations	
13.1 Waste treatment methods		
Product	<ul> <li>The generation of waste should be avour wherever possible.</li> <li>Empty containers or liners may retain so This material and its container must be way.</li> </ul>	some product residues.

#### way. Dispose of surplus and non-recyclable products via a licensed

waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

## 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good



Date of last issue: 20.12.2023 Revision Date: 20.12.2023	Version 7.14	Print Date 29.02.2024
ΙΑΤΑ	: Not regulated as a dangerous good	
14.4 Packing group		
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA (Cargo)	: Not regulated as a dangerous good	
IATA (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazards		
Not regulated as a dangerou	good	
14.6 Special precautions for us	r	
Not applicable		
14.7 Maritime transport in bulk	ccording to IMO instruments	
Not applicable for product as	supplied.	

## **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	: Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	: Not applicable
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable
Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer	: Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	: Not applicable
Volatile organic compounds : Law on the incentive ta (VOCV) no VOC duties	ax for volatile organic compounds
	of 24 November 2010 on industrial pollution prevention and control)



Date of last issue: 20.12.2023 Revision Date: 20.12.2023	Version 7.14	Print Date 29.02.2024
	Not applicable	

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environmental regulation/legislation specific for the substance or mixture:  Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH)
 May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

H315 H317 H319 H332 H334 H335 H351 H373		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure if inhaled.		
Full text of other abbreviations				
Acute Tox. Carc. Eye Irrit. Resp. Sens. Skin Irrit. Skin Sens. STOT RE STOT SE GB EH40 GB EH40 BAT GB EH40 / TWA GB EH40 / STEL ADR		Acute toxicity Carcinogenicity Eye irritation Respiratory sensitisation Skin irritation Skin sensitisation Specific target organ toxicity - repeated exposure Specific target organ toxicity - repeated exposure UK. EH40 WEL - Workplace Exposure Limits UK. Biological monitoring guidance values Long-term exposure limit (8-hour TWA reference period) Short-term exposure limit (15-minute reference period) European Agreement concerning the International Carriage of		
CAS DNEL EC50 GHS	:	Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System		



Date of last issue: 20.12.2023 Revision Date: 20.12.2023		Version 7.14	Print Date 29.02.2024
	:	International Air Transport Association International Maritime Code for Dangerous Goo Median lethal dosis (the amount of a material, g once, which causes the death of 50% (one half)	iven all at
LC50	:	test animals) Median lethal concentration (concentrations of t air that kills 50% of the test animals during the c period)	he chemical in
MARPOL	:	International Convention for the Prevention of P Ships, 1973 as modified by the Protocol of 1978	
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the European and of the Council of 18 December 2006 concer- istration, Evaluation, Authorisation and Restricti- cals (REACH), establishing a European Chemic	rning the Reg- on of Chemi-
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative	0

## **Further information**

Classification of the mixture:		Classification procedure:
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN