

Date of last issue: 07.03.2023	Version 6.4	Print Date 23.03.2024
Revision Date: 29.11.2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : DH543

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Intermediate

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City
Tolonhono		Hertfordshire. AL7 1BQ +44 (0)1707 394444
Telephone	•	
Telefax	:	
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Cate-	H400: Very toxic to aquatic life.
gory 1	

Long-term (chronic) aquatic hazard, Category 3 H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATIO	N (EC) No 1272/2008)	
Hazard pictograms		
Signal word	: Warning	
Hazard statements	: H410	Very toxic to aquatic life with long lasting effects.



Date of last issue: 07.03.2023 Revision Date: 29.11.2023	Version 6.4		Print Date 23.03.2024
Precautionary statements :	Prevention: P273	Avoid release to the environmen	t.
	Response: P391	Collect spillage.	
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	accordance

Additional Labelling

EUH208 Contains 4-morpholinecarbaldehyde. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Diphenyl tolyl phosphate MCS	Not Assigned 945-730-9 01-2119511174-52- XXXX	Aquatic Acute 1; H400 Aquatic Chronic 3; H412	>=80
4-morpholinecarbaldehyde	4394-85-8 224-518-3 01-2119987993-12- XXXX	Skin Sens. 1; H317	< 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

: No hazards which require special first aid measures.

If inhaled

: Move to fresh air.



		Version 6.4	Print Date 23.03.2024
In some of alkin contact		Take off contominated elething and choose imme	diatab
In case of skin contact	:	Take off contaminated clothing and shoes imme Wash off with soap and plenty of water.	diately.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious	s person.
4.2 Most important symptoms ar	nd e	effects, both acute and delayed	
Symptoms	:	See Section 11 for more detailed information on and symptoms.	health effects
Risks	:	No known significant effects or hazards.	
4.3 Indication of any immediate	mer	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting measure	sur	es	
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media			
5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical p extinction.	
5.1 Extinguishing media	:	In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical p extinction.	owder for
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- 	:	In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical p extinction. e substance or mixture Do not allow run-off from fire fighting to enter dra	owder for
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting Hazardous combustion prod- ucts 	: the :	In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical p extinction. e substance or mixture Do not allow run-off from fire fighting to enter dra courses.	owder for
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting Hazardous combustion prod- 	: the :	In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical p extinction. e substance or mixture Do not allow run-off from fire fighting to enter dra courses.	owder for ains or water



Date of last issue: 07.03.2023 Revision Date: 29.11.2023	Version 6.4	Print Date 23.03.2024
SECTION 6: Accidental release measures		

6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions

- Environmental precautions
 - Do not flush into surface water or sanitary sewer system.
 If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling Avoid exceeding the given occupational exposure limits (see section 8). For personal protection see section 8. Follow standard hygiene measures when handling chemical products Advice on protection against : Normal measures for preventive fire protection. fire and explosion Handle in accordance with good industrial hygiene and safety Hygiene measures : practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated Requirements for storage areas and containers place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations. Further information on stor-: No decomposition if stored and applied as directed. age stability



Date of last issue: 07.03.2023	Version 6.4	Print Date 23.03.2024
Revision Date: 29.11.2023		

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment					
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water			
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.			
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.			
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.			
Respiratory protection	:	No special measures required.			
Environmental exposure controls					
General advice	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour		liquid black
Odour	:	very faint



Date of last issue: 07.03.2023 Revision Date: 29.11.2023		Version 6.4	Print Date 23.03.2024
Melting point/range / Freezing point	:	No data available	
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or o	exr	blosive limits	
Upper explosion limit / Up- per flammability limit	-		
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	> 101 °C Method: closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable	
Viscosity			
Viscosity, kinematic	:	> 7 mm2/s (40 °C)	
Solubility(ies)			
Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	ca. 1,3 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	



Date of last issue: 07.03.2023	Version 6.4	Print Date 23.03.2024
Revision Date: 29.11.2023		

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid	:	No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

Diphenyl tolyl phosphate MCS:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.



· · ·

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties



Date of last issue: 07.03.2023 Revision Date: 29.11.2023	Version 6.4	Print Date 23.03.2024
12.7 Other adverse effects		
Product:		
Additional ecological infor- mation	: An environmental hazard cannot be exclu unprofessional handling or disposal.	ded in the event of

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product :	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues.
	This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

1	ADR	:	UN 3082	
I	MDG	:	UN 3082	
I	ΙΑΤΑ	:	UN 3082	
14.2	UN proper shipping name			
1	ADR	:	N.O.S.	Y HAZARDOUS SUBSTANCE, LIQUID, nate, triphenyl phosphate)
I	IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (diphenyl tolyl phosphate, triphenyl phosphate)	
I	ΙΑΤΑ	:	Environmentally hazardous substance, liquid, n.o.s. (diphenyl tolyl phosphate, triphenyl phosphate)	
14.3	Transport hazard class(es)			
			Class	Subsidiary risks



evision Date: 29.11.2023		Version 6.4	Print Date 23.03.202
		0	
ADR	:	9	
IMDG	:	9	
ΙΑΤΑ	:	9	
14.4 Packing group			
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	: : : : : :	III M6 90 9 (-)	
IMDG Packing group Labels EmS Code	:	III 9 F-A, S-F	
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	:	964 Y964 III Miscellaneous	
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	:	964 Y964 III Miscellaneous	
4.5 Environmental hazards			
ADR Environmentally hazardous	:	yes	
IMDG Marine pollutant	:	yes	
IATA (Passenger) Environmentally hazardous	:	yes	
IATA (Cargo) Environmentally hazardous	:	yes	
4.6 Special precautions for user	r		
Remarks	:	DOT: For Limited Quantity exceptions refe 173.155 (b) IMDG: For Limited Quantity special provis IMDG Code Chapter 3.4	

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet.



Date of last issue: 07.03.2023	Version 6.4	Print Date 23.03.2024
Revision Date: 29.11.2023		

Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation			Not applicable		
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)			Not applicable		
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors			Not applicable		
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer			Not applicable		
UK REACH List of substances subject to authorisation : Not applicable (Annex XIV)					
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax f	or volatile organic compounds		
			4 November 2010 on industrial ution prevention and control)		
If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.					
Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH) May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.				



Date of last issue: 07.03.2023	Version 6.4	Print Date 23.03.2024
Revision Date: 29.11.2023		

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H317	:	May cause an allergic skin reaction.
H400	:	Very toxic to aquatic life.
H412	:	Harmful to aquatic life with long lasting effects.
Full text of other abbreviatio	ns	
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Skin Sens.	:	Skin sensitisation
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	÷	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
LC50		test animals)
LC50	·	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation
		period)
MARPOL		International Convention for the Prevention of Pollution from
MARFOL	•	Ships, 1973 as modified by the Protocol of 1978
OEL		Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	÷	Regulation (EC) No 1907/2006 of the European Parliament
	-	and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 3	H412	Calculation method



Date of last issue: 07.03.2023 Revision Date: 29.11.2023 Version 6.4

Print Date 23.03.2024

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN