

SikaWall®-100 Base Coat

DECLARATION OF PERFORMANCE

No. 99016530

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT- TYPE:	SikaWall-100 Base Coat
2	INTENDED USE/S	General Purpose Mortar (GP) For external use
3	MANUFACTURER:	Sika Limited Watchmead Welwyn Garden City UK
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	System 4
6a	HARMONISED STANDARD:	EN998-1:2016
	Notified body/ies:	N/A

Declaration of Performance

SikaWall®-100 Base Coat

99016530

10, 2022 ,ver. 01

1622

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Reaction to fire	A1	4	EN 998-1: 2016
Water absorption	NPD	4	
Water vapour permeability	NPD	4	
Adhesion	NPD	4	
Thermal conductivity	NPD	4	
Durability	NPD	4	
Dangerous substances	See sds	4	

**8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR -
SPECIFIC TECHNICAL DOCUMENTATION**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Paul Thomas
Function: Technical Product
Coordinator
At Leeds on 14 October 2022

Name : Steve Belcher
Function: Product Manager
At WGC on 14 October 2022



End of information as required by Regulation (EU) No 305/2011

Declaration of Performance

SikaWall®-100 Base Coat
99016530
10, 2022 ,ver. 01
1622



22

Sika Limited, Welwyn Garden City, UK

DoP No. 99016530

EN998-1:2016

Conformity Assessment Body(ies): N/A

Reaction to fire	A1
Water absorption	NPD
Water vapour permeability	NPD
Adhesion	NPD
Thermal conductivity	NPD
Durability	NPD
Dangerous substances	See sds

<http://dop.sika.com>

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Declaration of Performance

SikaWall®-100 Base Coat

99016530

10, 2022 ,ver. 01

1622

