

Date of last issue: 19.12.2022	Version 4.0	Print Date 11.10.2023
Revision Date: 11.10.2023		

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : SikaBiresin<sup>®</sup> F38 (B)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Tooling system

## 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person	:	EHS@uk.sika.com
responsible for the SDS		

### 1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 Skin irritation, Category 2 Eye irritation, Category 2 Respiratory sensitisation, Category 1

Skin sensitisation, Category 1 Carcinogenicity, Category 2 Specific target organ toxicity - single exposure, Category 3, Respiratory system Specific target organ toxicity - repeated exposure, Category 2

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



H332: Harmful if inhaled.

H315: Causes skin irritation.

breathing difficulties if inhaled.

H319: Causes serious eye irritation.

H351: Suspected of causing cancer.

H335: May cause respiratory irritation.

longed or repeated exposure if inhaled.

H334: May cause allergy or asthma symptoms or

H373: May cause damage to organs through pro-

H317: May cause an allergic skin reaction.



Date of last issue: 19.12.2022 Revision Date: 11.10.2023		Version 4.0	Print Date 11.10.2023
Signal word	Danger		
Hazard statements	H315 H317 H319 H332 H334 H335 H351 H373	Causes skin irritation. May cause an allergic skin rea Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma s breathing difficulties if inhaled. May cause respiratory irritation Suspected of causing cancer. May cause damage to organs longed or repeated exposure in	symptoms or n. through pro-
Precautionary statements	<b>Prevention:</b> P201 P260 P264 P280	Obtain special instructions bef Do not breathe mist or vapours Wash skin thoroughly after ha Wear protective gloves/ protection eye protection/ face protection	s. ndling. :tive clothing/
	<b>Response:</b> P304 + P340 + P342 + P311	P312 IF INHALED: Remove p air and keep comfortable for b POISON CENTER/ doctor if yo If experiencing respiratory sym POISON CENTER/ doctor.	reathing. Call a ou feel unwell.

## Hazardous components which must be listed on the label:

Diphenylmethanediisocyanate, isomeres and homologues 4,4`-Methylenediphenyl diisocyanate, oligomers

## **Additional Labelling**

"As from 24 August 2023 adequate training is required before industrial or professional use."

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Date of last issue: 19.12.2022 Revision Date: 11.10.2023

SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

## Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No. Registration number		(% w/w)
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % Resp. Sens. 1; H334 >= 0,1 % Skin Irrit. 2; H315 >= 5 % STOT SE 3; H335 >= 5 %	>= 25 - < 40
4,4`-Methylenediphenyl diisocya- nate, oligomers	25686-28-6 500-040-3 01-2119457013-49- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 Acute toxicity esti- mate Acute inhalation tox- icity (dust/mist): 1,5 mg/l	>= 25 - < 40

Version 4.0



Print Date 11.10.2023



Date of last issue: 19.12.2022 Revision Date: 11.10.2023			Print Date 11.10.2023
Hydrocarbons, C12-C16, isoal- kanes, cyclics, <2% aromatics	Not Assigned 927-676-8 01-2119456377-30- XXXX [corresponding group CAS 64742-47- 8]	Asp. Tox. 1; H304 EUH066	>= 2,5 - < 5
Hydrocarbons, C11-C13, isoal- kanes, <2% aromatics	246538-78-3 920-901-0 01-2119456810-40- XXXX [corresponding group CAS 64742-47- 8]	Asp. Tox. 1; H304 EUH066	>= 1 - < 2,5

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms a	nd e	effects, both acute and delayed
Symptoms	:	Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis
0		See Section 11 for more detailed information on health effects



Date of last issue: 19.12.2022 Revision Date: 11.10.2023	Version 4.0	Print Date 11.10.2023
	and symptoms.	
Risks	irritant effects sensitising effects	
	Causes skin irritation. May cause an allergic skin reaction.	
	Causes serious eye irritation.	
	Harmful if inhaled. May cause allergy or asthma symptoms o	r breathing difficul-
	ties if inhaled.	
	May cause respiratory irritation.	
	Suspected of causing cancer. May cause damage to organs through pro	longed or repeated
	exposure if inhaled.	nonged of repeated
4.3 Indication of any immediate me	edical attention and special treatment nee	ded
Treatment	Treat symptomatically.	
SECTION 5: Firefighting measu	ires	
Suitable extinguishing media :	In case of fire, use water/water spray/wate	er iet/carbon diox-
	ide/sand/foam/alcohol resistant foam/cher extinction.	
5.2 Special hazards arising from the	ne substance or mixture	
Hazardous combustion prod- : ucts	No hazardous combustion products are ki	ıown
5.3 Advice for firefighters		
Special protective equipment : for firefighters	In the event of fire, wear self-contained br	eathing apparatus.
Further information	Standard procedure for chemical fires.	
SECTION 6: Accidental release	measures	
6.1 Personal precautions, protecti	ve equipment and emergency procedures	;
Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions		
Environmental precautions :	Do not flush into surface water or sanitary If the product contaminates rivers and lake	
Country GB 00000680960		5 / 17
		0, 11



Date of last issue: 19.12.2022 Revision Date: 11.10.2023	Version 4.0	Print Date 11.10.2023
	respective authorities.	

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

	Advice on safe handling	:	<ul> <li>Avoid formation of aerosol.</li> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any use.

Date of last issue: 19.12.2022 Revision Date: 11.10.2023

**SECTION 8: Exposure controls/personal protection** 

## 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	TWA	0,02 mg/m3 (NCO)	GB EH40
	Further information: Capable of causing occupational asthma.			
		STEL	0,07 mg/m3 (NCO)	GB EH40
4,4`-Methylenediphenyl diisocyanate, oligomers	25686-28-6	TWA	0,02 mg/m3 (NCO)	GB EH40
	asthma (also k can induce a s immunological become hyper- sometimes ever toms. These sy asthma. Not al come hyper-re those who are that can cause substances wh with pre-existin include the dis classified as as mation can be assessments of asthma., Wher stances that ca Where this is r standards of co responsive. Fo COSHH requir sonably praction centrations sho ment is being of employees exp may cause occ consultation w degree of risk pational asthma assigned only asthma in the of bered that other	ation: Substances the nown as asthmage tate of specific airw irritant or other met- responsive, further en in tiny quantities, ymptoms can range I workers who are esponsive and it is in likely to become hy occupational asthmatic in may trigger the ng airway hyper-res ease themselves. T sthmagens or respin found in the HSE p of the evidence for a ever it is reasonable an cause occupation of the evidence for a ever it is reasonable an cause occupation of the evidence for a ever it is reasonable an cause occupation of the evidence for a ever it is reasonable and cause occupation out possible, the prin- portrol to prevent wo or substances that c es that exposure be cable. Activities givin ould receive particu- considered. Health bosed or liable to be cupational asthma a ith an occupational and level of surveilla a., The 'Sen' notation to those substances categories shown in er substances not in a. HSE's asthma w	hat can cause occ ns and respiratory ay hyper-respons chanism. Once the exposure to the s may cause respine in severity from a exposed to a sens inpossible to ident oper-responsive. In a should be disting symptoms of asth ponsiveness, but the latter substance ratory sensitisers. ublication Asthma agents implicated y practicable, exp nal asthma should mary aim is to app orkers from becom an cause occupate e reduced to as low ing rise to short-ter lar attention when surveillance is app e exposed to a sub and there should be health professiona ance., Capable of on in the list of WE is which may caus in Table 1. It should in these tables may	v sensitisers) iveness via an e airways have substance, ratory symp- a runny nose to itiser will be- ify in advance Substances nguished from ma in people which do not ces are not Further infor- igen? Critical in occupational osure to sub- l be prevented. by adequate ing hyper- ional asthma, w as is rea- rm peak con- risk manage- propriate for all ostance which be appropriate al over the causing occu- ELs has been e occupational d be remem-

Version 4.0



Print Date 11.10.2023



Date of last issue: 19.12.2022 Revision Date: 11.10.2023 Version 4.0

Print Date 11.10.2023

(www.hse.gov.uk/asthma) provide further information.				
STEL 0,07 mg/m3 GB EH40				
	(NCO)			

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

### **Biological occupational exposure limits**

Substance name	CAS-No.	Control parame- ters	Sampling time	Basis
Diphenylmethanediisocyanate, iso- meres and homologues	9016-87-9	isocyanate- derived diamine (Isocyanates): 1 µmol/mol creati- nine (Urine)	At the end of the period of expo- sure	GB EH40 BAT

#### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection Hand protection	:	<ul> <li>Safety glasses with side-shields conforming to EN166</li> <li>Eye wash bottle with pure water</li> <li>Chemical-resistant, impervious gloves complying with an a proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow mar facturer specifications.</li> </ul>	
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.	
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par-	



Date of last issue: 19.12.2022 Revision Date: 11.10.2023	Version 4.0	Print Date 11.10.2023
	ticular to the mixing / stirring area. In case this is to keep the concentrations under the occupation limits then respiration protection measures must Ensure adequate ventilation, especially in confin	al exposure be used.
Environmental exposure control	ols	
General advice :	Do not flush into surface water or sanitary sewer If the product contaminates rivers and lakes or d respective authorities.	

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

.1	Physical state	an	d chemical properties liquid
	Colour	÷	amber
	Odour	:	characteristic
	Melting point/range / Freezing point	:	No data available
	Boiling point/boiling range	:	190 °C
	Flammability (solid, gas)	:	No data available
	Upper/lower flammability or e	exp	losive limits
	Upper explosion limit / Up- per flammability limit	:	No data available
	Lower explosion limit / Lower flammability limit	:	No data available
	Flash point	:	> 200 °C Method: closed cup
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	рН	:	Not applicable substance/mixture reacts with water
	Viscosity		
	Viscosity, kinematic	:	No data available
	Solubility(ies)		
	Water solubility	:	insoluble
	Partition coefficient: n- octanol/water	:	No data available



Date of last issue: 19.12.2022 Revision Date: 11.10.2023	Version 4.0	Print Date 11.10.2023
Vapour pressure	: 0,01 hPa	
Density	: ca. 1,15 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

### 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

## 10.2 Chemical stability

The product is chemically stable.

## 10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
---------------------	---	---------------------------------------

## 10.4 Conditions to avoid

Conditions to avoid : No d	ata available
----------------------------	---------------

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Harmful if inhaled.		
Components:		
Diphenylmethanediisocya	nate	, isomeres and homologues:
Acute oral toxicity	:	LD50 Oral (Rat): > 10.000 mg/kg
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h



of last issue: 19.12.2022 sion Date: 11.10.2023		Version 4.0	Print Date 11.10
	M A	est atmosphere: dust/mist ethod: Expert judgement ssessment: The component/mixture is nort term inhalation.	moderately toxic after
Acute dermal toxicity	: LI	050 Dermal (Rabbit): > 9.400 mg/kg	
4,4`-Methylenediphenyl di	isocyan	ate, oligomers:	
Acute oral toxicity	-	050 Oral (Rat): > 5.000 mg/kg	
Acute inhalation toxicity	E: Te	C50: 1,5 mg/l xposure time: 4 h est atmosphere: dust/mist ethod: Expert judgement	
	Т	cute toxicity estimate: 1,5 mg/l est atmosphere: dust/mist ethod: Calculation method	
Acute dermal toxicity	: LI	050 Dermal (Rabbit): > 9.400 mg/kg	
Hvdrocarbons. C12-C16. is	soalkan	es, cyclics, <2% aromatics:	
Acute oral toxicity		050 Oral (Rat): > 5.000 mg/kg	
Acute dermal toxicity	: LI	050 Dermal (Rabbit): > 5.000 mg/kg	
Skin corrosion/irritation Causes skin irritation.			
Components:			
Hydrocarbons, C12-C16, is		es, cyclics, <2% aromatics:	
Result	: R	epeated exposure may cause skin dry	ness or cracking.
Hydrocarbons, C11-C13, is	soalkan	es, <2% aromatics:	
Assessment	: R	epeated exposure may cause skin dry	ness or cracking.
Serious eye damage/eye in Causes serious eye irritation			
Respiratory or skin sensit	isation		
<b>Skin sensitisation</b> May cause an allergic skin r	eaction.		



Date of last issue: 19.12.2022 Revision Date: 11.10.2023	Version 4.0	Print Date 11.10.2023			
<b>Germ cell mutagenicity</b> Not classified due to lack of data.					
<b>Carcinogenicity</b> Suspected of causing cancer.					
<b>Reproductive toxicity</b> Not classified due to lack of data.					
<b>STOT - single exposure</b> May cause respiratory irritation.					
STOT - repeated exposure May cause damage to organs thr	ough prolonged or repeated exposure if inhale	d.			
Aspiration toxicity Not classified due to lack of data.	Aspiration toxicity Not classified due to lack of data.				
11.2 Information on other hazards					
Endocrine disrupting propertie	s				
Product:					
Assessment :	The substance/mixture does not contain com ered to have endocrine disrupting properties a REACH Article 57(f) or Commission Delegate (EU) 2017/2100 or Commission Regulation (E levels of 0.1% or higher.	according to d regulation			

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Components:

## Diphenylmethanediisocyanate, isomeres and homologues:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available



Date of last issue: 19.12.2022 Revision Date: 11.10.2023	Version 4.0	Print Date 11.10.2023
<b>12.4 Mobility in soil</b> No data available		
12.5 Results of PBT and vPvB as	sessment	
Product:		
Assessment	<ul> <li>This substance/mixture contains no cor to be either persistent, bioaccumulative very persistent and very bioaccumulative 0.1% or higher</li> </ul>	and toxic (PBT), or
12.6 Endocrine disrupting proper	ties	
Product:		
Assessment	<ul> <li>The substance/mixture does not contain ered to have endocrine disrupting proper REACH Article 57(f) or Commission De (EU) 2017/2100 or Commission Regular levels of 0.1% or higher.</li> </ul>	erties according to elegated regulation
12.7 Other adverse effects		
Product: Additional ecological infor-	: There is no data available for this produ	uct.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

mation

Product		The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 05 01* waste isocyanates
Contaminated packaging		15 01 10* packaging containing residues of or contaminated by dangerous substances



Date of last issue: 19.12.2022 Revision Date: 11.10.2023 Version 4.0

Print Date 11.10.2023

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2	UN proper shipping name			
	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)				
	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group				
	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	IATA (Cargo)	:	Not regulated as a dangerous good	
	IATA (Passenger)	:	Not regulated as a dangerous good	

## 14.5 Environmental hazards

Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

## **14.7 Maritime transport in bulk according to IMO instruments** Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

## **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	<ul> <li>Conditions of restriction for the fol- lowing entries should be considered: Diphenylmethanediisocyanate, iso- meres and homologues (Number on list 56)</li> <li>4,4`-Methylenediphenyl diisocya-</li> </ul>
--	--



Date of last issue: 19.12.2022 Revision Date: 11.10.2023	Version 4	4.0	Print Date 11.10.2023
			nate, oligomers
UK REACH Candidate list of subs concern (SVHC) for Authorisation		:	Not applicable
The Persistent Organic Pollutants Regulation (EU) 2019/1021 as an ain)		:	Not applicable
International Chemical Weapons Schedules of Toxic Chemicals an		:	Not applicable
Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable
UK REACH List of substances su (Annex XIV)	bject to authorisation	:	Not applicable
GB Export and import of hazardou Informed Consent (PIC) Regulation		:	Not applicable
Control of Major Accident Hazard 2015 (COMAH) Volatile organic compounds :	Law on the incentive to (VOCV) Volatile organic compo Directive 2010/75/EU	ance (ince (ince hears stree pur ties env pro to ( ax fe pur to ( ax fe pur to ( ax fe pur to ( ax fe pur to ( ax fe a) to ( ax fe a) to ( a) to ( a) t ( a) t ( a) to ( a) to ( a) t ( a) to ( a) t (	or volatile organic compounds ds (VOC) content: 5,2% w/w 4 November 2010 on industrial
If other regulatory information app Sheet, then it is described in this	Volatile organic compo blies that is not already	ouno	ution prevention and control) ds (VOC) content: 29,8% w/w vided elsewhere in the Safety Data
		ion	Act 1990 & Subsidiary Regulations
mental regulation/legislation specific for the substance or mixture:	Health and Safety at V Control of Substances (COSHH)	Vork Ha Cor	k Act 1974 & Subsidiary Regulations zardous to Health Regulations ntrol of Major Accident Hazards



Date of last issue: 19.12.2022 Revision Date: 11.10.2023	Version 4.0	Print Date 11.10.2023

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

Full text of H-Statem	ients
H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H334	: May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.
H335	: May cause respiratory irritation.
H351	: Suspected of causing cancer.
H373	: May cause damage to organs through prolonged or repeated exposure if inhaled.
Full text of other abb	previations
Acute Tox.	: Acute toxicity
Asp. Tox.	: Aspiration hazard
Carc.	: Carcinogenicity
Eye Irrit.	: Eye irritation
Resp. Sens.	: Respiratory sensitisation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure

Nesp. Jens.	•	
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure
STOT SE	:	Specific target organ toxicity - single exposure
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 BAT	:	UK. Biological monitoring guidance values
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978



Date of last issue: 19.12.2022 Revision Date: 11.10.2023		Version 4.0	Print Date 11.10.2023
OEL PBT PNEC REACH	:	Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the Europe and of the Council of 18 December 2006 con istration, Evaluation, Authorisation and Restr	cerning the Reg- iction of Chemi-
SVHC vPvB		cals (REACH), establishing a European Cher Substances of Very High Concern Very persistent and very bioaccumulative	nicais Agency

## **Further information**

<b>Classification of</b>	the mixture:	Classification procedure:		
Acute Tox. 4	H332	Calculation method		
Skin Irrit. 2	H315	Calculation method		
Eye Irrit. 2	H319	Calculation method		
Resp. Sens. 1	H334	Calculation method		
Skin Sens. 1	H317	Calculation method		
Carc. 2	H351	Calculation method		
STOT SE 3	H335	Calculation method		
STOT RE 2	H373	Calculation method		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN