

# Sika MonoTop®-4100 Protect

## DECLARATION OF PERFORMANCE

No. 49721803

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	concrete for use in buildings and civil engineering work  Sika Services AG  Tüffenwies 16-22
2	INTENDED USE/S	EN 1504-7:2006 Corrosion protection product for repair and protection of concrete for use in buildings and civil engineering works
3	MANUFACTURER:	
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	System 2+
6a	HARMONISED STANDARD:	EN 1504-7:2006
-	Notified body/ies:	0099

### 7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP System	Harmonised Technical Specification
Pull out strength of coated steel in concrete (bond adhesion of coating to steel and alkali resistance)	NPD	System 2+	<u> </u>
Diffusion resistance	NPD	System 2+	
Corrosion protection and workability	Passes	System 2+	
Durability	NPD	System 2+	EN 1504-7:2006
Glass transition	NPD	System 2+	
Shear adhesion	NPD	System 2+	
Release of dangerous substances	NPD	System 2+	<del>_</del>

### 8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Rob Doherty Function: Head Of Product Management – Engineered

Refurbishment

At Welwyn Garden City on 30 July

2025


Name: Steve Holmes

Function: Senior Technical Manager At Welwyn Garden City on 30 July 2025



End of information as required by Regulation (EU) No 305/2011





### **ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)**

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

#### **LEGAL NOTE**

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



Sika Services AG Tuffenwies 16-22 8048, Zurich Switzerland www.sika.com

**Declaration of Performance** Sika MonoTop®-4100 Protect

49721803 2025.07, ver. 01



