

Date of last issue: 04.10.2022	Version 5.0	Print Date 11.05.2023
Revision Date: 28.02.2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Biresin[®] G55 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Tooling system, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone Telefax E mail address of person	:	+44 (0)1707 394444 +44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Acute toxicity, Category 4	H332: Harmful if inhaled.			
Skin irritation, Category 2	H315: Causes skin irritation.			
Eye irritation, Category 2	H319: Causes serious eye irritation.			
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.			
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.			
Carcinogenicity, Category 2	H351: Suspected of causing cancer.			
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.			
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure.			
	Acute toxicity, Category 4 Skin irritation, Category 2 Eye irritation, Category 2 Respiratory sensitisation, Category 1 Skin sensitisation, Category 1 Carcinogenicity, Category 2 Specific target organ toxicity - single exposure, Category 3, Respiratory system Specific target organ toxicity - repeated			

Date of last issue: 04.10.2022	
Revision Date: 28.02.2023	

Labelling (REGULATION (EC) No 1272/2008)

Version 5.0

2.2 Label elements

Hazard pictograms	:		!
Signal word	:	Danger	
Hazard statements	:	H315 H317 H319 H332 H334 H335 H351 H373	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through pro- longed or repeated exposure.
Precautionary statements	:	Prevention:	
		P201 P260 P264 P280	Obtain special instructions before use. Do not breathe mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response:	
		P304 + P340 + P342 + P311	P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

4,4`-Methylenediphenyl diisocyanate, oligomers aromatic isocyanate-prepolymer

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.





Date of last issue: 04.10.2022	Version 5.0	Print Date 11.05.2023
Revision Date: 28.02.2023		

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		
4,4`-Methylenediphenyl diisocya- nate, oligomers	25686-28-6 500-040-3 01-2119457013-49- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 Acute toxicity estimate	>= 60 - < 80
		Acute inhalation tox- icity (dust/mist): 1,5 mg/l	
aromatic isocyanate-prepolymer	9048-57-1 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373	>= 25 - < 40
		Acute toxicity esti- mate Acute inhalation tox- icity (dust/mist): 1,5 mg/l	

For explanation of abbreviations see section 16.



Date of last issue: 04.10.2022	Version 5.0	Print Date 11.05.2023
Revision Date: 28.02.2023		

SECTION 4: First aid measures

4.1 Description of first aid mea	Isures
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms	and effects, both acute and delayed
Symptoms	 Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	: irritant effects sensitising effects
Country CR 0000000762	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation. Suspected of causing cancer.



Date of last issue: 04.10.2022 Revision Date: 28.02.2023		Version 5.0	Print Date 11.05.2023
		May cause damage to organs through prolor exposure.	nged or repeated
4.3 Indication of any immediate Treatment	me :	dical attention and special treatment neede Treat symptomatically.	d
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water j ide/sand/foam/alcohol resistant foam/chemic extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are know	vn
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained brea	thing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	5e I	neasures	
6.1 Personal precautions, protect	tiv	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary se If the product contaminates rivers and lakes respective authorities.	
6.3 Methods and material for cor	ntai	nment and cleaning up	
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. s	and, silica gel,

6.4 Reference to other sections

For personal protection see section 8.



Date of last issue: 04.10.2022 Revision Date: 28.02.2023 Version 5.0

Print Date 11.05.2023

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling Avoid formation of aerosol. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Follow standard hygiene measures when handling chemical products Advice on protection against Normal measures for preventive fire protection. • fire and explosion Handle in accordance with good industrial hygiene and safety Hygiene measures practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage Keep container tightly closed in a dry and well-ventilated : place. Containers which are opened must be carefully reareas and containers sealed and kept upright to prevent leakage. Store in accordance with local regulations. Further information on stor-No decomposition if stored and applied as directed. age stability 7.3 Specific end use(s) Specific use(s) Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	

Date of last issue: 04.10.2022
Revision Date: 28.02.2023

Ion Date: 28.02.2023				
4,4`-Methylenediphenyl diisocyanate, oligomers	25686-28-6	TWA	0,02 mg/m3 (NCO)	GB EH40
	asthma (also k can induce a si immunological become hyper- sometimes ever toms. These sy asthma. Not al come hyper-re- those who are that can cause substances wh with pre-existin include the disc classified as as mation can be assessments of asthma., Wher stances that can Where this is n standards of co responsive. Fo COSHH requin sonably praction centrations sho ment is being of employees exp may cause occ consultation wid degree of risk a pational asthm assigned only the asthma in the of bered that othe pational asthm	ation: Substances the nown as asthmager tate of specific airwa irritant or other med- responsive, further en in tiny quantities, ymptoms can range I workers who are e sponsive and it is in likely to become hy occupational asthmatic ich may trigger the ng airway hyper-resp ease themselves. T sthmagens or respir found in the HSE pro- of the evidence for a rever it is reasonably an cause occupation for possible, the prin- port of prevent wo or substances that ca es that exposure be cable. Activities givin bould receive particul considered. Health so cupational asthma a th an occupational I and level of surveilla a., The 'Sen' notational to those substances categories shown in a. HSE's asthma we uk/asthma) provide	(NCO) nat can cause occ hs and respiratory ay hyper-responsi- chanism. Once the exposure to the s may cause respir in severity from a xposed to a sensi- npossible to identi- per-responsive. ha should be distin symptoms of asth- bonsiveness, but y he latter substance atory sensitisers. ublication Asthma igents implicated if y practicable, expo- hal asthma should nary aim is to app rkers from becom an cause occupat e reduced to as low ng rise to short-ten ar attention when surveillance is app exposed to a sub health professiona ance., Capable of on in the list of WE s which may cause Table 1. It should these tables may eb pages	r sensitisers) iveness via an e airways have substance, ratory symp- n runny nose to tiser will be- fy in advance Substances nguished from ima in people which do not ses are not Further infor- gen? Critical in occupational osure to sub- be prevented. ly adequate ing hyper- ional asthma, w as is rea- rm peak con- risk manage- propriate for all ostance which e appropriate al over the causing occu- ELs has been e occupational d be remem- r cause occu-
		STEL	0,07 mg/m3 (NCO)	GB EH40
	1	l		

Version 5.0

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

:

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water



Print Date 11.05.2023



ate of last issue: 04.10.2022 evision Date: 28.02.2023	Version 5.0	Print Date 11.05.2023
Hand protection	: Chemical-resistant, impervious gloves c proved standard must be worn at all tim chemical products. Reference number E facturer specifications.	es when handling
	Suitable for short time use or protection Butyl rubber/nitrile rubber gloves (> 0,1 Contaminated gloves should be remove Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	mm)
Skin and body protection	: Protective clothing (e.g. Safety shoes at long-sleeved working clothing, long trou and protective boots are additionaly rec and stirring work.	sers). Rubber aprons
Respiratory protection	 In case of inadequate ventilation wear refressive respirator selection must be based on the exposure levels, the hazards of the processing limits of the selected respirator. Use a properly fitted NIOSH approved a respirator complying with an approved as sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < Ensure adequate ventilation. This can be exhaust extraction or by general ventilation ds for determining inhalation exposure ticular to the mixing / stirring area. In case to keep the concentrations under the oc limits then respiration protection measure Ensure adequate ventilation, especially 	known or anticipated duct and the safe work- air-purifying or air-fed standard if a risk as- a 10000 ppm be achieved by local tion. (EN 689 - Meth-). This applies in par- se this is not sufficent coupational exposure res must be used.
Environmental exposure co	ontrols	
General advice	: Do not flush into surface water or sanita If the product contaminates rivers and la	

respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: yellow
Odour	: characteristic



	Version 5.0	Print Date 11.05.202
j :	No data available	
:	No data available	
:	No data available	
exp	plosive limits	
-		
:	No data available	
:	> 101 °C Method: closed cup	
:	No data available	
:	No data available	
:	Not applicable substance/mixture is non-soluble (in water)	
:	ca. 250 mPa.s (20 °C)	
:	> 20,5 mm2/s (40 °C)	
:	insoluble	
:	No data available	
:	0,01 hPa	
:	ca. 1,21 g/cm3 (20 °C)	
:	No data available	
r	: • exp • : :	 y : No data available No data available > 101 °C Method: closed cup No data available o,01 hPa ca. 1,21 g/cm3 (20 °C)

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Biresin[®] G55 Part B

Date of last issue: 04.10.2022 Revision Date: 28.02.2023	Version 5.0	Print Date 11.05.2023
Particle characteristics	: No data available	
9.2 Other information		
No data available		
SECTION 10: Stability and re	activity	
10.1 Reactivity		
No dangerous reaction know	n under conditions of normal use.	
10.2 Chemical stability		
The product is chemically sta	ble.	
10.3 Possibility of hazardous re		
Hazardous reactions	: No hazards to be specially mentioned.	
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition	products	
No decomposition if stored a	nd applied as directed.	
SECTION 11: Toxicological	nformation	
11.1 Information on hazard clas	ses as defined in Regulation (EC) No 1272/20	08
Acute toxicity Harmful if inhaled.		
Components:		
4,4`-Methylenediphenyl dii	socyanate, oligomers:	
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg	

Acute inhalation toxicity : LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement

Acute toxicity estimate: 1,5 mg/l



of last issue: 04.10.2022 sion Date: 28.02.2023	Version 5.0	Print Date 11.05.2
	Test atmosphere: dust/mist Method: Calculation method	
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 9.400 mg/kg	
aromatic isocyanate-prep	lymer:	
Acute inhalation toxicity	: LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement	
	Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method	
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 9.400 mg/kg	
Skin corrosion/irritation Causes skin irritation.		
Serious eye damage/eye i Causes serious eye irritation		
Respiratory or skin sensit	sation	
Skin sensitisation May cause an allergic skin r	eaction.	
Respiratory sensitisation May cause allergy or asthm	a symptoms or breathing difficulties if inhaled.	
Germ cell mutagenicity Not classified based on ava	able information.	
Carcinogenicity Suspected of causing cance	r.	
Reproductive toxicity Not classified based on ava	able information.	
STOT - single exposure May cause respiratory irritat	on	
STOT - repeated exposure	011.	
• •	s through prolonged or repeated exposure.	
Aspiration toxicity		
Not classified based on ava	able information.	



Date of last issue: 04.10.2022 Revision Date: 28.02.2023	Version 5.0	Print Date 11.05.2023
11.2 Information on other hazards Endocrine disrupting properties		

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

aromatic isocyanate-prepolymer:

Toxicity to fish

: LC50 (Danio rerio (zebra fish)): > 1.000 mg/l Exposure time: 96 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Date of last issue: 04.10.2022	Version 5.0	Print Date 11.05.2023
Revision Date: 28.02.2023		

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good



Date of last issue: 04.10.2022 Revision Date: 28.02.2023	Version 5.0	Print Date 11.05.2023			
IMDG	: Not regulated as a dangerous good				
IATA (Cargo)	: Not regulated as a dangerous good				
IATA (Passenger)	: Not regulated as a dangerous good				
14.5 Environmental hazards Not regulated as a dangero	s good				
14.6 Special precautions for user Not applicable					
14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.					

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

	UK REACH List of restrictions (Annex 17)	:	Banned and/or restricted
	UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
	The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
	International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable
	Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
	UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
	GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	:	Not applicable
	Control of Major Accident Hazards Regulations 2015 (COMAH)	Not	applicable
	Volatile organic compounds : Law on the incentive t (VOCV)	tax fo	or volatile organic compounds
n	intry GB 00000009762		



Date of last issue: 04.10.2022 Revision Date: 28.02.2023	Version 5.0	Print Date 11.05.2023	
	no VOC duties		
	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable		
If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.			

Health, safety and environ- mental regulation/legislation specific for the substance or	: Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations
mixture:	(COSHH) May be subject to the Control of Major Accident Hazards
	Regulations (COMAH), and amendments.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements : Causes skin irritation. H315 H317 : May cause an allergic skin reaction. : Causes serious eye irritation. H319 : Harmful if inhaled. H332 : May cause allergy or asthma symptoms or breathing difficul-H334 ties if inhaled. : May cause respiratory irritation. H335 : Suspected of causing cancer. H351 H373 : May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated H373 exposure if inhaled. Full text of other abbreviations Acute Tox. : Acute toxicity Carc. : Carcinogenicity Eve Irrit. : Eye irritation Resp. Sens. : Respiratory sensitisation Skin Irrit. Skin irritation Skin Sens. Skin sensitisation : STOT RE : Specific target organ toxicity - repeated exposure : Specific target organ toxicity - single exposure STOT SE UK. EH40 WEL - Workplace Exposure Limits GB EH40 : Long-term exposure limit (8-hour TWA reference period) GB EH40 / TWA : Short-term exposure limit (15-minute reference period) GB EH40 / STEL : European Agreement concerning the International Carriage of ADR



Date of last issue: 04.10.2022 Revision Date: 28.02.2023		Version 5.0	Print Date 11.05.2023
CAS DNEL EC50 GHS IATA IMDG LD50		Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dange Median lethal dosis (the amount of a ronce, which causes the death of 50% test animals)	erous Goods material, given all at
LC50	:	Median lethal concentration (concentration air that kills 50% of the test animals d	
MARPOL	:	period) International Convention for the Preve Ships, 1973 as modified by the Protoc	
OEL PBT PNEC REACH	:	Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the and of the Council of 18 December 20 istration, Evaluation, Authorisation an cals (REACH), establishing a Europea	European Parliament 006 concerning the Reg- d Restriction of Chemi-
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumula	
Further information			_
Classification of the mixture:			on procedure:
Acute Tox. 4		332 Calculation r	
Skin Irrit. 2		Calculation r	
Eye Irrit. 2		Calculation r	
Resp. Sens. 1		334 Calculation r	
Skin Sens. 1		Calculation r	
Carc. 2		S51 Calculation r	
STOT SE 3	-	Calculation r	
STOT RE 2	H3	Calculation r	nethod

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Biresin[®] G55 Part B

Date of last issue: 04.10.2022 Revision Date: 28.02.2023 Version 5.0

Print Date 11.05.2023

