Roofing
Declaration of Performance
Edition 12/12/18
Identification no. 02093507200000002
Version no. 01



BS EN 13162:2012

# **DECLARATION OF PERFORMANCE**

## **Sikatherm MW DD**

02 09 35 07 10 0 000 0001

	1		
1. Product Type: Unique identification code of the product-type:	Sikatherm MW DD		
2. Type batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):	Sikatherm MW DD (Batch nr see packaging)		
<b>3. Intended use</b> or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:	BS EN 13162:2012 Thermal insulation products for buildings. Factory made mineral wool (MW) products		
<b>4. Name, registered trade name</b> or registered trade mark and contact address of the manufacturer as required under Article 11(5):	Sikatherm MW DD		
<b>5. Contact Address:</b> Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2):	Sika Limited, Watchmead, Welwyn Garden City, Herts, AL7 1BQ. UK.		
<b>6. AVCP:</b> System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in CPR, Annex V:	SYSTEM 1 for uses subject to regulations on reaction to fire SYSTEM 3 for all other intended uses		
7. Notified body (hEN): In case of the declaration of performance (DoP)concerning a construction product covered by a harmonised standard:	EN 13162:2012  Notified testing laboratory No. 0086 carried out determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer), type calculation, tabulated values or descriptive documentation of the product under system AVCP 3		



Roofing
Declaration of Performance
Edition 12/12/18
Identification no. 020935072000000002
Version no. 01

### 9. Declared performance

Essential characteristics	Performance	Test Standard	Harmonised technical specification
Reaction to Fire	A1	EN 13.501.1	BS EN 13162:2012
Length & width	±3mm width of line and ±5mm length of line	BS EN 13162:2012	
Thermal resistance and thermal conductivity	λ(90/90) = 0.036 W/mK	BS EN 13162:2012	
Thickness	T5	BS EN 13162:2012	
Squareness	±2.5 per 500mm	BS EN 13162:2012	
Flatness	±6mm	BS EN 13162:2012	
Water vapour transmission	MU1	BS EN 13162:2012	

#### 10. Declaration

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance (DoP) is issued under the sole responsibility of the manufacturer identified in point 4.



Sika Limited Watchmead, Welwyn Garden City, Herts, AL7 1BQ. UK. +44 (0) 1707 394444 http://gbr.sika.com



Signed
Dean Grady
Product Manager SPM

Signed Martin Bidewell Head of Technical and Product Management

Welwyn Garden City, Dec 2018

#### **Ecology, Health and Safety Information (REACH)**

This product is an article as defined in article 3 of regulation (EC) No 1907/2006 (REACH). It contains no substances which are intended to be released from the article under normal or reasonably foreseeable conditions of use. A safety data sheet following article 31 of the same regulation is not needed to bring the product to the market, to transport or to use it. For safe use follow the instructions given in this product data sheet. Based on our current knowledge, this product does not contain SVHC (substances of very high concern) as listed in Annex XIV of the REACH regulation or on the candidate list published by the European Chemicals Agency in concentrations above 0.1 % (w/w).

#### Legal note:

This information is given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



www.sika.com