



Product Code

PRODUCT AND COMPANY IDENTIFICATION

SikaLastomer TF

Date of issue - 01/07/2002.

SKLSTF

SikaLastomer TF
One component, butyl based sealant
Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ tel. 01707 394444 Fax. 01707 329129
TION ON THE COMPONENTS
lients (Europe)
Concentration Classification Risk Phrases
light 64742-49-0 2.50% - 10.00% F, Xn, N R11, R51/53, R65
I
Not classified as hazardous.
Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention urgently.
Wipe off as much as possible with a clean dry cloth. Wash skin thoroughly with soap and water. Solvents should not be used to clean skin because they may increase the penetration of the material. Contaminated clothing should be washed or dry-cleaned before re-use. Obtain medical attention if blistering occurs or redness persists.
Do not induce vomiting. Wash out mouth with water. Obtain medical attention.

SKLSTF

Extinguishing Media	Use water spray, foam, dry chemical or carbon dioxide.
Special Hazards of Product	Combustion will produce smoke, carbon dioxide and carbon monoxide.
Protective Equipment for Fire-Fighting	Wear full protective clothing and self-contained breathing apparatus.



SAFETY DATA SHEET

SikaLastomer TF

Date of issue - 01/07/2002.

SKLSTF

ACCIDENTAL RELEASE MEASURES	5 · · · · · · · · · · · · · · · · · · ·
Personal Precautions	Wear appropriate protective clothing.
Environmental Precautions and Clean-up Methods	Try to prevent the material from entering drains or water courses.
Spillages	Remove spilled/leaked product by scraping from surfaces.Allow to solidify normally.Clean surfaces with a suitable solvent.
HANDLING AND STORAGE	
Handling	Exposure by inhalation or skin contact should be minimised by good
	Industrial Hygenie practices.
Storage	Avoid contact with eyes, skin and clothing. Storage area should be: cool. dry.
	Storage temperature should be controlled to between 5 and 25 °C.
EXPOSURE CONTROLS/PERSONAL	PROTECTION
Engineering Control Measures	Use of the basic principles of Industrial Hygiene will enable this material to be used safely.
Respiratory Protection	Respiratory protection not normally required.
Hand Protection	Wear suitable impervious gloves.
Eye Protection	The insides of gloves must be kept scrupulously clean. Wear safety glasses if risks of accidental contamination are possible during application.
PHYSICAL AND CHEMICAL PROPER	RTIES
Physical State	Paste.
Color	Grey.
Odor	Characteristic.
pН	Not applicable.
Flash Point °C	Exceeds 65.
Solubility - Water	Insoluble.
Density (kg/m3)	Approx. 1600 at 20 °C.
Viscosity (at 20°C)	Thixotropic paste
STABILITY AND REACTIVITY	
Stability	Stable under normal conditions.
Conditions to avoid	Extremes of temperature.
Hazardous Decomposition Products	Combustion will generate: oxides of carbon.
TOXICOLOGICAL INFORMATION	
Acute toxicity	Low order of acute toxicity.
Eye irritation	May cause slight transient irritation.
Skin irritation	Prolonged contact may cause irritation.



SAFETY DATA SHEET

SikaLastomer TF

Date of issue - 01/07/2002.

SKLSTF

JIKA	Date of issue - 01/07/2002. SKLSTF
ECOLOGICAL INFORMATION	
Mobility	Because of its high viscosity, low water solubility and low degree of
Ecotoxicity	toxicity, this material should not present any environmental problems. The product may be harmful to aquatic organisms.
DISPOSAL	
Product Disposal	Arrange for disposal via a licensed waste contractor.
Container Disposal	Dispose of containers with care. Empty packaging should be removed by a licensed waste contractor.
TRANSPORT INFORMATION	
ADR/RID Substance Identification	Not Regulated under ADR/RID
IMDG : Proper shipping name	Not Regulated under IMDG
IATA : Proper shipping name	Not Regulated under ICAO
REGULATORY INFORMATION	
Risk Phrases	None assigned.
Safety Phrases	None assigned.
OTHER INFORMATION	
First Issue Date	14.03.2001
Revisions Highlighted	Composition and Information on Ingredients
Uses and Restrictions	Customers are urged to ensure that the product is entirely suitable for their own purpose. It is the customer's responsibility to ensure that a suitable and sufficient assessment of the risks created by the use of the product is undertaken.
UK Legislation	Health and Safety at Work etc Act, 1974, and relevant Statutory Provisions. SI 1993/1746: Chemicals (Hazard Information and Packaging) Regulations, 1993. SI 1999/437: The Control of Substances Hazardous to Health Regulations SI No 2839 1991 Environmental Protection (Duty of Care) Regulations.
UK Guidance Publications	General Approved Code of Practice to COSHH Regulations, HSE. Approved Code of Practice - Management of Health and Safety at Work, HSE.
Footnote	The information contained in this SDS corresponds to our level of knowledge at the time of publication All warrantics are excluded Our

