

# Sika<sup>®</sup> ViscoCrete<sup>®</sup> 10 (GB)

## DECLARATION OF PERFORMANCE

### No. 52697186

1	<b>UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:</b>	52697186
2	<b>INTENDED USE/S</b>	EN 934-2 Water reducing concrete admixture to EN 934-2 (table 3.1 & 3.2)
3	<b>MANUFACTURER:</b>	Sika Limited Watchmead Welwyn Garden City Hertfordshire AL7 1BQ United Kingdom
4	<b>AUTHORISED REPRESENTATIVE:</b>	
5	<b>SYSTEM/S OF AVCP:</b>	System 2+
6a	<b>HARMONISED STANDARD:</b>	EN 934-2
	Notified body/ies:	1029

#### Declaration of Performance

Sika<sup>®</sup> ViscoCrete<sup>®</sup> 10 (GB)

52697186

2021.03 , ver. 2

1088

**7 DECLARED PERFORMANCE/S**

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Water soluble chloride	< 0.1%	System 2+	EN 934-2
Alkali content	< 0.25%	System 2+	
Increase in consistence	Increase in slump $\geq$ 120mm from initial (30 $\pm$ 10)mm (fulfilled)	System 2+	
Retention of consistence	30 mins after the addition the consistence of the test mix shall not be below the value of the initial consistence of the control mix (fulfilled)	System 2+	
Compressive strength	At 28 days: test mix $\geq$ 90% of control mix (fulfilled)	System 2+	
Air content in fresh concrete	Test Mix > 2% by volume (fulfilled)	System 2+	
Dangerous substances	NPD	System 2+	
Corrosion behaviour	Contains components only from EN 934-1:2008,Annex A.1	System 2+	

**8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Anthony Smith  
 Function: Product Manager  
 At Sika Limited on 26 March 2021

Name : Lee Sleight  
 Function: Business Unit Manager  
 At Sika Limited on 26 March 2021




End of information as required by Regulation (EU) No 305/2011

**Declaration of Performance**

Sika® ViscoCrete® 10 (GB)  
 52697186  
 2021.03 , ver. 2  
 1088





18

Sika Limited, Hertfordshire, United Kingdom

DoP No. 52697186

EN 934-2

Notified Body 1029

Water reducing concrete admixture to EN 934-2 (table 3.1 &amp; 3.2)

Water soluble chloride	< 0.1%
Alkali content	< 0.25%
Increase in consistence	Increase in slump $\geq$ 120mm from initial (30 $\pm$ 10)mm (fulfilled)
Retention of consistence	30 mins after the addition the consistence of the test mix shall not be below the value of the initial consistence of the control mix (fulfilled)
Compressive strength	At 28 days: test mix $\geq$ 90% of control mix (fulfilled)
Air content in fresh concrete	Test Mix > 2% by volume (fulfilled)
Corrosion behaviour	Contains components only from EN 934-1:2008, Annex A.1

<http://dop.sika.com>

## ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

## LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

### Declaration of Performance

Sika® ViscoCrete® 10 (GB)

52697186

2021.03 , ver. 2

1088

3/4

BUILDING TRUST



**Sika Limited**  
Watchmead  
Welwyn Garden City  
Hertfordshire AL7 1BQ  
United Kingdom  
[www.sika.co.uk](http://www.sika.co.uk)

**Declaration of Performance**  
Sika® ViscoCrete® 10 (GB)  
52697186  
2021.03 , ver. 2  
1088

**4/4**

**BUILDING TRUST**

