

## PRODUCT DATA SHEET

# Sikalastic® Rapid Aggregate

### QUARTZ SAND

#### PRODUCT DESCRIPTION

Sikalastic® Rapid Aggregate is a naturally rounded, light coloured quartz. It is used to provide a skid inhibiting surface.

#### USES

- Sand aggregate to be used in conjunction with the Sikalastic® Rapid Trafficable systems

#### CHARACTERISTICS / ADVANTAGES

- Provides skid-inhibiting surface

#### APPROVALS / STANDARDS

- Tested in accordance with BS 7976:2002 + A1:2013

#### PRODUCT INFORMATION

Chemical Base	Natural sand 0.71-1.25mm
Packaging	25kg Bags
Shelf Life	Unlimited shelf life stored in the correct conditions.
Storage Conditions	Store in original packaging in a location away from sources of dampness and extremes of temperature. Keep protected from rain.

#### APPLICATION INFORMATION

Yield	3.0 kg/m <sup>2</sup>
-------	-----------------------

#### APPLICATION INSTRUCTIONS

##### APPLICATION

Apply the specified system as per datasheet whilst the material is still liquid/wet broadcast into the surface. Broadcast to excess (Approx 3kg/m<sup>2</sup>) so that none of the area looks wet but appears completely dry and covered with quartz. This may take a few minutes to sink down so make sure that the appearance remains uniform, top up any areas that grin through whilst the coating is wet. Broadcast the sand by throwing small amounts upwards so that the sand settles on the surface.

Please note: **DO NOT THROW DIRECTLY DOWN AT THE COATING OR RIPPLING WILL OCCUR.**

Leave the membrane to dry through (sufficiently dry enough to walk on without disturbing the aggregate when applying the top coat)  
Once dry, brush off excess.  
Complete with Sikalastic® Rapid Pigmented Sealer and sprinkle flake into the wet coating as appropriate.

#### VALUE BASE

All technical data stated in this Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

## LOCAL RESTRICTIONS

Please note that as a result of specific local regulations the declared data and recommended uses for this product may vary from country to country. Please consult the local Product Data Sheet for the exact product data and uses.

## ECOLOGY, HEALTH AND SAFETY

A Safety Data Sheet following EC-Regulation 1907/2006, Article 31 is not needed to bring the product to the market, to transport or to use it. The product does not damage the environment when used as specified.

### REGULATION (EC) NO 1907/2006 - REACH

This product is an article within the meaning of Regulation (EC) No 1907/2006 (REACH). It contains no substances which are intended to be released from the article under normal or reasonably foreseeable conditions of use. Therefore, there are no registration requirements for substances in articles within the meaning of Article 7.1 of the Regulation.

Based on our current knowledge, this product does not contain SVHC (substances of very high concern) from the candidate list published by the European Chemicals Agency in concentrations above 0.1 % (w/w).

## LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

### TECHNICAL ENQUIRIES

Tel: 01772 255015

Web: [www.liquidplastics.co.uk](http://www.liquidplastics.co.uk)

Twitter: @LiquidPlastics

### SIKA LIMITED

Watchmead

Welwyn Garden City  
Hertfordshire, AL7 1BQ

Tel: 01707 394444

Web: [www.sika.co.uk](http://www.sika.co.uk)

Twitter: @SikaLimited



SikalasticRapidAggregate\_en\_GBLP\_(02-2017)\_1\_1.pdf

### Product Data Sheet

Sikalastic® Rapid Aggregate

February 2017, Version 01.01

02091540200000011