BUILDING TRUST

SikaTard® 930

DECLARATION OF CONFORMITY
No. 71982566

1	**UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:**	71982566
2	**INTENDED USE/S**	EN 934-2:2009 +A1:2012 Set retarding admixture according to BS EN 934-2 (Table 8)
3	**MANUFACTURER:**	Sika Limited Watchmead Welwyn Garden City Hertfordshire AL7 1BQ United Kingdom
4	**AUTHORISED REPRESENTATIVE:**	
5	**SYSTEM/S OF AVCP:**	System 2+
6a	**HARMONISED STANDARD:**	EN 934-2:2009 +A1:2012
	Approved body/ies:	0120

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Chloride ion content	Max 0.1% by wt	System 2+	EN 934-2:2009 +A1:2012
Alkali content	Max 2.7% by wt	System 2+	
Setting Time	Initial: test mix ≥ control mix + 90 min. Final: test mix ≤ control mix + 360 min	System 2+	
Compressive strength	At 7 days: Test mix ≥ 80% of control mix. At 28 days: Test mix ≥ 90% of control mix	System 2+	
Air content	Test mix ≤ 2% by volume above control mix	System 2+	
Corrosion behaviour	Contains only substances according to EN 934-1 Annex A.1	System 2+	
Dangerous substances	NPD	System 2+	

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Anthony Smith
Function: Product Manager
At Sika Limited on 24 March 2021

. . . . . .

Name : Martin Liska
Function: R&D Manager
At Sika Limited on 24 March 2021

. . . . . .

End of information as required by UKCA

21
Sika Limited, Hertfordshire, United Kingdom
DoC No. 71982566
EN 934-2:2009 +A1:2012
Approved Body 0120
Set retarding admixture according to BS EN 934-2 (Table 8)

Chloride ion content	Max 0.1% by wt
Alkali content	Max 2.7% by wt
Setting Time	Initial: test mix ≥ control mix + 90 min. Final: test mix ≤ control mix + 360 min
Compressive strength	At 7 days: Test mix ≥ 80% of control mix. At 28 days: Test mix ≥ 90% of control mix
Air content	Test mix ≤ 2% by volume above control mix
Corrosion behaviour	Contains only substances according to EN 934-1 Annex A.1

http://dop.sika.com

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

Sika Limited
Watchmead
Welwyn Garden City
Hertfordshire
United Kingdom
www.sika.co.uk