

Date of last issue: 06.01.2025	Version 1.1	Print Date 16.06.2025
Revision Date: 16.06.2025		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Ucrete® PT2 PLC Part 2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone Telefax	:	+44 (0)1707 394444 +44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12 Acute toxicity, Category 4	72/2008) H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure if inhaled.

Date of last issue: 06.01.2025 Revision Date: 16.06.2025		Version 1.1	Print Date 16.06.2025
2.2 Label elements			
Labelling (REGULATION (EC) Hazard pictograms :	No 1272/2008)	!	
Signal word :	Danger		
Hazard statements :	H317 M. H319 Ca H332 Ha H334 Ma H335 M. H351 Su H373 Ma	auses skin irritation. ay cause an allergic skin reaction. auses serious eye irritation. armful if inhaled. ay cause allergy or asthma sympto g difficulties if inhaled. ay cause respiratory irritation. uspected of causing cancer. ay cause damage to organs throug repeated exposure if inhaled.	
Precautionary statements :	Prevention: P201 P260 P264 P280 Response: P304 + P340 +	Obtain special instructions befor Do not breathe mist or vapours. Wash skin thoroughly after hand Wear protective gloves/ protecti eye protection/ face protection. P312 IF INHALED: Remove per air and keep comfortable for bre POISON CENTER/ doctor if you	dling. ve clothing/ rson to fresh eathing. Call a
	P342 + P311	If experiencing respiratory symp POISON CENTER/ doctor.	

Hazardous components which must be listed on the label:

Diphenylmethanediisocyanate, isomeres and homologues 4,4'-methylenediphenyl diisocyanate

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.





Date of last issue: 06.01.2025 Revision Date: 16.06.2025 Version 1.1

Print Date 16.06.2025

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Date of last issue: 06.01.2025 Revision Date: 16.06.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit Resp. Sens. 1; H334 >= 0,1 % specific concentration limit Skin Irrit. 2; H315 >= 5 % specific concentration limit Skin Irrit. 2; H315 >= 5 %	>= 60 - < 80

Version 1.1



4/18



Print Date 16.06.2025



Date of last issue: 06.01.2025	
Revision Date: 16.06.2025	

Version 1.1

Print Date 16.06.2025

4,4'-methylenediphenyl diisocya- nate	101-68-8 202-966-0 01-2119457014-47- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 %	>= 40 - < 60
		specific concentration limit STOT SE 3; H335 >= 5 %	
		specific concentration limit Skin Irrit. 2; H315 >= 5 %	
		specific concentration limit Resp. Sens. 1; H334 >= 0,1 %	
		Acute toxicity esti- mate	
For explanation of abbreviations so	a section 16	Acute inhalation tox- icity (dust/mist): 1,5 mg/l	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.



te of last issue: 06.01.2025 vision Date: 16.06.2025		Version 1.1	Print Date 16.06.202
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	:	Take off contaminated clothing and shoes imm Wash off with soap and plenty of water. If symptoms persist, call a physician.	ediately.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsciou	
2 Most important symptoms	and e	effects, both acute and delayed	
Symptoms	÷	Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information of and symptoms.	n health effects
Risks	:	irritant effects sensitising effects	
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breaties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonge exposure if inhaled.	-



Ucrete® PT2 PLC Part 2

Revision Date: 16.06.2025		Version 1.1	Print Date 16.06.202
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical p extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing	g apparatus.
Further information	:	Standard procedure for chemical fires.	
6.1 Personal precautions, protec Personal precautions	tiv :	e equipment and emergency procedures Use personal protective equipment.	
-	tiv :		
Personal precautions	:tiv	Use personal protective equipment.	
Personal precautions 6.2 Environmental precautions	: tiv	Use personal protective equipment. Deny access to unprotected persons.	
Personal precautions	: :	Use personal protective equipment.	
Personal precautions 6.2 Environmental precautions Environmental precautions	:	Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary sewer If the product contaminates rivers and lakes or d respective authorities.	
Personal precautions 6.2 Environmental precautions Environmental precautions	:	Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary sewer If the product contaminates rivers and lakes or d respective authorities.	rains inform
Personal precautions 6.2 Environmental precautions Environmental precautions 6.3 Methods and material for cor Methods for cleaning up	: :	Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary sewer If the product contaminates rivers and lakes or d respective authorities. nment and cleaning up Soak up with inert absorbent material (e.g. sand, acid binder, universal binder, sawdust).	rains inform
Personal precautions 6.2 Environmental precautions Environmental precautions 6.3 Methods and material for cor Methods for cleaning up	:	Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary sewer If the product contaminates rivers and lakes or d respective authorities. nment and cleaning up Soak up with inert absorbent material (e.g. sand, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	rains inform
Personal precautions 6.2 Environmental precautions Environmental precautions 6.3 Methods and material for cor Methods for cleaning up 6.4 Reference to other sections For personal protection see se	: tai :	Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary sewer If the product contaminates rivers and lakes or d respective authorities. nment and cleaning up Soak up with inert absorbent material (e.g. sand, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. on 8.	rains inform
Personal precautions 6.2 Environmental precautions Environmental precautions 6.3 Methods and material for cor Methods for cleaning up 6.4 Reference to other sections For personal protection see se SECTION 7: Handling and sto	: : : ection	Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary sewer If the product contaminates rivers and lakes or d respective authorities. nment and cleaning up Soak up with inert absorbent material (e.g. sand, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. on 8.	rains inform
Personal precautions 6.2 Environmental precautions Environmental precautions 6.3 Methods and material for cor Methods for cleaning up 6.4 Reference to other sections	: : : ection	Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary sewer If the product contaminates rivers and lakes or d respective authorities. nment and cleaning up Soak up with inert absorbent material (e.g. sand, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. on 8.	rains inform silica gel,



Date of last issue: 06.01.2025 Revision Date: 16.06.2025		Version 1.1	Print Date 16.06.2025
		For personal protection see section 8. Persons with a history of skin sensitisation prot ma, allergies, chronic or recurrent respiratory d not be employed in any process in which this m used. Smoking, eating and drinking should be prohibi plication area. Provide sufficient air exchange and/or exhaust Follow standard hygiene measures when hand products	isease should hixture is being ited in the ap- in work rooms.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.	
Hygiene measures	:	Handle in accordance with good industrial hygic practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the e	n using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well- place. Containers which are opened must be ca sealed and kept upright to prevent leakage. Sto ance with local regulations.	arefully re-
Further information on stor- age stability	:	No decomposition if stored and applied as direc	cted.
7.3 Specific end use(s)			
Specific use(s)	:	Cleaning with aprotic polar solvents must be av Consult most current local Product Data Sheet use.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	TWA	0,02 mg/m3 (NCO)	GB EH40
	Further informa	ation: Capable of ca	ausing occupation	al asthma.
		STEL	0,07 mg/m3 (NCO)	GB EH40
4,4'-methylenediphenyl diisocyanate	101-68-8	TWA	0,02 mg/m3 (NCO)	GB EH40
	Further information: Capable of causing occupational as			al asthma.
		STEL	0,07 mg/m3	GB EH40



Date of last issue: 06.01.2025
Revision Date: 16.06.2025

Version 1.1

Print Date 16.06.2025

The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Biological occupational exposure limits

Substance name	CAS-No.	Control parame- ters	Sampling time	Basis
Diphenylmethanediisocyanate, iso- meres and homologues	9016-87-9	isocyanate- derived diamine (Isocyanates): 1 µmol/mol creati- nine (Urine)	At the end of the period of expo- sure	GB EH40 BAT
4,4'-methylenediphenyl diisocyanate	101-68-8	isocyanate- derived diamine (Isocyanates): 1 µmol/mol creati- nine (Urine)	At the end of the period of expo- sure	GB EH40 BAT

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary.



Date of last issue: 06.01.2025 Revision Date: 16.06.2025	Version 1.1	Print Date 16.06.2025
	organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < Ensure adequate ventilation. This can be exhaust extraction or by general ventilati ods for determining inhalation exposure). ticular to the mixing / stirring area. In cas to keep the concentrations under the occ limits then respiration protection measure Ensure adequate ventilation, especially in	e achieved by local on. (EN 689 - Meth- . This applies in par- te this is not sufficent cupational exposure es must be used.
Environmental exposure co	ntrols	
General advice	: Do not flush into surface water or sanitar If the product contaminates rivers and lal respective authorities.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid brown
Odour	:	musty
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	əxp	losive limits
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 200 °C Method: closed cup
Auto-ignition temperature	:	No data available

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH

Regulations SI 2019/758



Ucrete[®] PT2 PLC Part 2

Date of last issue: 06.01.2025 Revision Date: 16.06.2025		Version 1.1	Print Date 16.06.2025
Decomposition temperature	:	No data available	
рН	:	substance/mixture reacts with water	
Viscosity Viscosity, dynamic	:	89 mPa.s	
Viscosity, kinematic	:	No data available	
Solubility(ies) Water solubility	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	1,23 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Ucrete® PT2 PLC Part 2

Date of last issue: 06.01.2025 Revision Date: 16.06.2025	Version 1.1	Print Date 16.06.2025
10.5 Incompatible materials Materials to avoid	: No data available	
10.6 Hazardous decomposition	products	
	: No hazardous decomposition produc	cts are known.
SECTION 11: Toxicological ir	nformation	
11.1 Information on hazard class	ses as defined in Regulation (EC) No 12	72/2008
Acute toxicity Harmful if inhaled.		
Components:		
Diphenylmethanediisocyan Acute oral toxicity	ate, isomeres and homologues: : LD50 Oral (Rat): > 10.000 mg/kg	
Acute inhalation toxicity	: LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture short term inhalation.	e is moderately toxic after
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 9.400 mg/kg)
4,4'-methylenediphenyl diis	ocyanate:	
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401	
Acute inhalation toxicity	: LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement	
	Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method	
Skin corrosion/irritation		

Causes skin irritation.

rete [®] PT2 PLC Part 2	
a of loot increase 00.01.2025	Version 4.4

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH

SAFETY DATA SHEET

Regulations SI 2019/758

Version 1.1

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity Suspected of causing cancer.

Reproductive toxicity Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified due to lack of data.

Product:

Assessment

The substance/mixture does not contain components consid-2 ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Toxicity to fish

LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h



Date of last issue: 06.01.2025 Revision Date: 16.06.2025	Version 1.1	Print Date 16.06.2025
Toxicity to algae/aquatic plants	EC50 (Desmodesmus subspicatus (gr mg/l Exposure time: 72 h	reen algae)): > 1.640
12.2 Persistence and degradabili No data available	1	
12.3 Bioaccumulative potential No data available		
12.4 Mobility in soil No data available		
12.5 Results of PBT and vPvB as	essment	
Product: Assessment	This substance/mixture contains no co to be either persistent, bioaccumulativ very persistent and very bioaccumulat 0.1% or higher	e and toxic (PBT), or
12.6 Endocrine disrupting proper	ies	
Product:		
Assessment	The substance/mixture does not conta ered to have endocrine disrupting prop REACH Article 57(f) or Commission D (EU) 2017/2100 or Commission Regu- levels of 0.1% or higher.	perties according to pelegated regulation
12.7 Other adverse effects		
Product: Additional ecological infor- mation	There is no data available for this proc	duct.
SECTION 13: Disposal consid	rations	
13.1 Waste treatment methods		
Product	 The generation of waste should be average wherever possible. Empty containers or liners may retain This material and its container must be way. Dispose of surplus and non-recyclable waste disposal contractor. Disposal of this product, solutions and at all times comply with the requirement. 	some product residues. e disposed of in a safe e products via a licensed l any by-products should

at all times comply with the requirements of environmental



Date of last issue: 06.01.2025 Revision Date: 16.06.2025	Version 1.1	Print Date 16.06.2025
	protection and waste disposal legislation local authority requirements. Avoid dispersal of spilled material and ru soil, waterways, drains and sewers.	, ,

SECTION 14: Transport information

14.1	UN	number	or I	D	number

ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards Not regulated as a dangerous good				
14.6 Special precautions for user				

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant EU provisions transposed through retained EU law

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Ucrete[®] PT2 PLC Part 2

Date of last issue: 06.01.2025 Revision Date: 16.06.2025	Version	1.1	Print Date 16.06.2025
UK REACH List of restrictions (Ar	inex 17)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 56: Diphenylme- thanediisocyanate, isomeres and homologues, 4,4'-methylenediphenyl diisocyanate
			Number on list 74: Diphenylme- thanediisocyanate, isomeres and homologues, 4,4'-methylenediphenyl diisocyanate
UK REACH Candidate list of subs concern (SVHC) for Authorisation		:	Not applicable
The Persistent Organic Pollutants Regulation (EU) 2019/1021 as an ain)		:	Not applicable
International Chemical Weapons Schedules of Toxic Chemicals an		:	Not applicable
Regulation (EU) No 2024/590 on plete the ozone layer	substances that de-	:	Not applicable
UK REACH List of substances su (Annex XIV)	bject to authorisation	:	Not applicable
GB Export and import of hazardou Informed Consent (PIC) Regulation		:	Not applicable
Control of Major Accident Hazards 2015 (COMAH)	s Regulations	Not	applicable
Volatile organic compounds :	Law on the incentive t (VOCV) no VOC duties	ax fo	or volatile organic compounds
			4 November 2010 on industrial and s (integrated pollution prevention

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.



Date of last issue: 06.01.2025 Revision Date: 16.06.2025	Version 1.1	Print Date 16.06.2025
Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	 Environmental Protection Act 1990 & Se Health and Safety at Work Act 1974 & Se Control of Substances Hazardous to He (COSHH) May be subject to the Control of Major A 	Subsidiary Regulations ealth Regulations

Regulations (COMAH), and amendments.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements				
H315 :	Causes skin irritation.			
H317 :	May cause an allergic skin reaction.			
H319 :	Causes serious eye irritation.			
H332 :	Harmful if inhaled.			
H334 :	May cause allergy or asthma symptoms or breathing difficul-			
	ties if inhaled.			
H335 :	May cause respiratory irritation.			
H351 :	Suspected of causing cancer.			
H373 :	May cause damage to organs through prolonged or repeated			
	exposure if inhaled.			
Full text of other abbreviations				
Acute Tox. :	Acute toxicity			
Carc. :	Carcinogenicity			
Eye Irrit. :	Eye irritation			
Resp. Sens. :	Respiratory sensitisation			
Skin Irrit. :	Skin irritation			
Skin Sens. :	Skin sensitisation			
STOT RE :	Specific target organ toxicity - repeated exposure			
STOT SE :	Specific target organ toxicity - single exposure			
GB EH40 :	UK. EH40 WEL - Workplace Exposure Limits			
GB EH40 BAT :	UK. Biological monitoring guidance values			
GB EH40 / TWA :	Long-term exposure limit (8-hour TWA reference period)			
GB EH40 / STEL :	Short-term exposure limit (15-minute reference period)			
ADR :	European Agreement concerning the International Carriage of			
	Dangerous Goods by Road			
CAS :	Chemical Abstracts Service			
DNEL :	Derived no-effect level			
EC50 :	Half maximal effective concentration			
GHS :	Globally Harmonized System			
IATA :	International Air Transport Association			
IMDG :	International Maritime Code for Dangerous Goods			
LD50 :	Median lethal dosis (the amount of a material, given all at			
	once, which causes the death of 50% (one half) of a group of			
	test animals)			



Date of last issue: 06.01.2025 Revision Date: 16.06.2025		Version 1.1	Print Date 16.06.2025	
LC50	:	Median lethal concentration (concentrations of air that kills 50% of the test animals during the period)		
MARPOL	:	 International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 		
OEL	:	Occupational Exposure Limit		
PBT	:	Persistent, bioaccumulative and toxic		
PNEC	:	Predicted no effect concentration		
REACH	:	Regulation (EC) No 1907/2006 of the Europea and of the Council of 18 December 2006 conce istration, Evaluation, Authorisation and Restric cals (REACH), establishing a European Chem	erning the Reg- tion of Chemi-	
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative		

Further information

Classification of the mixture:		Classification procedure:
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN