

# PRODUCT DATA SHEET

## SikaRoof® SF-T-75

### HIGH QUALITY VIRGIN POLYPROPYLENE SIKA TROCAL® INSULATION FASTENING TUBE

#### PRODUCT DESCRIPTION

The SikaRoof® SF-T-75 is a high quality tube, with integral washer feature manufactured from virgin polypropylene used with separate dedicated fixings to create a thermally broken fastener for the attachment of Sika-Trocal® insulation.

#### USES

Used with dedicated fixings and disc to create a thermally broken fastener for the attachment of Sika-Trocal® insulation.

#### CHARACTERISTICS / ADVANTAGES

- Practically eliminates thermal transmittance
- Unique angled tip for ease of penetration through insulation
- Manufactured from high quality polypropylene
- Purpose designed and precision manufactured UK

#### PRODUCT INFORMATION

<b>Chemical Base</b>	High quality virgin polypropylene
<b>Packaging</b>	See current price list
<b>Shelf Life</b>	Will not expire under normal conditions
<b>Storage Conditions</b>	Must be stored between +5 °C and +30 °C in original packaging protected from direct sunlight, rain, snow and chemicals
<b>Dimensions</b>	Tube shaft diameter - 13.6mm Tube top diameter - 75mm Tube lengths - see current price list

#### APPLICATION

The SikaRoof® SF-T-75 must be used as a complete system with tools and accessories as suggested.

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

#### VALUE BASE

#### LOCAL RESTRICTIONS

Please note that as a result of specific local regulations the performance of this product may vary from country to country. Please consult the local Product Data Sheet for the exact description of the application fields.

## ECOLOGY, HEALTH AND SAFETY

### LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

#### SIKA LIMITED

Watchmead  
Welwyn Garden City  
Hertfordshire, AL7 1BQ  
Tel: 01707 394444  
Web: [www.sika.co.uk](http://www.sika.co.uk)  
Twitter: @SikaLimited

#### SIKA IRELAND LIMITED

Ballymun Industrial Estate  
Ballymun  
Dublin 11, Ireland  
Tel: +353 1 862 0709  
Web: [www.sika.ie](http://www.sika.ie)  
Twitter: @SikaIreland



#### Product Data Sheet

SikaRoof® SF-T-75  
December 2019, Version 01.01  
020945051100000058

SikaRoofSF-T-75-en-GB-(12-2019)-1-1.pdf