

THE COMPLETE PRODUCT GUIDE

January 2025

BUILDING TRUST



CONTENTS

SEALANTS

Professional	6
Fire Protection	13
DIY	14
Sika Sealants	16
Guns and Tools	17
Specifier	20
Specialist Sealants	24

ADHESIVES

Hybrid Sealants and Adhesives	30
Grab	34
Plasterboard	40
Specialist Adhesives	41
Wood	42
Flooring	44
Contact	47
Superglues and activators	48
Craft	50

LANDSCAPING

Jointing Compounds	54
Sealing and Protecting	57
Surface Cleaners and Treatments	60

WOOD CARE AND TREATMENT

Treatments and Preservatives	66
Stains and Varnishes	70

ROOFING

Roof Repair	74
Flashing	77
Bitumen	78

EXPANDING FOAMS

Professional and DIY	82
Foam Ancillaries	84
Fire Rated Foam	85

FILLERS AND DECORATING SUNDRIES

Surface protectors	88
Decorating Fillers	90
Wood Fillers	94
Dust sheets and Tarpaulins	96
Decorating Sundries	97



SIKA

TAPES

Building Tapes	102
Repair Tapes	105
Masking Tapes	106
Safety Tapes	107
Packaging Tapes	107
Double sided Tapes	108
Plasterboard Tapes	109

CLEANERS

Wipes	112
Glazing Cleaners	114
Cleaners and Lubricants	115

PLUMBING AND HEATING SUPPLIES

Sealers and Compounds	118
Fire and Stove Sundries	121
Fire, Stove and Flue Cements and Mortars	122

BUILDING SUPPLIES

Waterproofing	126
Building Admixtures	130
Self Levelling Compounds	138
Floor Paints and Line Markers	142
Wall Finishing	143
Concrete and Brick Repair	144
Priming	148
PVA and SBR Bonding	149
Chemical Anchors	152
Putties	154
Pointing	155

TILING

Wet Room System	158
Tile Adhesives	160
Grouts	163

BUILDING FINISHING

Mineral Renders	168
Lime Renders	169
Base Coats	170
Top Coats	171
Pointing Mortars	172
Complementary Products	173



WELCOME TO SIKA'S DISTRIBUTION DIVISION

Your trusted partner for construction and industry solutions

Sika is a global leader in construction chemicals, offering a diverse portfolio of problem-solving products designed for a wide range of applications - from waterproofing and roofing to concrete repair, flooring, and more.

With over 90 years of expertise, Sika is committed to delivering high-quality solutions for the construction and industrial sectors. Our strong UK presence is anchored by five key locations: Welwyn Garden City, Leeds, Preston, Wishaw, and Redditch.

Sika's innovative product development, rigorous manufacturing standards, and renowned technical expertise empower our customers with a comprehensive product portfolio



FOR ALL YOUR
BUILDING SOLUTIONS



FOR ALL YOUR BUILDING NEEDS

As the market-leading provider of all trade and construction products for Builders' Merchants, Trade Professionals, and DIYers, we understand the importance of having the best product for the job. Our reliable products and unrivalled technical support will give you the confidence you need in your projects.

Whether you need sealants, adhesives, foams, fillers, tapes, cleaners, or other building supplies, such as PVAs, putties, pointing, and self-levellers, whether your project is landscaping, roofing, bathrooms, decorating, or rendering, we have what you need.

Stay up to Date

Keep yourself in the loop with all the latest company and product updates by connecting with us online.



SIKA eSHOP FOR MERCHANTS
DIRECT ACCESS TO THE ENTIRE
SIKA PRODUCT PORTFOLIO



ACCESS TO TRAINING VIA OUR
EXPERIENCED TEAM AND ONLINE
KNOWLEDGE CENTRE PORTAL





Forever White
Mould Remover
Forever breaking the mould

SEALANTS

Professional	6
Fire Protection	13
DIY	14
Sika Sealants	16
Guns and Tools	17
Specifier	20
Specialist Sealants	24

SCAN TO
SEE THE
FULL
RANGE



Forever White Silicone Sealant



**FOREVER WHITE®
CONTAINS A HIGH
QUALITY ANTIMICROBIAL
ADDITIVE, RIGOROUSLY
TESTED IN ACCREDITED
MICROBIOLOGICAL
LABORATORIES TO SHOW
NO MOULD GROWTH
AFTER 10 YEARS*.**

* Simulated ageing.

**PERMANENTLY
FLEXIBLE**

**TOOLS DOWN
SMOOTHLY**

PREMIUM QUALITY


**STARTS WHITE -
STAYS WHITE**

SGAN	SIZE	COLOUR	QTY	BARCODE
461971	295ML	White	12	5029347603540
461972	295ML	CLEAR	12	5029347603953
461973	295ML	IVORY	12	5029347606404
552487	295ML	GREY	12	5029347615376

A superior silicone sealant that's waterproof, flexible, and antibacterial - designed to be used around the home.

Forever White is a superior silicone sealant that is permanently waterproof, flexible, and ideal for sealing shower bases, cubicles, wetrooms, baths, sinks, and basins. It is also ideal for kitchens and utility rooms and sealing around window and door frames. Contains Mould Shield, which actively protects the sealant against the growth of bacteria, mildew and black mould.

containing
**Mould
Shield®**




Caulk Once Acrylic Caulk


SLUMPING IS OFTEN FOUND
WITH INFERIOR CAULKS



CAULK ONCE IS QUICK
AND EASY TO APPLY



CAULK ONCE TOOLS
DOWN SMOOTHLY FOR
A PERFECT FINISH



SGAN	SIZE	COLOUR	QTY	BARCODE
489514	295ML	WHITE	12	5029347612955
489516	380ML	WHITE	12	5029347612962


A premium quality acrylic caulk - fast drying, permanently flexible, and tailor-made for a range of jobs.

Caulk Once - the best caulk you will ever use. A premium quality acrylic caulk formulated to outperform all other conventional decorating caulks and fillers. Caulk Once is manufactured using an advanced high-quality polymer to offer superior adhesion, low shrink, and smooth tooling down.

APPLY ONCE -
JOB DONE

NO SLUMP

EASY SMOOTH



EVERFLEX®

Our huge range is ready for anything you throw at it.



Contract 115 GP Building Mastic

SGAN	SIZE	COLOUR	QTY	BARCODE
489634	285ML	BROWN	25	5029347601386
489635	285ML	GREY	25	5029347601393
489636	285ML	STONE	25	5029347601409
489637	285ML	WHITE	25	5029347000141

A traditional oil-based pointing mastic that provides an effective weatherproof seal. Typically used to seal composite sectional panels and low-movement vertical building joints. This high solids formulation means excellent gap-filling properties. It is semi-drying, too, so it remains permanently elastic beneath the surface skin.




Brick / Stone / Concrete / Timber



Contract 125 One Hour Caulk

SGAN	SIZE	COLOUR	QTY	BARCODE
482349	300ML	WHITE	25	5029347000042
485992	300ML	BROWN	25	5029347601195
485994	300ML	MAGNOLIA	25	5029347601201
485997	380ML	WHITE	12	5029347000059
485998	380ML	WHITE	25	5029347000059

A fast drying flexible decorators filler and sealant that remains permanently flexible. It can be overpainted with most paint types or covered with wallpaper – no sanding down required. It is ideal for sealing and filling cracks and gaps before decorating and for use around skirting boards, ceiling cornices, window and door frames, damaged plaster, stair treads, and risings and fixtures adjoining walls.



Timber / Plaster / Brick / Concrete



Premium 145 Butyl Rubber Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
489633	300ML	GREY	12	5029347610357

A semi-setting jointing compound. Typically used for roofing, glazing, metal containers and sectional building applications. It forms a skin in approximately 24 hours but remains permanently plastic underneath. The sealant accommodates joint movements of +/- 5% and is overpaintable. Provides an effective weatherproof seal in a variety of exterior and interior applications.



Brick / Stone / Concrete / Timber / Roofing
Glazing / Metal



Premium 175 Universal Acrylic Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
489426	300ML	BROWN	25	5029347601218
482253	300ML	WHITE	25	5029347000066
539204	380ML	WHITE	12	5029347615031

A high quality acrylic sealant that provides a long lasting, permanently flexible seal in a wide variety of applications. Adheres to virtually all substrates. Ideal for internal and external sealing around timber and metal window and door frames. Also, for internal sealing around PVCu windows, door frames, baths, and basins, sealing cracks and gaps in brickwork, stone, and concrete, and as an adhesive for bonding polystyrene coving and tiles.




Timber / Plaster / Brick / PVCu / Concrete / Stone



Premium+ 195 Siliconised Acrylic Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
482346	300ML	WHITE	25	5029347609535

A high quality sealant that remains highly flexible and can be used on a wide variety of internal and external sealing applications. 195 Acrylic has improved adhesion characteristics when compared to conventional acrylic sealants.




Timber / Plaster / Brick / PVCu / Concrete / Stone



LMA 200 Contractors Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
485984	295ML	BLACK	25	5029347601492
485985	295ML	BROWN	25	5029347601485
485986	295ML	TRANS	25	5029347601478
468667	295ML	WHITE	25	7612895106335

A cost effective acetoxycure sealant that adheres to most smooth and nonporous materials. It contains an anti-fungal compound to prevent mould growth to the sealant in areas of high humidity. Ideal for aluminium sealing, sealing around baths, showers, basins, and other sanitary ware. Also, as an adhesive for fixing PVCu trims, cladding, and panels, sealing around worktops and laminates, pointing and door frames, for aluminium gutter sealing, and general draughtproofing.



Glass / Timber / Aluminium / Ceramics / Laminates



Contract 225

Industrial and Glazing Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
486133	295ML	BLACK	25	5029347601225
486134	295ML	STEEL	25	5029347602482
486135	295ML	TRANS	25	5029347601249
486136	295ML	WHITE	25	5029347000011

A mid modulus acetoxy cure silicone sealant that adheres to most smooth and non-porous substrates. Typically used for single glazing, draught-proofing and general industrial use. Quick curing, with low dirt pick up, it remains permanently flexible and provides a waterproof seal. Temperature resistant. Contains a powerful anti-fungal compound to prevent mould growth to the sealant.




Glass / Timber / Aluminium / Ceramics / Laminates

Premium 335

Construction Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
486137	295ML	BLACK	25	5029347601256
486138	295ML	BROWN	25	5029347601263
486139	295ML	GREY	25	5029347601287
486150	295ML	BRONZE	25	5029347601270
486152	295ML	TOFFEE	25	5029347601294
486154	295ML	TRANS	25	5029347601300
486153	295ML	WHITE	25	5029347000028

A low modulus reactive cure silicone sealant specially formulated as a cost-effective PVCu sealant, which also adheres to many common building substrates. It remains permanently flexible, forming a weather tight rubber-like seal. Contains anti-fungal compound to prevent mould growth to the sealant.




PVCu / Brick / Aluminium / Plastics / Glass

Premium+ 450

Builders Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
484831	300ML	BUFF	25	5029347601317
484832	300ML	BLACK	25	5029347601324
484833	300ML	BROWN	25	5029347601331
484834	300ML	GREY	25	5029347601348
484835	300ML	OAK	25	5029347603502
484836	300ML	TRANS	25	5029347601355
484830	300ML	WHITE	25	5029347000035

A premium quality low modulus non-corrosive neutral cure silicone sealant that adheres to virtually all substrates, both porous and non-porous. Typically used for construction expansion joints and perimeter pointing of all types of door and window frames. Low dirt pick up - which is particularly important in PVCu work. **Conforms to ISO 11600 Class: F 25LM and G 25LM.**




Timber / Brick / Stone / PVCu / Concrete / Metal

Premium+ 500

Bath and Sanitary Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
484838	295ML	GREY	12	5029347603373
484839	295ML	IVORY	25	5029347601362
484840	295ML	SANDSTONE	12	5029347603380
484841	295ML	TRANS	25	5029347601379
484842	295ML	WHITE	25	5029347000127

A premium quality mid modulus acetoxy cure silicone sealant that contains a high level of powerful anti-fungal compound to protect the sealant. Typically used in areas of high humidity, such as bathrooms and kitchens. Permanently flexible, waterproof seal. Will not discolour on ageing even in humid or damp conditions.



Ceramics / Acrylic / Laminates / Aluminium / Glass

Premium+ 565

Clean Room Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
486155	295ML	WHITE	25	5029347612399

An advanced neutral curing hygienic sealant that contains Mould Shield®, a powerful anti-bacterial compound, and is food contact approved. Prevent growth of most common moulds to the sealant. Offers outstanding adhesion to most substrates including plastics, ceramics and metal. Virtually odourless in application with a slow skinning time. Ideal for long joint runs in larger applications. Remains permanently flexible with a movement capability of +/- 25%. **Approved for food contact to 21CFR177.2600 by IANESCO (France) and meets ISO 11600 F 25LM.**



Metal / Ceramics / Glass / Most Plastics




Contract 700T

LMN Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
486156	300ML	BROWN	25	5029347615123
486160	300ML	TRANS	25	5029347600631
486161	300ML	WHITE	25	5029347615116
486162	300ML	BLACK	25	5029347615161
486166	600ML	TRANS	12	NO BARCODE

A fast, neutral cure, low modulus sealant specially formulated for the PVCu and roofline industry. For perimeter pointing window and door frames, sealing plastic roofline areas, general weather sealing, and also sanitary applications.

White and translucent colours also available in a foil pack.



Timber / Brick / Stone / PVCu / Concrete / Metal



Contract AC50

Acoustic Sealant and Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
489512	900ML	WHITE	9	5029347600112
489513	380ML	WHITE	12	5029347600358

A high strength, permanently flexible sealant and adhesive specifically formulated for sealing and bonding plasterboard and other kraft lined insulation boards. Typically used for walls, ceilings, and dry lining applications. Water-based, solvent-free formula, easy to use and clean up, and adheres to most building substrates.



Timber / Plaster / Brick / Stone / Concrete



Check out our full range of guns, tools and nozzles for cartridge and foil packs

See pages 17-20 within the Sealants section



Silicone Eater

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482505	SILEAT	100ML	-	12	5029347115005

A revolutionary chemical that breaks up and removes all types of silicone sealant. It is harmless to most surrounding surfaces and can be used to remove sealant from baths, kitchen worktops, basins, showers, doors, and window frames.



INTERIOR AND EXTERIOR USE



Aqua Mate Aquarium Sealant


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489687	AQUATR	295ML	TRANS	12	5029347120009

An acetoxycure 100% silicone sealant and adhesive designed specifically for aquarium manufacture. The waterproof seal will withstand continuous water immersion over a long period of time once cured. Fast cure (tack free in one hour), gives extremely high early strengths.

100% fish safe formula. Meets the requirements of ISO 11600 G20LM



QUICK CURING/
DRYING



SOLVENT
FREE



AQUARIA
SAFE



Glass / PVCu / Aluminium

Weather Mate Gap Filler and Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489689	WEACL	295ML	CLEAR	25	5029347601454
489692	WEAWE	295ML	WHITE	25	5029347000073
489693	WEABK	295ML	BLACK	25	5029347601447

Based on an advanced isoacrylic formula that provides the ultimate in technology for adhesion to many surfaces. It can be applied in wet weather, to wet surfaces, even under water. Resistant to all weather extremes, remains permanently flexible and can be overpainted with most paints and wood stains when cured, although overpainting is not essential.



EXTERIOR
USE




OVER-
PAINTABLE




HIGH WATER &
RAIN RESISTANCE



LEAD
COMPATIBLE



SOLVENT
BASED



Metal / Timber / Galvanised Steel / Bitumen

Galva Mate Duct Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489540	GALVAM	295ML	GREY	25	5029347000070

A high performance adhesive and sealant specifically designed for sealing high velocity duct work in heating and ventilation systems. Very strong adhesion to galvanised and stainless steel surfaces, excellent slump resistance, permanently flexible, and resistant to mildew and mould growth.



INTERIOR
USE



WATER-BASED/
CLEAN UP



QUICK CURING/
DRYING




Galvanised Steel / Stainless Steel

Heat Mate Heat Resistant Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484772	HEAT	295ML	RED	12	5029347113001
484776	HTSBK	295ML	BLACK	12	5029347615307

A high modulus permanently flexible 100% silicone which is temperature resistant up to 275°C. Ideal for sealing industrial and high performance gaskets, oven doors, and much more. It cures quickly to reduce dirt pick up. Remains permanently flexible, forming a water tight rubber-like seal. Excellent adhesion to most non-porous surfaces.



Lead Mate Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486216	LEAD	295ML	GREY	25	5029347007355

Specially formulated as an alternative to mortaring lead flashing and sheet into brick, stone and concrete, providing a fully waterproof joint. Cleaner and easier to apply than conventional mortar, and a great time-saver. Excellent weathering characteristics, permanently flexible and accommodates thermal movement in lead. Tack free in 1 hour. Temperature resistant to 150°C.



Lead / Brick / Concrete / Stone / Timber

Fire Mate Intumescent Acrylic Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
486028	295ML	WHITE	25	5029347000134
486040	295ML	GREY	25	5029347613648
486029	295ML	BROWN	25	5029347613631

An intumescent acrylic sealant that swells when exposed to temperatures in excess of 125°C to prevent the passage of fire and smoke. Has a fire rating of up to 4 hours in certain joint configurations. **Fire rated to EN1366-4. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1. Tested to EN1366-3.**



Brick / Concrete / Stone / Timber / Plasterboard

Pyro Mate Fire Rated Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
486041	295ML	WHITE	12	5029347608941

A neutral cure elastic silicone sealant which conforms to EN1366-4 for fire protection and has a fire rating of up to 4 hours in certain joint configurations. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/products for residential ventilation. **Conforms to ISO 11600 class: F25LM and EN15651 to ISO 9047, 8339 and 10563.**



Timber / Brick / Stone / Glass / Concrete / Metal

SEALANTS


Fire Protection / DIY

Contract AC95

Intumescent Sealant and Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
486163	900ML	WHITE	9	5029347602413

An intumescent acrylic sealant and adhesive specifically formulated for fire rated sealing and bonding applications on plasterboard and other kraft lined insulation boards. Provides up to 4 hours fire resistance. **Tested to EN1366-4. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/products for residential ventilation. Tested to EN13963, Type 4A.**



Timber / Plaster / Brick / Stone / Concrete

SikaSeal®-632 Firespan

Ablative Pads

SGAN	SIZE	COLOUR	QTY	BARCODE
486164	SINGLE	RED	20	5029347911126
486165	DOUBLE	RED	20	5029347911133

Designed to be used on the inside or outside of electrical socket boxes to maintain fire and smoke barrier where service holes are cut into dry lining and all types of fire rated boarding. Tested to EN1366-3 to provide up to 2 hours fire protection, and also maintain acoustic integrity of the drylining system. High tack adhesion, pliable and mouldable, self bonding.

Single Socket Pad Size: 4MM thick x 170MM x 170MM.
Double Socket Pad Size: 4MM thick x 230MM x 170MM.

Acoustic rated to BS EN ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/products for residential ventilation.



General Purpose

Silicone


EASI-SQUEEZE

SGAN	SIZE	COLOUR	QTY	BARCODE
483130	80ML	CLEAR	12	5029347606060
483131	80ML	WHITE	12	5029347606022

CARTRIDGE

SGAN	SIZE	COLOUR	QTY	BARCODE
485955	280ML	BLACK	25	5029347600938
485956	280ML	BROWN	25	5029347200008
487789	280ML	GREY	25	5029347608965
467060	280ML	CLEAR	25	5029347100001
467061	280ML	WHITE	25	5029347000004
485957	280ML	BLACK	12	5029347600938
485958	280ML	BROWN	12	5029347200008
481298	280ML	GREY	12	5029347608965
482390	280ML	CLEAR	12	5029347100001
482391	280ML	WHITE	12	5029347000004

A mid modulus silicone sealant that adheres to most smooth and non-porous materials. Contains an anti-fungal compound to be mould resistant in areas of high humidity. Forms a permanently flexible rubber seal. Available in both cartridges and squeeze tubes.



Glass / Ceramics / Timber / Aluminium / Laminates

Bath and Kitchen Sealant


EASI-SQUEEZE

SGAN	SIZE	COLOUR	QTY	BARCODE
484863	200ML	WHITE	12	5029347000547

CARTRIDGE

SGAN	SIZE	COLOUR	QTY	BARCODE
486278	290ML	WHITE	12	5029347000554

A high quality, acrylic based sealant that provides an effective, yet economical seal that is easy to use. With added anti-fungal compound. Perfect for use in bathrooms and kitchens. Available in both cartridge and squeeze tube form.



Acrylic / Ceramics / Laminates / Timber / Plaster

Flexible Decorators Filler


EASI-SQUEEZE

SGAN	SIZE	COLOUR	QTY	BARCODE
484864	200ML	WHITE	12	5029347601041

CARTRIDGE

SGAN	SIZE	COLOUR	QTY	BARCODE
486009	290ML	WHITE	12	5029347000554

A fast drying, acrylic based filler and sealant that remains permanently flexible. Can be overpainted with most paint types or covered over with wallpaper. No sanding down required. Available in both cartridge and squeeze tube form.




Glass / Ceramics / Timber / Metal / Laminates

Showerproof Bathroom Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
467063	280ML	WHITE	12	5029347609610
467062	280ML	CLEAR	12	5029347609627

A mid modulus sanitary and shower silicone sealant that adheres to most smooth and non-porous materials. Contains a powerful anti-fungal compound to be mould resistant in areas of high humidity. Forms a permanently flexible rubber seal.




Glass / Ceramics / Timber / Aluminium / Laminates

Timber and Laminate Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
483196	290ML	BEECH	6	5029347600143
483199	290ML	OAK	6	5029347600136
483200	290ML	PINE	6	5029347600129

A polymer rich, permanently flexible sealant and gap filler designed for sealing around laminate flooring, fitted furniture and kitchen worktops. Formulated using high clarity lightfast colour pigments.




Timber / Laminates / MFC / MDF

Roof and Gutter Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
486214	295ML	BLACK	12	5029347000172

A premium quality butyl based sealant and adhesive that provides instant, permanent weather-proofing to a wide variety of roofing applications. Adheres to most common roofing materials such as bitumen, asphalt, felt, metals and wood.




Felt / Slates / Tiles / Wood / Bitumen / Gutters

External Frame Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
483170	290ML	BROWN	12	5029347000585
483173	290ML	GREY	12	5029347000592
483174	290ML	STONE	12	5029347000608
483175	290ML	WHITE	12	5029347000530

A high quality acrylic based sealant that provides a long lasting, permanently flexible seal that can be overpainted when cured.




Timber / Plaster / Brick / Stone / Concrete

Sika® Sanisil Sanitary Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
737764	300ML	CLEAR	12	3240240006050
737763	300ML	WHITE	12	3240240006043

A high quality, acetox curing, sanitary silicone containing a powerful anti-fungal compound for resistance to fungus and mildew. Sika® Sanisil is the ideal choice for sealing around baths, showers, sinks, kitchens and areas subject to high humidity levels. It can also be used for cap sealing to metal, timber, PVCu window frames.




Metal / Timber / PVCu / Baths / Showers / Basins / Sanitaryware

Sikaseal® Multi Purpose General Purpose Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
548128	300ML	TRANSLUCENT	12	5055492701961
548127	300ML	WHITE	12	5055492701947

A versatile acetox curing silicone sealant, suitable for a variety of household applications. Contains an anti-fungal compound to prevent mould growth in the sealant when used in areas of high humidity. Adheres to smooth and non-porous substrates and forms a permanently flexible seal.




Sika® Plastix-22A

Premium LMN Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
507294	300ML	ANTHRACITE	12	5055492701480
507295	300ML	BLACK	12	5055492701503
507296	300ML	CARAMEL	12	5055492701527
507292	300ML	TRANSLUCENT	12	5055492701442
507285	300ML	BRILLIANT WHITE	12	5055492701428

A premium grade, low-modulus, neutral curing silicone sealant that is ideal for glazing and roofline applications, along with other construction and industrial uses. This product's low dirt pick up makes it ideal for use with PVCu and plastics. Certified for facade, glazing, cold climate and sanitary applications.



uPVC / Wood / Aluminium / Glazing / Soft Metals / Coated Metals / Stainless Steel

Foil Pack

Spare Nozzles and Push Disc

SGAN	SIZE	QTY	BARCODE
489586	-	1	5029347602208

Refill pack for foil pack applicator gun; contains 10 x nozzles and 1 x push disc.



Professional Sealant Gun

SGAN	SIZE	QTY	BARCODE
483371	C3/310ML	12	5029347602246
485999	C4/400ML	12	5029347600952


Sturdy skeleton gun with hexagonal rod and reinforced ring and hook end.



Jumbo Sealant Gun

SGAN	SIZE	QTY	BARCODE
489587	900ML	1	5029347600785

With swivel action and extra heavy duty push rod mechanism to cope with stiff acoustic sealants. For all 900ML cartridges.



Power Pro Sealant Gun

SGAN	SIZE	QTY	BARCODE
484912	C4/400ML	6	5029347600945

The ultimate heavy duty sealant gun, extra pull trigger, hook end and swivel action barrel for both 310ML and 400ML cartridges. Engineered for the trade.



Superflow Sealant Gun

SGAN	SIZE	QTY	BARCODE
489588	C3/310ML	6	5029347613082

Engineered to be what we believe is the best gun ever, with a rotating barrel, smooth action trigger, soft grip handle, and a non-drip device all wrapped up in a robust, sturdy gun that will handle the toughest of conditions.



Sika® Foil Applicator Gun

SGAN	SIZE	QTY	BARCODE
483370	600ML	1	5029347600808

The Foil Pack applicator gun is designed for use with foil packs, the enclosed aluminium barrel can also be used for standard cartridges.



Sika® PowerCure Dispenser

DISPENSER

SGAN	SIZE	QTY	BARCODE
671579	600ML	1	7612895699936

NOZZLE

SGAN	SIZE	QTY	BARCODE
496783	-	40	7612895230030

The Sika PowerCure Dispenser provides a quick and efficient way of applying SikaBooster technology found in Sikaflex 423 Powercure. The fast curing technology coupled with the Sika PoweCure Dispenser creates the most convenient application method for when time is of the essence.



Standard Nozzles

SGAN	SIZE	QTY	BARCODE
489640	-	12	5029347606237

Standard cartridge nozzles, handy replacements packed in 6's.



Seal Rite Strip-Out Tool

SGAN	SIZE	QTY	BARCODE
482769	-	12	5029347603557

The Strip-Out Tool works on any type of sealant and is the ideal partner for use before applying silicone sealant. The Strip-Out Tool is incredibly simple and its design and shape provides a really quick way to strip all types of sealant out of any 90° angle joint.



Seal Rite Smooth-Out Tool

SGAN	SIZE	QTY	BARCODE
486847	-	12	5029347603638

The Smooth-Out Tool is a unique tool that is ideal for smoothing out all sealants after application - it creates a perfect seal every time. Even better, you will have no edge marks and no mess! This tool is really remarkable, once used, you'll never seal again without it.



Seal Rite Strip-Out and Smooth-Out Twin Pack

SGAN	SIZE	QTY	BARCODE
483399	-	12	5029347609603

A Twin pack with Strip-Out Tool for easy sealant removal and Smooth-Out Tool to create the perfect seal. Ideal for use with our full range of Silicone Sealants.



Sikasil®-825
 Silicone Sealant


**SUBSTRATES: GLASS,
ALUMINIUM AND PVC
- ALL PRIMERLESS.**

**TECHNICAL EXCELLENCE
PROFESSIONAL
PERFORMANCE**

**CONFORMS TO ISO
11600 CLASS F25LM
AND G25LM**

SGAN	SIZE	COLOUR	QTY	BARCODE
835414	380ML	ANTHRACITE	25	5029347615741
835394	380ML	BEIGE	25	5029347615734
835393	380ML	BLACK	25	5029347615727
835395	380ML	BROWN	25	5029347615710
835396	380ML	BRICK RED	25	5029347615703
835397	380ML	BUFF	25	5029347615697
835415	380ML	DARK ANTHRACITE	25	5029347615673
835398	380ML	DARK GREY	25	5029347615680
835399	380ML	LIMESTONE WHITE	25	5029347615666
835410	380ML	MAGNOLIA	25	5029347615659
835411	380ML	MID GREY	25	5029347615642
835413	380ML	PORTLAND STONE	25	5029347615628
835392	380ML	WHITE	25	5029347603977
835417	600ML	ANTHRACITE	12	5029347614195
835416	600ML	MID GREY	12	NO BARCODE
835418	600ML	WHITE	12	5029347612870

Shore A Hardness	22-32
Movement Accommodation	+/-35% (ASTM C719)
Skimming Time	30-45 mins
Elastic Recovery	>80%

Sikasil®-825 is a low modulus, neutral curing silicone sealant based on a filled alkoxy curing system.

Conforms to ISO 11600 class F25LM and G25LM.
Used for expansion joints to stone, brick, concrete and composite panels, perimeter pointing around all types of window and door frames. Substrates: glass, aluminium and PVC – all primerless.



Sikacryl®-620 Fire Fire Resistant Acrylic Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
483461	330ML	WHITE	12	7612895181219
835254	380ML	GREY	25	7612655103420
835256	380ML	WHITE	25	7612655103444
835257	600ML	GREY	12	7612655103468
835258	600ML	WHITE	12	7612895181219

Movement Accommodation	+/-12.5%
Skinning Time	10 mins
Elongation at Break	200%

A fire resistant acrylic sealant for interior joints in walls and floors. Provides up to 4 hours fire resistance to prevent the passage of fire and smoke, according to EN 1366-4.

Typically used for joints in walls and floors, and internal perimeter pointing of fire rated doors and window frames.

Reaction to fire tested to EN 13501-1.
Resistance to fire tested to EN 13501-2.
Fire testing BS 476-20. Tested for Sound transmission to ISO 10140-2. UL Product IQ, XHBN.HW-S-0113.



Sikasil®-670 Fire Fire Rated Silicone Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
582754	300ML	CONCRETE GREY	12	7612895508818
483479	300ML	WHITE	12	7612895181561
835259	380ML	BLACK	25	7612655103901
835330	380ML	GREY	25	7612655103925
835331	380ML	WHITE	25	7612655103949
736349	600ML	BLACK	12	7612895845111

Movement Accommodation	+/-25%
Skinning Time	30 - 45 mins
Elastic Recovery	80%
Elongation at Break	350%

A fire resistant, elastic, neutral cure silicone sealant for interior and exterior joints in walls and floors.

Typically used for movement and connection joints within partitions and other structures.

Fire rated to EN 1366-4.



Sikasil® S50 Sanitary Silicone Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
835338	310ML	JASMINE	25	7612655108821
835339	310ML	MANHATTAN GREY	25	7612655108388
835390	310ML	TRANSLUCENT	25	7612655108531
835391	310ML	SANITARY WHITE	25	5029347604844

Movement Accommodation	+/-20%
Skinning Time	15 mins @20°C
Cure Time	3-4MM per 24hrs
Service Temp	-40 to +150°C

A mid modulus, acetoxy curing silicone sealant that contains a powerful anti-fungal compound to prevent mould and fungal growth to the sealant in areas of high humidity. Gives improved adhesion and flexibility when compared to standard sanitary grades. **Tested to ISO 11600 F/ G20LM and EN15651.**



SikaSeal®-414 Backer Rod UK

SGAN	SIZE	COLOUR	QTY	BARCODE
489399	1150MT	GREY	1	7612655098917
489411	550MT	GREY	1	5029347907297
489412	350MT	GREY	1	5029347907303
489413	200MT	GREY	1	5029347907310
489414	160MT	GREY	1	5029347907327

The SikaSeal®-414 Backer Rod UK is a non absorbent compressible grey closed cell polyethylene foam backing material. It is inserted into a joint to control sealant depth and create a backstop to allow proper sealant applications.



Sikasil® HM

Acetoxy sanitary silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
835334	310ML	ANTHRACITE	25	7612895960715
835337	310ML	JASMINE	25	7612895960777
835333	310ML	LIMESTONE WHITE	25	7612895960197
835335	310ML	MANHATTEN GREY	25	7612895960739
835336	310ML	TRANSLUCENT	25	7612895960753
835332	310ML	WHITE	25	5029347615956

Movement Capability	+/-20 % (ISO9047)
Elongation at break	>350% (ISO8339)
Elastic Recovery	>95 % (ISO7390)
Curing Time	2-4 mm/24 hours (23 °C and 50 % RH)

A premium, acetoxy curing silicone sealant engineered to provide enhanced body and superior toolability in sanitary applications.

It contains powerful anti-fungal compound to prevent mould and fungal growth to the sealant in areas of high humidity.



Sika® Hybriflex® AntiPick 109

Pick Resistant Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
834154	295ML	GREY	25	5029347615970
834155	295ML	WHITE	25	5029347610210

Shore A Hardness	-50
Tensile Strength (ISO 8339)	>1N/mm² at 60% elongation
Curing Time at 23°C and 50% RH	2mm / 24hr

A very high modulus, one part, chemically curing sealant. Specifically designed for providing a hand pick resistant seal accommodating small movement for areas where a normal sealant is not hard enough.



Sika® Hybriflex® 25LM

Low Modulus Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
835014	380ML	WHITE	25	5029347612054

Shore A Hardness	20-30
Skin Formation at 23°C and 50% RH	20-45 mins

A one part low modulus building sealant based on hybrid polymer technology. For perimeter pointing of uPVC, window/door frames, for expansion joints, weather sealing applications, parapet and roofline sealing, weatherproofing sealing, construction and dilation joints. Overpaintable. **Tested to ISO11600 class: F25LM.**



Sika® Hybriflex® 40

Hybrid Polymer Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
835252	295ML	GREY	12	5029347613334

Shore A Hardness	50 +/-5
Skinning Time	10-40 mins
Cure Time	2mm/24 hr
Elastic Recovery	>60%

A high modulus, one-component hybrid based adhesive which adheres strongly to most substrates. Provides excellent resistance to most common chemicals and solvents and can be overpainted when cured.



Sika® Hybriflex® 55

Hybrid Polymer Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
835253	600ML	WHITE	12	7612895192239

Shore A Hardness	55-60
Skimming Time	30-45 mins
Elastic Recovery	>75%
Tensile Strength	1.5N/mm ²

A high strength, permanently elastic, neutral cure hybrid polymer based adhesive. Isocyanate, silicone and halogen free, overpaintable with most paints, excellent adhesion to most construction substrate, resistant to most chemicals.



Sika® Hybriflex® SMP

Flooring Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
834156	600ML	GREY	12	7612655099686

Shore A Hardness	30-40
Movement Accommodation	+/-20%
Elongation at Break (ISO 8339)	>250%
Service Temperatures	-40°C to +90°C

Formulated to provide a high shore A sealant combined with a low viscosity to enable high speed application into floor joints. Suitable for sealing saw cut and pre-formed expansion joints on both internal and external floor joints, provides exceptional abrasion resistance.



Sika® Hybriflex® FR

Fire Rated Hybrid Polymer

SGAN	SIZE	COLOUR	QTY	BARCODE
835016	600ML	GREY	12	7612655102430

Shore A Hardness	40+/-5
Movement Accommodation	+/-25%
Skin Formation at 23°C and 50% RH	20-55 mins
Elongation at Break (ISO 8339)	>200%

A one part, chemically curing sealant and adhesive. Specifically designed multi-purpose floor/wall sealant for all concrete saw cuts and cladding applications and/or slab expansion joints, where fire resistance is required. **Fire rated up to 4 hours in certain joint configurations (when tested to EN1366 Part 4 2006 - Warrington Fire Certificate 195854/A October 2010).**



Sikaflex® PRO-3 Purform

Polyurethane Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
693977	600ML	BLACK	20	7612895756448
694153	600ML	GREY	20	7612895755496
694308	600ML	WHITE	20	7612895758466

Containing new Purform technology for a futureproof polyurethane formula, Sikaflex PRO 3 Purform is a one-part, moisture curing, elastic joint sealant with superior mechanical properties combined with excellent weather and chemical resistance. Ideal for use in floor joint sealing. Ultra-low monomer and VOC content and certified for use in food contact areas.



SikaHyflex®-250 Facade

Low Modulus PU

SGAN	SIZE	COLOUR	QTY	BARCODE
443675	300ML	BLACK	12	7612894991635
443703	300ML	GREY	12	7612894991895
443676	300ML	WHITE	12	7612894991659
435632	600ML	BLACK	20	7612894946871
435543	600ML	GREY	20	7612894945478
435614	600ML	WHITE	20	7612894949094

Shore A Hardness	20
Movement Accommodation	+100/-50% (ASTM C719)
Skimming Time	70 mins

A one part polyurethane joint sealant used for durably sealing movement and connection joints in concrete, masonry and EIFS facades.

Monomeric diisocyanate content <0.1%, no safety training required. Conforms ISO11600 F25LM and is CE marked to EN15651-1: 2012 Type F EXT-INT CC.



Sikaflex®-11 FC Purform®

PU Sealant and Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
700275	300ML	BLACK	12	7612895776682
700274	300ML	CONCRETE GREY	12	7612895776668
617758	300ML	WHITE	12	7612895572505
693939	600ML	BLACK	20	7612895755908
693823	600ML	CONCRETE GREY	20	7612895756103
644641	600ML	WHITE	20	7612895650340

Shore A Hardness	33
Skimming Time	~50 mins.
Cure Time	4mm / 24 hr
Elastic Recovery	85%

A one part moisture curing elastic adhesive and sealant used for interior and exterior multipurpose bonding and joint sealing. It has good and durable adhesion to most construction materials.

Monomeric diisocyanate content <0.1%, no safety training required. Conforms with LEED v4 EQc 2: Low-Emitting Materials. CE marked to EN 15651-1 type F EXT-INT CC, EN 15651-3 type XS 3, EN 15651-4 type PW EXT-INT CC.



Sikaflex® PRO-3 Self Levelling

Polyurethane Floor Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
410863	600ML	CONCRETE GREY	20	7612894826821

A one-component, moisture curing, self-levelling, elastic joint sealant which is based on polyurethane. Sikaflex® PRO-3 Self-Levelling is designed for horizontal applications in movement and connection joints in floors, pedestrian and traffic areas, as well as warehouses and production areas. This product is certified for use in food contact areas.




Sikasil® Pool

Silicone Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
130877	300ML	GREY	12	7612894590906
150295	300ML	WHITE	12	7612894609400


A one-component, neutral curing silicone sealant for joints located in and around swimming pools and areas under permanent water immersion.



Sika Boom[®]-405 Water Stop

SGAN	SIZE	QTY	BARCODE
818448	320ML	15	7612655063502


An advanced 2-component, self-expanding polyurethane foam requires no external moisture, delivering a high-density seal with a finely tuned, predominantly closed-cell structure. Perfect for sealing pipe penetrations, connections, and gaps, Sika Boom-405[®] forms an impenetrable barrier against water intrusion.



Sikaflex[®] Tank N Polyurethane Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
156879	600ML	CONCRETE GREY	20	7612894633962

A one-component, moisture curing, elastic joint sealant based on polyurethane. Sikaflex[®] Tank N is designed for use in areas for the storage, handling and filling of water polluting liquids.



Sikaflex[®] Construction Purform Purform Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
747634	600ML	CONCRETE GREY	20	7612895899404

A one-component, moisture curing, flexible joint sealant. Sikaflex[®] Construction+ is designed for movement and connection joints in concrete and masonry facades.



Sikaflex®-423 Powercure

SGAN	SIZE	COLOUR	QTY	BARCODE
713122	600ML	GREY	14	7612895813158

Sikaflex®-423 Powercure is a 1-part, non-sag, high-performance polyurethane sealant and booster, for vertical and horizontal joints in civil engineering application. Mixed by the Sika PowerCure dispenser, correct ratios of sealant and SikaBooster are applied directly to the joint for a quick and convenient application. Provides high movement capability of +/- 25%, and high mechanical and chemical resistance.



Sikaflex®-406 KC

SGAN	SIZE	COLOUR	QTY	BARCODE
619221	150ML	BLACK	5	7612895519739


Sikaflex®-406 KC is a 1-part self-levelling booster accelerated elastic floor joint sealant with high mechanical and chemical resistance. Rapid and homogeneous curing throughout the entire sealant is achieved by the addition of the Sikaflex®-406 KC Booster. Sikaflex®-406 KC is especially designed for elastic joint sealing between rails, adjacent surfaces and with Icosit KC products.



Sikasil® DW

SGAN	SIZE	COLOUR	QTY	BARCODE
715630	600ML	BLACK	20	7612895817651
715585	600ML	SIGNAL GREY	20	7612895817637

Sikasil® DW is suitable for joints in contact with potable (drinking) water, e.g. in the water industry in drinking water reservoirs, tanks, treatment and filtration plants.



Approval Number: 2203515

Sika® Primer 3N

SGAN	SIZE	COLOUR	QTY	BARCODE
122239	1LTR	TRANSPARENT	1	7612894543216

A one-component, solvent based primer and adhesion promoter; designed for use on porous substrates and metals. Evaporates quickly.



Sikaflex®-415 Universal

SGAN	SIZE	COLOUR	QTY	BARCODE
718414	600ML	CONCRETE GREY	20	7612895821337

Sikaflex®-415 Universal is a one-part, moisture curing, elastic polyurethane sealant for sealing floor and wall joints. Sikaflex®-415 Universal is a one-part, moisture curing, elastic polyurethane sealant for sealing floor and wall joints.

Movement Accommodation +/-35 %



Sikaflex®-117 Metal Force

SGAN	SIZE	COLOUR	QTY	BARCODE
649763	290ML	LIGHT GREY	20	7612895656595

Sikaflex®-117 Metal Force is a one part construction adhesive, specifically formulated to seal and bond metals, without the use of a primer for a one step application.




Sikaflex®-403 Tank & Silo

Elastic polyurethane sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
707904	600ML	BLACK	20	7612895791395

Sikaflex®-403 Tank & Silo is a 1-part, moisture-curing, elastic polyurethane sealant which is resistant to organic acids as found in liquid manure and silage liquids. The product is used for sealing segmented and bolted tanks, concrete containers, floor joints and sewage systems.



Sika® Primer-115

Polyurethane primer.

SGAN	SIZE	COLOUR	QTY	BARCODE
708138	1LTR	CLEAR	4	7612895791753

Sika® Primer-115 is a one part, reactive PU based primer for use as a pre-treatment on porous substrates, prior to Sikaflex applications.





ADHESIVES

Hybrid Sealants and Adhesives	30
Grab	34
Plasterboard	40
Specialist Adhesives	41
Wood	42
Flooring	44
Contact	47
Superglues and activators	48
Craft	50

SCAN TO
SEE THE
FULL
RANGE



Stixall Extreme Power Sealant and Adhesive

Stixall Extreme Power is a combined adhesive and sealant, based on hybrid polymer technology, with extreme power to both bond and seal nearly everything in almost all conditions, even underwater and in the rain!

Available in both cartridges and easi-squeeze tubes. CE Marked.

SGAN	SIZE	COLOUR	QTY	BARCODE
483107	290ML	BLACK	12	5029347603281
483108	290ML	BROWN	12	5029347603304
483168	290ML	CRYSTAL CLEAR	12	5029347603960
483109	290ML	GREY	12	5029347603298
483110	290ML	WHITE	12	5029347602604
821183	290ML	ANTHRACITE	12	7612655075260
483124	80ML	CRYSTAL CLEAR	12	5029347606053
483111	80ML	WHITE	12	5029347606015



Metal / Glass / Brick / Timber / Plastic



Sikaflex® EBT+

Polyurethane Adhesive, Sealant and Filler



3-IN-1 ADHESIVE,
SEALANT AND FILLER

PERMANENTLY
FLEXIBLE AND ELASTIC

WATERPROOF AND
WEATHERPROOF

HIGH-GRAB,
NON-SAG



SGAN	SIZE	COLOUR	QTY	BARCODE
511392	300ML	WHITE	12	7612894368475
463337	300ML	CLEAR	12	5055492700780
511395	300ML	BEIGE	12	7612894370546
511394	300ML	BLACK	12	7612894368437
511393	300ML	BROWN	12	7612894370560
511397	300ML	GREY	12	7612894368451

A multi-purpose, permanently- elastic, one-part, polyurethane* adhesive and sealant. Sikaflex® EBT+ bonds to all common building materials; its excellent grab and gap filling properties makes it ideal for use in a wide range of building and maintenance applications.

*Clear product is a hybrid polymer



EB25 Sealant and Adhesive



- SEALS AND BONDS UNDERWATER
- WORKS ON VIRTUALLY ANY SUBSTRATE
- SUPERIOR FLEXIBILITY
- SANITARY AND FOOD SAFE
- INCREDIBLE BOND STRENGTH

SGAN	SIZE	COLOUR	QTY	BARCODE
614049	300ML	ANTHRACITE	12	5029347615598
605669	300ML	BLACK	12	5029347615550
605674	300ML	CRYSTAL CLEAR	12	5029347615543
605670	300ML	GREY	12	5029347615567
605668	300ML	WHITE	12	5029347615536

EB25 uses cutting-edge technology and a unique polymer blend, we've developed a truly universal, top quality hybrid. It's extremely flexible, certified for indoor and outdoor use, and in sanitary and food preparation areas (ISEGA). Plus, it's exceptionally strong, sticks to almost anything and even works underwater!

It's resistant to mould, temperature extremes, chemicals, petrol, UV radiation, plus it does all this whilst meeting the toughest emissions classification! CE Marked.



Brick / Timber / Metal / Plastic / Glass

Multi Stick

Hybrid Polymer Adhesive



EXCELLENT BOND STRENGTH

ANTI-SLIP BONDING



BONDS VIRTUALLY ANYTHING

APPLY TO POROUS AND
NON-POROUS SURFACES
IN THE WET OR DRY!

SGAN	SIZE	COLOUR	QTY	BARCODE
525020	350ML	WHITE	12	5055492701725

Multi Stick is a superior grab adhesive with the ability to bond virtually anything to everything in both wet and dry conditions, even underwater or in the rain.

With incredible initial grab, high bonding strength, and almost limitless applications, no tradesman should be without a tube of this next generation adhesive. Think of any bonding application and it is virtually certain Multi-Stick will handle it with ease.

INTERIOR AND
EXTERIOR
USEWEATHER
PROOFOVER-
PAINTABLERESISTANT TO
CHEMICALS


Metal / Brick / Timber / Plastic / Concrete / PVCu



Gun A Nail Extra Solvent Based Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
486026	380ML	BEIGE	12	502934711007

Gun A Nail Extra is a high strength, solvent based, gap filling adhesive providing extra bond strength and a quick cure in external applications. Ideal for bonding two non-porous materials together.




Brick / Stone / Concrete / Timber

Gun A Nail Standard Solvent Free Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
485954	290ML	WHITE	25	502934700010

Gun A Nail Standard is a high strength, gap filling multi-purpose building adhesive based on a tackified solvent free system for use in a wide variety of building and home improvement applications. Gun A Nail Standard can be used where at least one of the substrates to be bonded is porous. Ideal for fixing skirting boards, wall panels, cladding, framework and floorboards.




Brick / Stone / Timber / Concrete

Clear Fix Crystal Clear Hybrid Polymer Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
461970	290ML	CLEAR	12	5029347612931

A clear hybrid polymer grab adhesive that has the ability to bond just about everything in both interior and exterior applications. With added UV stabilisers, Clear Fix is the ideal choice for applications where you may see the colour of the product. Clear Fix is a versatile product which can be used in almost every application imaginable – even when immersed under water! Even more, Clear Fix comes in a completely Clear cartridge to illustrate the clarity of the product.



Metal / Glass / Brick / Timber / PVCu

Mirror Mate Mirror Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
486027	290ML	WHITE	12	5029347112004

Mirror Mate is a one component adhesive based on Hybrid Polymer technology that is specially formulated for bonding mirrors to most common surfaces. The totally neutral curing system will not attack the mirror backing. Excellent primerless adhesion to most surfaces including metals, most plastics, concrete, plaster, plasterboard, polyester, perspex, glass, wood, enamel, painted surfaces and much more.



Mirrors / Metal / Plaster / Perspex / Plastic

Maximum Torque

High Strength Hybrid Polymer Grab Adhesive



SGAN	SIZE	COLOUR	QTY	BARCODE
484807	290ML	WHITE	12	5029347610814

Maximum Torque, based on next generation hybrid polymer technology is the ultimate high grab adhesive, providing a level of immediate grab strength not previously possible with cartridge packed adhesives.

The unique polymer blend gives incredible initial grab, typically double that of most grab adhesives on the market today, eliminating the need for temporary support in most applications. Maximum Torque has the ability to bond basically everything to anything in virtually all conditions.



INTERIOR AND EXTERIOR USE



OVER-PAINTABLE



RESISTANT TO CHEMICALS



ANTI-SLUMP

Brick / Metal / Glass / Timber / PVCu

DOUBLE THE GRAB STRENGTH OF MOST ADHESIVES

CAN BE APPLIED TO WET OR DAMP SURFACES


INCREDIBLE INITIAL GRAB



Griptite Solvent Based Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
486238	310ML	BUFF GREEN	12	5029347611965
486717	350ML	BUFF GREEN	12	5029347611644

Griptite is an extra-tough, high grab construction adhesive that combines great performance with 'easyflow' gunability. This high bond strength, solvent based adhesive adheres to most common substrates and can be used on direct bond or double stick applications. With good early grab properties Griptite is suitable for a wide variety of applications including being usable in both vertical and horizontal positions.




Brick / Stone / Timber / Concrete

Coving Adhesive and Joint Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
486008	290ML	WHITE	12	5029347600921

A high strength solvent free gap filling adhesive that provides a quick 'grab' for fixing polystyrene, plaster coving and cornices to sound porous surfaces. Dries white and is overpaintable when dry.




Plaster / Timber / Polystyrene / Brick / Stone / Concrete

Instant Nails Solvent Free Adhesive



SGAN	SIZE	COLOUR	QTY	BARCODE
484815	290ML	WHITE	12	5029347000561
484816	290ML	WHITE	25	5029347000561

Instant Nails is a high strength, solvent free, gap filling, multi use adhesive that provides a quick grab and replaces mechanical fixings in many home improvement applications. Dries white and may be overpainted if required.



Plaster / Timber / Polystyrene / Brick / Stone / Concrete / PVCu

Pinkgrip

Solvent Based Adhesive

Pinkgrip will stick just about anything on a building site that needs sticking.

Its amazing grabbing strength not only removes the need to pin under the workpiece to prevent slumping, but its revolutionary initial 'Direct Bond' eliminates the need for double stick methods. Pinkgrip can be used inside and outside and adheres to just about every building substrate.



SGAN	SIZE	COLOUR	QTY	BARCODE
486022	350ML	PINK	12	5029347601690

INTERIOR AND
EXTERIOR
USEQUICK CURING/
DRYING

GAP FILLING

SOLVENT
BASED

NON-SLIP BONDING

SOLVENT BASED

NO NEED TO
'DOUBLE STICK'

FAST GRAB




Brick / Metal / Timber / Concrete / Plastic

Pinkgrip SF
Solvent Free Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
486023	380ML	PINK	12	5029347602420
486024	380ML	WHITE	12	5029347610081
518714	600ML	WHITE	12	NO BARCODE

A direct bond adhesive with all the legendary grabbing performance of original Pinkgrip but in a solvent free formula. Can be used to replace mechanical fixings in a wide variety of home improvement applications. Ideal for bonding wood, brick, plaster, plasterboard, polystyrene, metals and plastics. Available in Pink and White colours.



Brick / Metal / Timber / Concrete / Plastic



WONDER WIPES
BIODEGRADABLE

THE WIPE THAT WORKS

Extra thick for the toughest grime

See page 113



Pinkgrip Dry Fix FR Plasterboard Adhesive Foam

**SIGNIFICANT TIME SAVING
OVER CONVENTIONAL DRY
WALL ADHESIVES**

**SUITABLE FOR
PLASTERING IN
JUST 1 HOUR**

**BOARDS ONLY NEED
HOLDING
FOR 1 MINUTE**

**NO MIXING,
NO MESS**




SGAN	SIZE	COLOUR	QTY	BARCODE
489721	750ML	PINK	12	5029347606282

Pinkgrip Dry Fix FR is a revolutionary type of fast curing, adhesive foam that has been specially developed for the rapid installation of Plasterboard, Insulation Boards and other sheet materials such as Roof Decking and Floorboards.

The Dual Flow system means that it can be applied using the nozzle provided or attached to the Dry Fix Applicator Gun. Pinkgrip Dry Fix FR provides significant labour saving and convenience benefits when compared to traditional dry wall adhesives. It will bond to most common building substrates; can be applied horizontally or vertically to the board, wall or battens/beams.

Dry Fix FR conforms to the requirement of EN13501-1 Class E for fire rating.



Brick / Stone / Concrete / Timber / Plasterboard

Pinkgrip Dry Fix Applicator Gun

SGAN	SIZE	COLOUR	QTY	BARCODE
486434	-	-	1	5029347606466


Pinkgrip Dry Fix Applicator Gun - for use with Pinkgrip Dry Fix Fast Cure Dry Wall Adhesive.



Smart Tack Handy Aerosol

SGAN	SIZE	COLOUR	QTY	BARCODE
762050	500ML	BLUE	12	5029347601188

Standard aerosol for smaller jobs. Offers all benefits with lower pressure application. 500ML aerosol will cover 2.5-3.5m² of laminate when applied to both surfaces.




Laminates / Timber / Cork / Rubber / Metal

Smart Tack Bulk Tank

SGAN	SIZE	COLOUR	QTY	BARCODE
760277	22KG	CLEAR	1	5029347601171

For large scale use, delivers adhesive via a flexible hose to the gun. Bulk Tank will cover ca. 128m² per 17kg of laminate when applied to both surfaces.



Laminates / Timber / Cork / Rubber / Metal

Smart Tack Bulk Tank Gun

SGAN	SIZE	COLOUR	QTY	BARCODE
488889	-	-	1	NO BARCODE

For use with Smart Tack bulk tank and hose.



Smart Tack Bulk Tank Hose

SGAN	SIZE	COLOUR	QTY	BARCODE
488892	-	-	1	NO BARCODE

For use with Smart Tack bulk tank and gun.
Hose length: 3.66 metres.




D4

Wood Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
484942	1LTR	WHITE	12	5029347602703
484947	25LTR	WHITE	1	5029247611545


A solvent free industrial grade wood adhesive based upon hybrid resin technology. Can be used internally or externally, gives a high strength, totally waterproof, impact and temperature resistant bond. Dries clear, sets in 10 minutes. Ideal for all general woodworking and joinery uses, assembly line work, RF/HF Cure systems, wood on wood laminating, furniture assembly and household DIY use. **Conforms to EN 204. D4 Water Resistance and WATT91.**

**502 All Purpose Weatherproof**

Wood Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
483363	75ML	-	20	5029347612924
483366	125ML	-	12	5029347005276
482248	250ML	-	12	5029347005238
482247	500ML	-	20	5029347005207
479511	1L	-	12	5029347005214
488859	5L	-	4	5029347005252
488861	25L	-	1	5029347052492


All Purpose Weatherproof Wood Adhesive is a high quality, resin based wood adhesive for all wood bonding. It can be used internally and externally and provides a high strength, impact resistant bond that is usually stronger than the wood itself. Ideal for all general woodworking and joinery uses, furniture assembly and household DIY use. Dries clear. Fast cure, initial set in just 10 minutes. **Conforms to the international standard EN 204 D3 and EN 14256 for resistance to static load.**

**5 Minute Polyurethane**

Wood Adhesive Gel

SGAN	SIZE	COLOUR	QTY	BARCODE
484682	310ML	TRANS	12	5029347809034

Lumberjack 5 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in just 5 minutes. This product gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which in turn increases the bond strength. Particularly suitable for equipment manufacture and production line applications where rapid handling is required. **Conforms to EN 204. D4 Water Resistance.**




Wood / Metal / Brick / Concrete / Stone

5 Minute Polyurethane

Wood Adhesive Liquid

SGAN	SIZE	COLOUR	QTY	BARCODE
484683	750GR	BROWN	6	5029347601133

Lumberjack 5 minute polyurethane wood adhesive liquid is brown in colour and is ideal for larger applications, or in the workshop where greater economy is required. Sets hard in 5 minutes. The liquid is 100% waterproof, gives exceptionally high bond strength and is resistant to most chemicals. The product foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Water Resistance.**




Wood / Metal / Brick / Concrete / Stone

30 Minute Polyurethane Wood Adhesive Gel

SGAN	SIZE	COLOUR	QTY	BARCODE
484684	310ML	TRANS	12	5029347809010

Lumberjack 30 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in 30 minutes. This one part, moisture curing gel gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Water Resistance.**




Wood / Metal / Brick / Concrete / Stone

30 Minute Polyurethane Wood Adhesive Liquid

SGAN	SIZE	COLOUR	QTY	BARCODE
484685	750GR	BROWN	6	5029347809027

Lumberjack 30 Minute Polyurethane Wood Adhesive Liquid is brown in colour and ideal for larger, horizontal applications where greater economy is required. Sets hard in 30 minutes. This liquid gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Water Resistance.**




Wood / Metal / Brick / Concrete / Stone

45 Minute Polyurethane Wood Adhesive Liquid

SGAN	SIZE	COLOUR	QTY	BARCODE
484686	750GRM	BROWN	6	5029347610258

Lumberjack 45 Minute is a one part moisture curing wood adhesive which sets hard in 45 minutes. Supplied as a liquid which is waterproof, gives exceptionally high bond strength and is resistant to most chemicals. The product foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Water Resistance.**



Wood / Metal / Brick / Concrete / Stone

Our Wood Filler range is perfect for professional preparation

See page 94 in the Fillers and Decorating Sundries section



SikaBond®-52 Wood Floor Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
424418	600ML	BEIGE	20	7612894887525

A one-component, solvent-free, fast-curing, elastic wood flooring adhesive for professional use. SikaBond®-52 Wood Floor is suitable for use on most common types of wood floors, even problematic woods such as beech, maple and bamboo using liquid batten. Suitable for use with underfloor heating when used with the Sika® AcouBond System.



SikaBond®-54 Wood Floor Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
423888	700ML	BEIGE	12	7612894885484
489209	6.5KG	BEIGE	1	7612895203188
427784	13KG	BEIGE	1	7612894907285

A one-component, solvent-free and elastic wood flooring adhesive that is for professional use. SikaBond®-54 Wood Floor is a full stick down adhesive for use on both solid and engineered wood floors. This product is also suitable for use with underfloor heating systems.



SikaBond® MS Wood Floor Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
466914	14KG	PARQUET BROWN	1	5055492700920

A high quality, trowel applied MS adhesive which is specifically designed for bonding wooden floors to all common substrates. SikaBond® MS Wood Floor utilises a formulation that is completely water free, thereby reducing the likelihood of wooden boards cupping or crowning. With an extended open time of 40 minutes, this product is ideal for larger application areas.



SikaBond® MS Wood Floor Gun Grade Adhesive


SGAN	SIZE	COLOUR	QTY	BARCODE
467798	600ML	PARQUET BROWN	12	5055492700933

A high quality, gun applied MS adhesive which is specifically designed for bonding wooden floors to all common substrates. Suitable for use with the AcouBond System.

SikaBond® 5500 S

SGAN	SIZE	COLOUR	QTY	BARCODE
165745	16KG	BEIGE	1	5055047210177


A one-part, solvent based, rigid adhesive for bonding wood block parquet and engineered boards onto porous substrates. SikaBond®-5500 S provides a high strength bond that is suitable for use with underfloor heating. This product is suitable for use with all types of wood.



Sika® Silent Layer Mat

SGAN	SIZE	COLOUR	QTY	BARCODE
50368	16.66M	-	1	5055047210252
55606	13.33MTR	-	1	5055047210269

A high quality, polyethylene foam mat that is specifically designed to reduce the sound of footfall. Ideal for use in conjunction with SikaBond® MS Wood Floor gun grade or SikaBond® 52. Sika® Silent Layer Mat is pressure resistant and dimensionally stable.



One product for the whole flooring system!

Sikafloor®-2510 W has you covered.



5 in 1: Primer, Scratch Coat, Roller Coat, Sealer (on broadcast surfaces) AND Self-levelling Coat means you use just one product to finish the whole floor!

- Water-based epoxy coating with low VOC emissions
- Easy to apply
- Time and workload efficient
- Low maintenance
- Wide range of colours

Find out more:




Lumberjack 650

Floor Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
484940	14KG	BUFF	1	5029347603175

Lumberjack 650 is a standard setting, hybrid polymer, trowel applied adhesive, specially designed for fixing all types of wooden floors directly on to all common substrates. Lumberjack 650 is 100% active, and will not cause warpage of wood.




Lumberjack 160

Woodbond

SGAN	SIZE	COLOUR	QTY	BARCODE
484937	10LTR	BUFF	1	5029347609665

Lumberjack 160 is a high specification, trowel applied adhesive, based on resins in solvent and is specifically designed for fixing all types of wooden floors directly on to porous substrates.



Lumberjack 550

Floor Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
484939	300ML	BUFF	12	5029347603151
484938	600ML	BUFF	12	5029347603168


Lumberjack 550 is a high specification, hybrid polymer, cartridge or foil pack applied adhesive specially designed for fixing all types of wooden floors directly on to all common substrates. Lumberjack 550 is 100% active and water free, and will not cause warpage of wood.



Stick 2 Instant Contact Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
484614	125ML	BEIGE	10	5029347006518
484613	250ML	BEIGE	12	5029347065027
484612	750ML	BEIGE	12	5029347065058
484611	5L	BEIGE	4	5029347006556

Stick 2 All Purpose Contact Adhesive is a premium grade rubber based contact adhesive suitable for use with a wide variety of materials for both professional and DIY use. The product may be used for bonding decorative laminates, all types of wood, rigid PVC, ABS, leather, cork, linoleum, rubber, stone, metals and dense fabrics.



Laminates / Timber / Cork / Rubber / Metal

Stick 2 Instant Spray Contact Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
484593	500ML	-	12	5029347060855

A sprayable glue which bonds to most common materials including wood, concrete, stone, tiles, rubber, foam, metals, rigid plastics, polyethylene, canvas fabrics, cardboard, paper and cork. Ideal for securing most carpets/floor coverings. Suitable for internal and external use. Time saving spray – easier and quicker to apply than most trowel/spreader applied adhesives. Repositionable.




Wood / Concrete / Stone / Tiles / Rubber / Foam
Metal / Rigid Plastic / Fabrics / Cardboard

Stick 2 Carpet Fix Spray Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
762051	500ML	-	12	5029347603212


Sprayable medium duty glue which fixes P.U. and foam backed carpets, carpet tiles, underlay, paper felt and cork to most common substrates. Economical and time saving – quicker and easier than spreader applied adhesives. Foaming formula gives low soak into substrates.



Mammoth Spray Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
483334	500ML	-	12	5029347611323

A ready to use solvent based flooring adhesive designed for fixing carpet grippers and trims, stair nosings and plastic and wooden skirting. Adheres to most common surfaces including wood, carpet, metal, stone, concrete, PVCu and much more.



ADHESIVES

Superglues and Activators

Stick 2 Industrial Superglue GP

SGAN	SIZE	COLOUR	QTY	BARCODE
484651	20GRM	CLEAR	25	5029347900069
484652	50GRM	CLEAR	20	5029347602345

Medium viscosity formula fills gaps to 0.1mm. For use on perfect fit surfaces where fast set is required. Bonds nonporous surfaces eg. most plastics, metals, glass, PVCu, rubber and EPDM. Viscosity at 25°C - 100cPs. Set time 5 to 15 seconds. Packed in self merchandising display boxes.




PVCu / Plastic / Glass / Metal



Stick 2 Industrial Superglue HV

SGAN	SIZE	COLOUR	QTY	BARCODE
484654	20GRM	CLEAR	25	5029347601072
484655	50GRM	CLEAR	20	5029347601089

High viscosity formula for porous and non porous substrates where a slightly delayed set is required. For use on MDF, rubber, metals, PVCu and plastics. Viscosity at 25°C - 1500 cPs. Set time range 10 to 30 seconds. Packed in self merchandising display boxes.



PVCu / Plastic / Glass / Metal



Stick 2 Superglue De-bonder

SGAN	SIZE	COLOUR	QTY	BARCODE
488881	20ML	CLEAR	10	5029347601096

For de-bonding cured cyanoacrylate adhesive from most common surfaces e.g. steel, plastic, wood, glass and rubber. Can also be used on skin when applied as per instructions.



Stick 2 Thread Lock GP

SGAN	SIZE	COLOUR	QTY	BARCODE
486668	10GRM	BLUE	10	5029347601720

Medium strength anaerobic, allows for disassembly, thixotropic non-drip formula For nuts, bolts, screws and threads. Can be used on oil contaminated parts.



Metal



PVCu Acti-Spray Aerosol Activator

SGAN	SIZE	COLOUR	QTY	BARCODE
486901	200ML	CLEAR	12	5029347602765

PVCu Acti-Spray is an aerosol applied activator for use with Stick 2 Industrial Superglue GP and HV, setting superglue in 10 seconds. Guaranteed not to stain PVCu. Acti-Spray is ideal for use on all PVCu and plastics, and works on all common building surfaces.




PVCu / Plastic / Glass / Metal

Mitre Fast Kit

SGAN	SIZE	COLOUR	QTY	BARCODE
489755	STD	CLEAR	6	5029347601119
462029	STD	CLEAR	24	5029347611637
489750	LRGE	CLEAR	6	5029347601126

Mitre Fast Bonding Kit is a two part instant adhesive system comprising a cyanoacrylate adhesive and aerosol activator. Mitre Fast is mainly used in the furniture, timber, kitchen and plastics industries where its instant bonding properties dramatically reduce assembly times for mitre joints.



Timber / Plastics / Metal

Mitre Fast Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
489752	50GRM	CLEAR	10	5029347603434

Mitre Fast Adhesive is a cyanoacrylate adhesive and forms one part of the two part instant adhesive system.

The Mitre Fast Kit is mainly used in the furniture, timber, kitchen, and plastics industries, where its instant bonding properties dramatically reduce assembly times for mitre joints.




Timber / Plastics / Metal

Mitre Fast Activator

SGAN	SIZE	COLOUR	QTY	BARCODE
489753	200ML	CLEAR	12	5029347000615

Mitre Fast Adhesive is an aerosol activator, and forms one part of the two part instant adhesive system.

The Mitre Fast Kit is mainly used in the furniture, timber, kitchen, and plastics industries, where its instant bonding properties dramatically reduce assembly times for mitre joints.




Timber / Plastics / Metal

Stick 2 Instant Bond Contact Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
489420	30ML	BEIGE	10	5029347601607

Stick 2 Contact Adhesive is a premium grade rubber contact adhesive suitable for internal and external use with laminate, trim, wood, rigid PVC, ABS, leather, cork and metals. Instant bond.




Laminates / Timber / Cork / Metal



Stick 2 Hard Plastic Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
482347	30ML	CLEAR	10	5029347601638


Stick 2 Hard Plastic Adhesive is a strong, clear, quick drying adhesive suitable for bonding most types of hard plastic such as rigid PVC, acrylic, polycarbonate and ABS. Ideal for use on non-pressure pipework, and numerous household applications.



Stick 2 All Purpose Clear Adhesive

TUBE	SGAN	SIZE	COLOUR	QTY	BARCODE
	489510	30ML	-	12	5029347600013

Stick 2 All Purpose Clear Adhesive is a strong, clear, quick drying adhesive suitable for a variety of household repairs and hobbies. Will stick ceramic, porcelain, wood, card, paper, most plastics, leather, cork, linoleum, rubber, stone, glass, metals and dense fabrics. 5 minutes repositionable.



Stick 2 All Purpose Superglue Tube and Bottle

TUBE	SGAN	SIZE	COLOUR	QTY	BARCODE
	483372	3GM	-	12	5029347600013

BOTTLE	SGAN	SIZE	COLOUR	QTY	BARCODE
	483374	5GM	-	6	5029347605933

Stick 2 All Purpose Superglue fills gaps up to 0.1mm and bonds non-porous surfaces such as plastics, metals, PVCu, rubber, ceramics and much more. 1 minute instant bond, perfect where a fast set is required. Re-sealable cap.



PVCu / Plastic / Glass / Metal



Stick 2 Superglue Gel Formula

SGAN	SIZE	COLOUR	QTY	BARCODE
482348	3GM	-	12	5029347605926

Stick 2 Superglue Gel will bond most common materials. The high viscosity formula is ideal for nondrip, vertical, porous or small gap filling applications. Superglue Gel is ideal for bonding wood, plastics, metals, paper, porcelain, rubber and more.



PVCu / Plastic / Glass / Metal

Stick 2 Rapid Epoxy Tube Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
490483	12ML X 2	-	16	5029347605964

Stick 2 Rapid Epoxy Tube is an industrial strength, two part clear adhesive system which sets hard in just 4 minutes. Ideal for bonding most materials and once cured can be drilled, sanded and painted.




Metal / Glass / Wood / Ceramics

Stick 2 Touch Up Enamel

SGAN	SIZE	COLOUR	QTY	BARCODE
487746	25ML	-	10	5029347609580

A high quality gloss enamel that provides superior rust protection and dries to a mirror like finish. It is ideal for touching up scratches and chips or enamel and lacquer damages on bathroom fixtures, kitchen appliances and ceramics. It provides excellent colour and gloss retention, even after repeated cleaning.



Stick 2 Rapid Epoxy Syringe Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
483851	24ML	-	12	5029347601645

Stick 2 Rapid Epoxy Syringe is an industrial strength two part clear adhesive which sets hard in 10 minutes. Will bond most common materials and once cured may be drilled, sanded or painted. For industry and home.



Metal / Glass / Wood / Ceramics



Check out our Wonder Wipes range

See page 112-113 in the
Cleaning Products section



LANDSCAPING

Jointing Compounds	54
Sealing and Protecting	56
Surface Cleaners and Treatments	60

SCAN TO
SEE THE
FULL
RANGE



Sika® FastFix All Weather Paving Jointing Compound



**FOR USE ON JOINTS FROM
JUST 20MM DEEP**

EASY TO APPLY - FAST TO SET




**ACTS AS A NATURAL BARRIER
FOR WEED GROWTH**

**NO WASTE - STORE AND REUSE
ONCE OPENED**

SGAN	SIZE	COLOUR	QTY	BARCODE
669017	15KG	DARK BUFF	1	5055492703644
669016	14KG	DEEP GREY	1	5055492703637
626733	15KG	CHARCOAL	1	5055492703125
626734	15KG	FLINT	1	5055492703118
626320	15KG	STONE	1	5055492703101

A self-setting paving jointing compound that provides the ideal solution to perfect pointing on paving, paths and patios. Containing a unique formula, Active Resin Technology for advanced durability, Sika® FastFix All Weather is ready to use with no mixing required.

Suitable for use in all weather conditions; even in the rain. This product will not shrink or crack over time. Available in 5 colours.



Colour swatches are a guide only and may vary.



SikaCeram® FlowFix Porcelain Paving System


SikaCeram® FlowFix is a high performance porcelain paving installation system, consisting of a bonding primer and jointing compound.

SikaCeram® FlowFix Bonding Primer is used to provide an exceptional bond between porcelain paving and the bedding mortar. Mixed solely with water, SikaCeram® FlowFix Bonding Primer is applied with a brush or roller to the rear of the paving when laying, to prevent the paving system breaking away from the mortar bed.

SikaCeram® FlowFix Jointing Compound is a controlled, cementitious flowable jointing grout which is applied by mixing with water on site. SikaCeram® FlowFix Jointing Compound is poured over joints with ease and worked into other exposed joints by squeegee. Once dry, the surplus is simply washed off. SikaCeram® FlowFix Jointing Compound is a highly workable product that is non-permeable once cured.




SikaCeram®-62 FlowFix Bonding Primer



SGAN	SIZE	COLOUR	QTY	BARCODE
633196	20KG	-	1	5055492703286



SikaCeram®-621 FlowFix Porcelain Jointing Compound



SGAN	SIZE	COLOUR	QTY	BARCODE
711447	15KG	IVORY	1	5055492703972
711448	15KG	LIGHT GREY	1	5055492703965
711449	15KG	DARK GREY	1	5055492703989
711500	15KG	BUFF	1	5055492703996




Colour swatches are a guide only and may vary.

Sika® Setting Sand

Narrow Paving Joint Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
442722	20KG	BUFF	1	5055492700223

An easy to use, moisture curing jointing compound for narrow joints. Sika® Setting Sand can be simply poured or swept into joints before being saturated with water. Provides perfect pointing for all types of block paving; once cured, it will not wash out, shrink or crack over time.




Resiblock Superior

Block Paving Sealer

SGAN	SIZE	COLOUR	QTY	BARCODE
116918	5LTR	GLOSS	4	5036143000015
116919	25LTR	GLOSS	1	5036143000022
119626	5LTR	NATURAL	4	50361430000312
119627	25LTR	NATURAL	1	50361430000244


A urethane based, low-viscosity, paving sealer and jointing sand stabiliser that protects the paver face from oil and water infiltration.



Resiblock Indian Sandstone Sealer Invisible

SGAN	SIZE	COLOUR	QTY	BARCODE
173783	5LTR	INVISIBLE	4	503614300039


A urethane based, low-viscosity, surface sealer that provides long-term resistance against staining and algae growth for paths, patios and driveways. Resiblock Indian Sandstone Sealer Invisible lasts up to five years and can be applied in one simple coat.



Resiblock Indian Sandstone Sealer Colour Enhancer

SGAN	SIZE	COLOUR	QTY	BARCODE
171756	5LTR	-	4	5036143000237


A urethane based, low-viscosity surface sealer and colour enhancer. Resiblock Indian Sandstone Colour Enhancer incorporates a completely unique moisture curing system to enhance Indian Sandstone or coloured concrete products.



Sika® Patio Seal Clear Paving Sealer

SGAN	SIZE	COLOUR	QTY	BARCODE
115338	5LTR	CLEAR	4	5055047206354


A low-odour, water-based, acrylic coating that is ideal for sealing and protecting patios, paths, natural stone, concrete and block paving. Sika® Patio Seal protects against the effects of water, petrol and organic growth. The product dries to a hard-wearing, water repellent film which gives a low sheen slip-resistant finish.



Resiblock Trade All Purpose Paving Sealer

SGAN	SIZE	COLOUR	QTY	BARCODE
171755	5LTR	-	4	5036143000503
171757	25LTR	-	1	5036143000510

A solvent free, all purpose sealer that is suitable for concrete and clay paving as well as most forms of natural stone. Resiblock Trade is ideal for binding jointing sand, sealing the surface of concrete block paving.



Sika® Water Repel + Water Repellent and Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
407296	5LTR	CLEAR	4	5055047210986

Sika Water Repel+ is a solvent free water repellent and protector for concrete, brick, stone and masonry which protects against rainwater penetration without changing the aesthetic appearance of the substrate.



Sika® Water Seal Waterproofing and Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
171270	5LTR	-	4	5055047210580

A solvent based water sealer for masonry. Protects structures against rain and damp. Upon application, Sika® Water Seal penetrates up to a depth of 5mm. This product is designed to have minimal affect on appearance or breathability of the surface it product is applied to.



Sika® Stone Protector Water Based

SGAN	SIZE	COLOUR	QTY	BARCODE
410465	5LTR	CLEAR	4	5055047210993

A water-based solution which is suitable for all forms of porous stone. Once applied to a surface, Sika® Stone Protector resists stains without changing the aesthetic look of the surface it is applied to.



Sika® Block Paving Seal Clear Driveway Sealer

SGAN	SIZE	COLOUR	QTY	BARCODE
114882	5LTR	CLEAR	4	5055047206330
114883	25LTR	CLEAR	1	5055047206347

A clear, low-odour resin solution that impregnates, enhances and seals block paving to improve the overall appearance by leaving a protective finish. Sika® Block Paving Seal is ideal for use on vehicle and pedestrian areas as well as new and existing drives.



402 Water Seal Water Repellent

SGAN	SIZE	COLOUR	QTY	BARCODE
488954	5L	-	4	5029347004255
488955	25L	-	1	5029347004262

A high performance transparent water repellent specially formulated to prevent water penetration on all mineral substrates such as brick, stone, masonry, pebble dashed and rendering. Water Seal is water based and not harmful to the user or the environment, and it's non-flammable.



- EXTERIOR USE
- APPROX COVERAGE 5-8M²
- WATER-BASED/ CLEAN UP
- HIGH WATER & RAIN RESISTANCE

405 Path and Patio Seal Water Repellent

SGAN	SIZE	COLOUR	QTY	BARCODE
482656	5L	-	4	5029347006653
482655	25L	-	1	5029347006660

Path and Patio Seal is an acrylic coating used to seal and protect patios, paths, natural stone, concrete, and block paving from the effects of water, petrol and fungal/green growth. The milky solution dries to a clear hard-wearing, water repellent film giving a low sheen slip resistant finish.



- QUICK CURING/ DRYING
- APPROX COVERAGE 8M²
- WATER-BASED/ CLEAN UP
- HIGH WATER & RAIN RESISTANCE
- HARD WEARING

409 Block-Guard Block Paving Seal and Joint Sand Stabiliser

SGAN	SIZE	COLOUR	QTY	BARCODE
482659	5L	-	4	5029347603083
482658	25L	-	1	5029347605780

Block Guard is a block paving seal and joint sand stabiliser based on a clear solvent based acrylic coating to bind jointing sand and form a durable seal over block paving and other mineral pavers/flags. It penetrates deeply into pavers and jointing sand and then cures by solvent evaporation.



- EXTERIOR USE
- HIGH WATER & RAIN RESISTANCE
- APPROX COVERAGE 5-7M²

408 Super Seal High Performance Water Repellent

SGAN	SIZE	COLOUR	QTY	BARCODE
489023	5L	-	4	5029347606817

Super Seal is a solvent based transparent water repellent, formulated to prevent attack by water penetration on brick, stone, masonry, plaster, rendering, and much more. Super Seal penetrates deep into the treated area to provide effective repellency for many years. Dries clear. Can be applied by spray, brush or roller.




- EXTERIOR USE
- APPROX COVERAGE 5M²
- SOLVENT BASED
- HIGH WATER & RAIN RESISTANCE

Sika® Mould Buster

Mould and Algae Treatment

SGAN	SIZE	COLOUR	QTY	BARCODE
174996	5LTR	-	4	5055047209096


A powerful, fast acting solution which is effective on most surfaces. Sika® Mould Buster removes algae, mould and green growth without the need for scrubbing or pressure washing.



Sika® Brick and Patio Cleaner

SGAN	SIZE	COLOUR	QTY	BARCODE
102476	5LTR	-	4	5055047200581

A fast acting, acid based cleaning solution for brickwork, concrete and paving. Sika® Brick and Patio Cleaner contains a powerful formula that dissolves mortar and cement stains, ingrained dirt, efflorescence on mineral surfaces.




Sikagard®-112

Mortar and Brick Cleaner

SGAN	SIZE	COLOUR	QTY	BARCODE
649545	5LTR	-	4	5055492703347

Sikagard®-112 Mortar and Brick Cleaner is a highly concentrated, fast acting acid based formula which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, render and concrete.




Sika® Dustproof

Concrete Surface Hardener

SGAN	SIZE	COLOUR	QTY	BARCODE
102470	5LTR	-	4	5055047200611


An economic, ready to use dustproof and concrete surface hardener for concrete floors, paths and driveways. Sika® Dustproof is suitable for hardening and dustproofing both old and new concrete.



401 Brick and Patio Cleaner

SGAN	SIZE	COLOUR	QTY	BARCODE
484097	5LTR	-	4	5029347004156


Brick and Patio Cleaner is a fast acting acid based formula (approx. 9.5% strength) that dissolves mortar and cement stains and ingrained dirt and paint on most mineral surfaces such as brick, concrete, paving flags and earthenware.



403 Concrete Hardener and Dustproof

SGAN	SIZE	COLOUR	QTY	BARCODE
488957	5LTR	-	4	5029347004354
488958	25LTR	-	1	5029347004361


Concrete Hardener and Dustproof is formulated from high quality silicate resins to both harden and dustproof new and old concrete floors for both internal and external use. It reacts chemically with the lime content of concrete to form a hard-wearing surface. **Tested to BSEN1504-2.**



404 Fungicidal Wash

SGAN	SIZE	COLOUR	QTY	BARCODE
488952	1LTR	-	12	5029347004415
488953	5LTR	-	4	5029347004453

Fungicidal Wash is a powerful, fungicidal wash for the removal of lichens, fungi and algae on all mineral surfaces such as walls, paths, roofs, drives, and much more.



Need a quick fix
before you clean and
treat? Check out our
Concrete and brick
repair range.

See page 146




406

Stabilising Solution

SGAN	SIZE	COLOUR	QTY	BARCODE
483195	5L	-	4	5029347601508

406 Stabilising Solution is a microscopically fine polymer emulsion which penetrates dusty/chalky and badly weathered surfaces to leave a stable sound base for decoration with paint, wallpaper, tiling or other material finishes. Suitable for both interior and exterior, or other material finishes.




407

Mortar Stain Remover

SGAN	SIZE	COLOUR	QTY	BARCODE
488959	5LTR	-	4	5029347040758

407 Mortar Stain Remover is a highly concentrated fast acting acid based formula (approx. 18% strength) which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, render and concrete.




Patio Wizard

Mould and Algae Treatment

SGAN	SIZE	COLOUR	QTY	BARCODE
484817	1LTR	-	12	5029347606305
484818	5LTR	-	4	5029347606312


Patio Wizard kills algae, green growth, mould and fungi on patios, paths, driveways and all hard surfaces. It is so easy to use, just apply and leave to dry, no need for any washing off, scrubbing or pressure washing. Supplied as a concentrate that dilutes with water at 1:10 i.e. 5L makes 50L and 1L makes 10L.



Oil-Away Oil Remover

SGAN	SIZE	COLOUR	QTY	BARCODE
484752	1L	-	12	5029347611187


Oil-Away is a ready to use high performance cleaner for drives, paths and patios. Oil-Away is the quick and easy solution for removing oil, petrol, diesel, and grease stains from driveways, garage floors and car parks. It works on most common surface types including concrete, stone, tarmac, and most common paving materials. Oil-Away can also be used as a general cleaner to revive the look of pathway and patio areas.



Salt-Away Salt Remover

SGAN	SIZE	COLOUR	QTY	BARCODE
484750	5L	-	4	5029347611200
484751	1L	-	12	5029347611194


Salt-Away removes salt and unsightly white efflorescence from bricks and concrete. It is a biodegradable formula, works on walls, paths and patios, and can be poured, sprayed or brushed on.



Cemstrip Cement Stain Remover

SGAN	SIZE	COLOUR	QTY	BARCODE
482948	1LTR	-	12	5029347611033
482947	5LTR	-	4	5029347611026


Cemstrip is a new type of cement, concrete and mortar remover that provides an alternative to hydrochloric acid based cement removers. Cemstrip will also remove salts and efflorescence from the surface of mineral substrates and is a very effective general cleaner for removing ingrained dirt, grease and stains from paths and patios as well as being safe for use on metal surfaces such as tools and cement mixers. Cemstrip is a highly concentrated formula that can be diluted by up to 10 times with water to suit a variety of applications.



Tarmac Restorer

SGAN	SIZE	COLOUR	QTY	BARCODE
488956	5LTR	BLACK	4	5029347612856

Tarmac Restorer is a high performance surface coating specially formulated to make tired old tarmac look just like new. Tarmac Restorer provides a tough, durable, low sheen finish which protects from weathering, oil or petrol spills, and unsightly plant and weed growth. Tarmac restorer is easy to apply, provides long term protection, reduces further tarmac repair needs and restores the deep, black finish of your tarmac. As it is quick drying, driveways can be used after only 4 hours of the product being applied.





WOOD CARE AND TREATMENT

Treatments and Preservatives 66
Stains and Varnishes 70


SCAN TO
SEE THE
FULL
RANGE



Sikagard® Universal 5 Star Wood Treatment

SGAN	SIZE	COLOUR	QTY	BARCODE
422881	5LTR	CLEAR	4	5055047210344


An all-in-one, deeply penetrating wood treatment and preservation solution with micro-fine active technology. Contains fungicides, algacides and permethrin to actively kill and protect against all known wood rot, decay, fungi, and wood boring insects.



Sikagard® Woodworm Killer

SGAN	SIZE	COLOUR	QTY	BARCODE
408177	5LTR	CLEAR	4	5055047210368

A low-solvent, low-odour solution based on micro-fine active technology with added insecticide to penetrate deep into the wood to actively and effectively kill all life stages of wood boring insects and protect against re-infestation.



Sikagard® Wood Preserver

SGAN	SIZE	COLOUR	QTY	BARCODE
172046	5LTR	CLEAR	4	5055047210436

A low-odour solution based on micro-fine active technology. Sikagard® Wood Preserver contains fungicides and algacides that are finely dispersed ensuring deep penetration and long term protection.



TRANSFORM IT WITH CONFIDENCE

Finish paving, quickly and professionally
with the market leader. Super-simple,
Sika FastFix All Weather jointing compound



► For perfect pointing on paving, paths and patios [See page 54](#)




Wood Preserver

SGAN	SIZE	COLOUR	QTY	BARCODE
482976	1LTR	CLEAR	10	5029347802011
482977	5LTR	CLEAR	4	5029347802035
482978	25LTR	CLEAR	1	5029347802042
483723	5LTR	DARK OAK	4	5029347802073
483724	5LTR	GOLDEN CHESTNUT	4	5029347802110
483725	5LTR	RED CEDAR	4	5029347802158
483727	5LTR	FIR GREEN	4	5029347803032
633478	5LTR	SLATE GREY	4	5029347615789

Wood Preserver is a low odour, deep penetrating solution that provides long lasting protection against damage caused by wet and dry rot, decay and fungi as well as wood boring insects and blue stain. Can be used on most interior and exterior wood and joinery and contains micro fine actives which penetrate deep into the wood.


Wood Preserver is quick drying, available in light fast colours and provides an even colour distribution.



Triple Action Wood Treatment

SGAN	SIZE	COLOUR	QTY	BARCODE
483183	1LTR	CLEAR	10	5029347801014
483184	2.5LTR	CLEAR	6	5029347801021
483185	5LTR	CLEAR	4	5029347801038
483186	25LTR	CLEAR	1	5029347801045

Triple Action takes care of remedial wood treatment and preservation in one can. Deeply penetrates all wood and joinery to give lasting protection from damage caused by wet rot, dry rot, fungi, and wood boring insects/larvae. Kills, protects, preserves. Micro fine actives penetrate deep into the wood.



Woodworm Killer

SGAN	SIZE	COLOUR	QTY	BARCODE
483790	5LTR	CLEAR	4	5029347610975

Woodworm Killer is a ready to use treatment for the eradication of all types and life stages of wood boring insects and their larvae, specifically woodworm. The added insecticide also aids to actively kill the woodworm and protect against re-infestation. Low odour with micro fine actives that penetrate deep into the wood.



Don't forget your patio, paths, stone and surface care treatments


See page 60



Masonry Dry Rot Treatment

SGAN	SIZE	COLOUR	QTY	BARCODE
483768	5LTR	CLEAR	4	5029347610982


Masonry Dry Rot Treatment is a ready to use treatment for the eradication of dry rot in masonry and brickwork. The added biocide helps to protect against re-infestation. Low solvent, low odour and low VOC.



Creosote

SGAN	SIZE	COLOUR	QTY	BARCODE
489043	4LTR	DARK BROWN	4	5029347610401
489045	4LTR	LIGHT BROWN	4	5029347610388

Creosote is an oil based wood treatment, effective when applied to exterior timbers such as garden sheds, fences, and trellis work. The oil based properties provide excellent surface water repellence and restricts weather damage. The product improves grain definition and exhibits the characteristic odour familiar to traditional Creosote users.



Shed and Fence Mate Water Repellent Treatment

SGAN	SIZE	COLOUR	QTY	BARCODE
514334	5LTR	BURNT OAK	1	5029347805036
514335	5LTR	COUNTRY OAK	1	5029347805050
515025	5LTR	EBONY BLACK	1	5029347805098
514337	5LTR	RUSTIC RED	1	5029347805074

Shed and Fence Mate is an easy to use, solvent free shed and fence treatment specifically designed to provide a safe alternative to creosote. Penetrates and protects wood to give a durable, water repellent finish. Uses advance colour pigmentation, carefully selected UV resistant pigments and water repellent waxes that will make the colour last up to six times longer than creosote. Designed for use on all rough sawn and garden timber including sheds, fences, gates, hutches, kennels, cold frames and trellises. Totally harmless to plants and animals. Easy to use, solvent free, water repellent, no VOC's.



Wood Stain



HIGH RESISTANCE TO UV LIGHT

WEATHERPROOF PROTECTION

SGAN	SIZE	COLOUR	QTY	BARCODE
483215	250ML	NATURAL OAK	6	5029347612177
483219	250ML	ANTIQUÉ PINE	6	5029347612184
483210	250ML	MAHOGANY	6	5029347612191
483229	250ML	WALNUT	6	5029347612214
483223	250ML	ROSEWOOD	6	5029347612221
483207	250ML	DARK OAK	6	5029347612238
483226	250ML	TEAK	6	5029347612207
483216	750ML	NATURAL OAK	6	5029347611330
483221	750ML	ANTIQUÉ PINE	6	5029347611347
483212	750ML	MAHOGANY	6	5029347611354
483230	750ML	WALNUT	6	5029347611378
483224	750ML	ROSEWOOD	6	5029347611385
483208	750ML	DARK OAK	6	5029347611392
483227	750ML	TEAK	6	5029347611361
483204	750ML	CLEAR	6	5029347611514
483217	2.5L	NATURAL OAK	2	5029347611408
483222	2.5L	ANTIQUÉ PINE	2	5029347611415
483214	2.5L	MAHOGANY	2	5029347611422
483231	2.5L	WALNUT	2	5029347611446
483225	2.5L	ROSEWOOD	2	5029347611453
483209	2.5L	DARK OAK	2	5029347611460
483228	2.5L	TEAK	2	5029347611439



A professional, wood stain that enhances the natural qualities of wood, and provides long lasting protection, with a satin finish.

The weatherproof protection provided also gives a crack and peel resistant finish and excellent resistance to ultra violet light degradation. Ideal for use on smooth planed exterior and interior timber, such as doors, window frames, architectural timbers, conservatories, cladding, and garden furniture. Under normal weathering conditions it can be expected to provide protection for up to 5 Years. Maintenance Clear Coat is a clear wood stain maintenance coat that protects and enhances without colouring or darkening.

TOUCH DRY IN 30 MINS,
OVERCOAT AFTER 4 HOURS

ANTIQUÉ PINE

DARK OAK

MAHOGANY

TEAK



NATURAL OAK

ROSEWOOD

WALNUT

CLEAR COAT



These swatch colours may not be a true representation, please obtain a sample from your local stockist.

Clear Varnish

SGAN	SIZE	COLOUR	QTY	BARCODE
482973	250ML	CLEAR SATIN	6	5029347611477
482980	750ML	CLEAR SATIN	6	5029347611484
482975	2.5LTR	CLEAR SATIN	2	5029347612047
482967	250ML	CLEAR GLOSS	6	5029347611491
482968	750ML	CLEAR GLOSS	6	5029347611507
482969	2.5LTR	CLEAR GLOSS	2	5029347612030
482972	250ML	CLEAR MATT	6	5029347612979
482971	750ML	CLEAR MATT	6	5029347612986
482970	2.5LTR	CLEAR MATT	2	5029347612993


Quick Drying Clear Varnish is a professional, low solvent varnish that enhances the natural qualities of wood, and provides long lasting protection. It has been developed specifically to give an ultra hard, scratch resistant and heatproof, non-yellowing finish. It is ideal for use on interior wood such as tables, chairs, doors, skirtings, furniture, and much more.



Floor Varnish

SGAN	SIZE	COLOUR	QTY	BARCODE
488529	750ML	CLEAR	6	5029347612580
488530	2.5L	CLEAR	2	5029347612597

Hard Floor Varnish is a clear, quick drying varnish ideal for use on most common types of wooden floors including hardwood, softwood, hardboard, chipboard and composite wooden boards. Floor Varnish has been specifically developed to provide an ultra-hard scratch resistant natural finish to most interior wooden floors. Suitable for use in kitchens, bathrooms, lounge, dining areas or where heavy foot traffic would be expected. It provides superior protection for wooden floors and has a hammer hard, tough finish to protect wood against scratches and spills and is touch dry in 30 mins.





ROOFING

Roof Repair	74
Flashing	77
Bitumen	78

SCAN TO
SEE THE
FULL
RANGE



Evercryl One Coat

Roof Repair Compound



Evercryl is a resin based, fibre re-enforced* roof repair compound which is effective on all common roofing surfaces, giving instant roof repairs even in the wet and on wet surfaces. May also be applied in frosty conditions down to -5°C.

Evercryl is instantly waterproof when applied, there is no fear of wash off so emergency leaks can be tackled immediately as there is no need to wait for the rain to stop. Evercryl is brush applied and dries to a smooth seamless flexible membrane which resists algae and fungal growth. Because of the high level of fibre reinforcement, Evercryl will bridge small cracks and requires only a one coat brush application to give instant and total water protection, even in areas subject to ponding. Evercryl requires no primer on sound non-porous surfaces. Specifically designed for the following applications: general sealing, maintenance, repair and waterproofing of most common roofs in wet or dry conditions – for use on concrete, fibre/cement, roofing felt, mastic asphalt, existing bituminous roof coatings, rigid PVCu, corrugated iron, metals, slates, brickwork, tiles, lead, copper and zinc.

*Excludes translucent.

CAN BE USED IN THE WET


NO PRIMER NEEDED



ONE COAT APPLICATION

APPLY WITH A BRUSH

SGAN	SIZE	COLOUR	QTY	BARCODE
484619	2.5KG	BLACK	6	5029347600969
484625	5KG	BLACK	4	5029347600976
484621	1KG	TRANS	12	5029347612658
484620	5KG	TRANS	4	5029347612665
484626	1KG	GREY	12	5029347609658
484627	2.5KG	GREY	6	5029347600709
484628	5KG	GREY	4	5029347600716
484629	20KG	GREY	1	5029347600723
484640	5KG	WHITE	4	5029347600686



Evercryn Emergency Roof Repair Cartridge

SGAN	SIZE	COLOUR	QTY	BARCODE
486678	C3	GREY	12	5029347612368
486271	C3	TRANS	12	5029347612375


Evercryn Emergency Roof Repair is an emergency repair aid for use on external roofing applications. The formula has a gel consistency to allow it to be cartridge applied while still containing the top quality fibres that you expect with Evercryn. The product is applied through a special 'duck bill' shaped nozzle ideal for emergency repairs to gaps, cracks and holes in roofs, gutters, flashing, upstands and felt. It even works in wet conditions so there is no need to wait for the rain to stop.



Leadmate Patination Oil

SGAN	SIZE	COLOUR	QTY	BARCODE
489040	500ML	-	10	5029347608927
489041	1LTR	-	10	5029347608873

Specially formulated to provide a protective coating for newly installed leadwork, that helps to prevent the white carbonate staining that affects new lead and surrounding tiles, brickwork, and stonework. Just one coat of Patination Oil helps to provide a uniform attractive appearance to newly installed lead and helps the ageing process whilst the natural patina of the lead is being formed.



Lead Mate Sealant provides the perfect finish

See page 13 within the Sealant section

Liquid Roof

All Weather Roofing System



SGAN	SIZE	COLOUR	QTY	BARCODE
511382	7KG	SLATE GREY	4	5029347614164
511383	21KG	SLATE GREY	1	5029347614171

Sikalastic Fleece-120

97480	1M X 50M	-	1	7612894436402
-------	----------	---	---	---------------

An easy to use, all weather roofing system ideal for waterproofing flat or pitched roofs.

Liquid Roof is a one-component, fast curing, polyurethane based waterproofing system for flat and pitched roofs.

Applied in two coats by brush or roller, Liquid Roof creates a solid, seamless, waterproof membrane that remains permanently flexible, making it the ideal solution for new installations, the refurbishment of old or to overlay most common roofing substrates.

Liquid Roof comes ready to use and is cold applied by brush or roller, using moisture in the air to cure meaning no additional catalyst is required.

And what's more, it will cure in many weather conditions becoming completely rain resistant in just 10 minutes, even if a pool of water forms on top of it.

Suitable for use on a variety of substrates, Liquid Roof is compatible with concrete, mortar, stone, fibre cement, roof tiles and metals. Not only that but it can also be applied to wood, asphalt, roofing felt and bituminous coatings with the use of full reinforcement in the form of Sikalastic Fleece-120.



PU WATERPROOFING LIQUID MEMBRANE FOR FLAT AND PITCHED ROOFS

FAST CURING - RAIN RESISTANT IN 10 MINUTES



MOISTURE CURING TECHNOLOGY - NO CATALYST REQUIRED

FOR NEW ROOFS AND REFURBISHING OLD ROOFS



STEP ONE

Ensure all surfaces are sound, clean and free from dust and loose friable material.



STEP TWO

Apply the first coat of Everbuild Liquid Roof liberally at a thickness of 1mm, by brush or solvent-resistant roller.



STEP THREE

If required, apply Sikalastic Fleece-120 on top of the first coat whilst still wet, overlapping the edges.



STEP FOUR

Apply a second coat at a similar thickness to the first, immediately after laying the fleece.

For full application instructions, please refer to latest Product Data Sheet or contact the Sika Technical Team.



Black Jack Flashing Tape Trade

SGAN	SIZE	COLOUR	QTY	BARCODE
482958	75MM	LEAD LOOK	8	5029347099015
482959	100MM	LEAD LOOK	6	5029347099022
482960	150MM	LEAD LOOK	4	5029347099039
482961	225MM	LEAD LOOK	2	5029347099046
482962	300MM	LEAD LOOK	2	5029347099053
482963	450MM	LEAD LOOK	1	5029347099060

Black Jack self adhesive flashing with natural lead-look finish. All available in 10mtr long rolls.



Black Jack Flashing Tape DIY

SGAN	SIZE	COLOUR	QTY	BARCODE
490255	100MM	LEAD LOOK	6	5029347099084
490256	150MM	LEAD LOOK	4	5029347099091
490258	225MM	LEAD LOOK	2	5029347099107


Black Jack self adhesive flashing with natural lead-look finish. All available in 3mtr long rolls.



Sika® MultiSeal

SGAN	SIZE	COLOUR	QTY	BARCODE
446882	10MTR	GREY	3	5055492700285
446883	10MTR	GREY	2	5055492700292
446884	10MTR	GREY	2	5055492700308
446885	10MTR	GREY	1	5055492700315

A self-adhesive, bituminous tape that is suitable for sealing cracks and joints in common domestic and commercial situations.




901

Black Bitumen Paint

SGAN	SIZE	COLOUR	QTY	BARCODE
486937	1LTR	BLACK	12	5029347009113
486938	2.5LTR	BLACK	6	5029347009120
486939	5LTR	BLACK	4	5029347009151
486951	25LTR	BLACK	1	5029347009137

Black Bitumen Paint is a solvent based, full bodied black bituminous paint. When dry, the product forms an odourless and taint free black film suitable for metal protection, and overcoating felt.




902

Bitumen and Flashing Primer

SGAN	SIZE	COLOUR	QTY	BARCODE
486984	1LTR	BLACK	12	5029347009212
486986	5LTR	BLACK	4	5029347009250

Bitumen and Flashing Primer is a thin black primer used to give a key prior to applying bitumen paints, roof coatings and flashing.




903

Bitumen Trowel Mastic

SGAN	SIZE	COLOUR	QTY	BARCODE
486987	1LTR	BLACK	12	5029347009311
486989	2.5LTR	BLACK	6	5029347009328
486991	5LTR	BLACK	4	5029347009359

A trowel applied, black, heavily filled bituminous compound with added fibres for reinforcement. The product forms a surface skin, but the mass below remains soft to allow for moderate movement. Suitable for sealing and filling holes in mastic asphalt, roofing felt, corrugated iron, metal guttering and downpipes.




904

Roof Felt Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
486992	1LTR	BLACK	12	5029347009410
486993	2.5LTR	BLACK	6	5029347009427
486995	5LTR	BLACK	4	5029347009458
486996	25LTR	BLACK	1	5029347009434


Roof Felt Adhesive is a cold applied, oxidised bitumen based adhesive used to bond roofing felt to most surfaces. Specifically designed for bonding all types of roofing felt to metal and concrete, sealing felt laps and as a cold gritting solution for bonding mineral chippings.



905 All Weather Roof Coating

SGAN	SIZE	COLOUR	QTY	BARCODE
486998	5LTR	BLACK	4	5029347009557
487000	25LTR	BLACK	1	5029347009533


A solvent based, full bodied black brushable bitumen compound with added fibres for reinforcement. It is an effective general purpose roof coating that is resistant to wash off by rain almost immediately. The product is specifically designed for general waterproofing in all roofing applications.



906 Bitumen Roofing Emulsion

SGAN	SIZE	COLOUR	QTY	BARCODE
487001	5LTR	BLACK	4	5029347009656


Bitumen Roofing Emulsion is a stable bitumen/water emulsion of medium brushing consistency which dries to a black, flexible coating. The product is specially designed for general waterproofing of roofs and provides protection against corrosion of pipes and structural steelwork.



907 Solar Reflective Paint

SGAN	SIZE	COLOUR	QTY	BARCODE
482683	5LTR	SILVER	4	5029347009755
482682	25LTR	SILVER	1	5029347601027


Solar Reflective Paint is a thin bituminous based aluminium protective paint of brushable consistency which dries to a silvery finish. The product is specifically designed for application over primed metal walls and roofs to reduce heat absorption.



908 DPM

SGAN	SIZE	COLOUR	QTY	BARCODE
487003	5LTR	BLACK	4	5029347009854
487004	25LTR	BLACK	1	5029347009830

DPM is an rubber enriched bitumen emulsion which provides a highly effective sandwich damp proof membrane for floors. Acts as a waterproofer for walls, above ground structures and foundations. DPM is also suitable as an adhesive for wood block and mosaic panels, insulation boards etc.





DIC0960

750ML e
USE THE NOZZLE
240
HANDHELD
B1 FIRE FOAM
EVEN BUILD

Site
20
Dress

EXPANDING FOAMS

Professional and DIY	82
Foam Ancillaries	84
Fire Rated Foam	85

SCAN TO
SEE THE
FULL
RANGE




Fix and Fill Expanding Foam

SGAN	SIZE	COLOUR	QTY	BARCODE
484689	500ML	-	12	5029347000080
484700	750ML	-	12	5029347000097

ADDITIONAL NOZZLES

SGAN	SIZE	COLOUR	QTY	BARCODE
488732	-	-	1	NO BARCODE

Fix and Fill Expanding Foam is a quick setting polyurethane based foam which expands greatly on application and yields up to 50 times original can contents. Can be cut, sawn, plastered and sealed over after approximately one hour. Fills irregular gaps, fixes framework, insulates and sound deadens.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Exact Gap Expanding Foam

SGAN	SIZE	COLOUR	QTY	BARCODE
484702	750ML	-	12	5029347609337

Formulated to provide a more precise foam product that only expands by between 5-10% from the bead extruded on application. The controlled application significantly reduces the amount of cured excess foam that has to be cut back, reducing the danger of wet foam falling onto the floor and surrounding substrates, and the damage and staining this can cause.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Thermofoam

Insulating and Acoustic Expanding Foam

ACOUSTIC RATED UP TO
64 DB TO EN ISO 717-1

CERTIFIED AIR PERMEABILITY:
A<0,1 M³ TO EN 12114:2000

TEMPERATURE RESISTANT
-40 TO +80°C (SHORT TERM
EXPOSURE TO +100°C)

FIRE RATED TO ISO
13501 (CLASS E)



AIRTIGHT

ENERGY SAVING

ADHERES TO ALL
COMMON BUILDING
MATERIALS


No Waste Expanding Foam

SGAN	SIZE	COLOUR	QTY	BARCODE
484704	750ML	-	12	5029347602383

ADDITIONAL NOZZLES

SGAN	SIZE	COLOUR	QTY	BARCODE
488733	-	-	1	NO BARCODE

Using new foam technology, No Waste Expanding Foam is the first Hand Held Foam that allows part used cans to be saved and used again and has a shelf life of 15 months, compared with 12 months for conventional foams. Its unique safety valve will not clog or leak.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Professional Gun Grade Expanding Foam

SGAN	SIZE	COLOUR	QTY	BARCODE
817541	750ML	-	12	5029347000103

A quick setting polyurethane based foam which expands greatly on application and yields up to 50 times original can contents. Can be cut, sawn, plastered and sealed over after approximately one hour. Fills irregular gaps, fixes framework, insulates and sound deadens.

For professional use only.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Constructa-Pro Adhesive Foam

SGAN	SIZE	COLOUR	QTY	BARCODE
538593	750ML	-	12	5029347615024

A high strength adhesive foam designed for use in a multitude of building applications. Adheres well to most common building materials. Once cured, it's rot-proof, and moisture and temperature resistant from -40°C to +80°C. Suitable for a wide range of applications, for example as an adhesive for fixing plasterboard, insulation board, fixing skirting boards or a mortar substitute for building rough garden walls, planters, and much more.




Brick / Stone / Concrete / Metal / Timber



SGAN	SIZE	COLOUR	QTY	BARCODE
489712	750ML	-	12	5029347613587

Specially formulated, highly flexible PU foam that absorbs component movement thereby giving an air tight seal to reduce heat loss and improve energy efficiency in buildings.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

EXPANDING FOAMS

Foam Ancillaries

P45 Medium Duty
Metal Gun

SGAN	SIZE	COLOUR	QTY	BARCODE
486679	P45	-	1	5029347603526

P45 Foam Gun gives the user more control to apply the foam precisely in hard to reach places, saving unnecessary wastage.

**P65 Heavy Duty**
Metal Gun

SGAN	SIZE	COLOUR	QTY	BARCODE
486680	P65	-	1	5029347123000

A gun for heavy duty applications, with unique 'Easy Clean Tip' for cleaning of the valve and gun nozzle. For use with all gun grade foams.




Comes with an
EASY CLEAN TIP

Dual Purpose
Foam Cleaner

SGAN	SIZE	COLOUR	QTY	BARCODE
488713	500ML	-	12	5029347126001

Dual Purpose Foam Cleaner is used to remove wet/ uncured foam. Attaches to Gun Foam Applicator for purging through; also includes spray nozzle for use without applicator to remove wet foam from outside of the gun and from most building substrates. The unique threaded collar fits most gun foam applicators, including the above foam applicators guns.



See our wide
range of
grab adhesives


Pages 34-39



Fire Foam B1 Handheld

SGAN	SIZE	COLOUR	QTY	BARCODE
488714	750ML	PINK	12	5029347125004

Fire Foam B1 Handheld is a quick-setting fire rated, one part polyurethane foam. It expands on application to yield up to 50 times the can contents and meets the test criteria BS476 Part 20. Fire rated up to 4 hours in certain joint configurations. Once cured, the foam can be cut, sawn or plastered over after approx one hour.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Fire Foam B1 Gun Grade

SGAN	SIZE	COLOUR	QTY	BARCODE
488715	750ML	PINK	12	5029347611729

A quick-setting fire rated, one part polyurethane foam. It expands on application to yield up to 50 times the can contents. Fire rated up to 4 hours in certain joint configurations, meets requirements of the test criteria DIN 4102 Part 1 for Construction Materials, Class B1 and BS 476 Part 20.

For professional use only.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Fire Foam B2 Handheld

SGAN	SIZE	COLOUR	QTY	BARCODE
488717	750ML	PINK	12	5029347600471

Fire Foam B2 Handheld is a quick setting fire rated, one part polyurethane foam in a ready to use hand held canister. Fire resistant for up to 2 hours in certain joint configurations. It expands on application to up to 50 times the can contents and meets the requirements of the test criteria for BS476 Part 20.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Fire Foam B2 Gun Grade

SGAN	SIZE	COLOUR	QTY	BARCODE
488718	750ML	PINK	12	5029347600464

Fire Foam B2 Gun Grade is a quick setting fire rated, one part polyurethane foam for application by a foam applicator gun. Fire resistant for up to 2 hours in certain joint configurations. It expands on application to up to 50 times the can contents and meets the requirements of the test criteria for BS476 Part 20.

For professional use only.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber



ROLL & STROLL
TEXTURED CARPET



ROLL & STROLL
TEXTURED CARPET



ROLL & STROLL
TEXTURED CARPET

ROLL & STROLL
TEXTURED CARPET

ROLL & STROLL
TEXTURED CARPET

ROLL & STROLL
TEXTURED CARPET

ROLL & STROLL
TEXTURED CARPET

FILLERS AND DECORATING SUNDRIES

Surface protectors	88
Decorating Fillers	90
Wood Fillers	94
Dust sheets and Tarpaulins	96
Decorating Sundries	97

SCAN TO
SEE THE
FULL
RANGE



Roll and Stroll

Premium Carpet Protector



SGAN	SIZE	COLOUR	QTY	BARCODE
462111	25MTR	YELLOW	6	5029347605636
484946	75MTR	YELLOW	1	5029347605643

The ultimate fire-rated, self-adhesive carpet protector with the adhesive coating on the outside making light work of unwinding and applying to the area. Safer than dust sheets, Roll and Stroll is totally waterproof, won't tear and can be left for up to 4 weeks.



FIRE RATED

TOTALLY WATERPROOF - PROTECTS AGAINST SPILLAGES

WON'T TEAR OR RIP

CAN BE USED ON FLAT SURFACES AND STAIRCASES



- The ultimate fire rated, self-adhesive carpet protector
- Protects carpets against paint splatters, stains and dirt
- Easy to apply and remove
- Safer than dustsheets
- Reverse wound for quick and easy application



60cm x 25m

Roll and Stroll Textured Non-Slip Carpet Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
484868	75MTR	YELLOW	1	5029347610265


Roll and Stroll Textured Non-Slip Carpet Protector is the ultimate self adhesive carpet protection system. With the adhesive coating on the outside, it is easy to unwind, safer than dust sheets and has a multitude of uses across all trade sectors. Totally waterproof and textured to make it non-slip.



Roll and Stroll Contract Carpet Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
484869	50MTR	CLEAR	1	5029347606206
484910	100MTR	CLEAR	1	5029347606213


Roll and Stroll Contract Carpet Protector is the ultimate clear self adhesive carpet protection system. With the adhesive coating on the outside, it is easy to unwind, safer than dust sheets and has a multitude of uses across all trade sectors. Totally waterproof, it protects against spillage, and won't tear or rip.



Roll and Stroll Hard Surface Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
462110	25MTR	CLEAR	6	5029347606077
484945	75MTR	CLEAR	1	5029347606084

Roll and Stroll Hard Surface Protector is the ultimate self adhesive floor protection, works on all hard surfaces such as timber, ceramic tiles, laminate, vinyl, metal and stone. It is also suitable for use on worktops, window sills; doors and kitchen units. With the adhesive coating on the outside it is easy to unwind, safer than dust sheets and has a multitude of uses, protects against spillage and won't tear or rip.



Glass Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
467445	25MTR	RED	15	5029347611248

Glass Protector is the ultimate self adhesive protector ideal to protect glass against the mess, dirt, staining, spillages and soiling that occurs during general building and decorating work. It also reduces the risk of costly scratches to glass. With the adhesive coating on the outside it is also easy to apply.



Fill Once

Ready Mixed Filler



MINIMAL SANDING

WON'T SHRINK

QUICK DRYING

APPLY ONCE - JOB DONE

SCAN	SIZE	COLOUR	QTY	BARCODE
486747	325ML	WHITE	12	5029347602147
486748	650ML	WHITE	12	5029347602154

The best filler you will ever use – Fill Once is a revolutionary ready mixed filler ideal for filling large or small holes in one application.

Provides a smooth, fine finish that won't shrink and only requires minimal sanding. Sets hard and will support nails or screws. Apply once – job done.



Brick / Stone / Concrete / Plaster



All Purpose Ready Mixed Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
480176	600GM	WHITE	12	5029347000899
480182	1KG	WHITE	12	5029347000882

All Purpose Filler is an easy to use ready mixed filler which is suitable for both interior and exterior use. Fills holes up to 9mm deep. Dries to a smooth but tough crack resistant sandable finish which may be painted, papered or stained. Designed for repairs to plaster, plasterboard, brick, render, wood, stone and most other building materials.



Fine Surface Ready Mixed Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
480440	600GM	WHITE	12	5029347000998


Fine Surface Filler is an easy to use ready mixed filler for filling small holes up to 4mm deep, and surface imperfections in most porous surfaces such as plaster and wood. Dries to a very smooth finish that can be painted or papered.



Deep Gap Ready Mixed Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
480445	1LTR	LIGHT GREY	6	5029347609368

Deep Gap Filler is a revolutionary filler, formulated to fill most holes and cracks; especially deep holes up to 50mm, in just one quick application. It will not shrink, sag or crack and finishes smooth, requiring little or no sanding.



Keep it simple with Caulk Once

See page 7



One Strike


Ready Mixed Filler



SCAN	SIZE	COLOUR	QTY	BARCODE
461918	250ML	WHITE	18	5029347300029
461917	450ML	WHITE	12	5029347300050
461916	1LTR	WHITE	6	5029347300012
488534	2.5LTR	WHITE	1	5029347603458
480347	5LTR	WHITE	1	5029347300500

One Strike is a revolutionary filler, formulated using lightweight polymer bubbles that fill most holes and cracks; even deep holes.

For use in plaster, wood, brick, stone and rendering. Ideal for overhead applications as One Strike will not slump out of cracks. One Strike finishes smooth, requiring little or no sanding and is ready to paint or wallpaper over in just 30 minutes.



Brick / Stone / Concrete / Plaster

IT WON'T SLUMP
(EVEN OVERHEAD)

IT WON'T SHRINK OR CRACK

IT WON'T NEED LAYERS TO FILL

IT WON'T NEED SANDING




IT WON'T TAKE LONG
TO DRY (30 MIN)

IT WON'T BREAK THE BANK

All Purpose Powder Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
480442	450GM	WHITE	16	5029347600570
480443	1.5KG	WHITE	10	5029347600587
480444	5KG	WHITE	1	5029347611873


All Purpose Powder Filler for both interior and exterior use, with added PVA for extra strength. Fills holes up to 40mm deep. For repairs to plaster, brick, stone, wood, can be nailed or screwed when dry. Quick setting, non-shrink.



All Purpose Ready Mixed Filler Easi Squeeze

SGAN	SIZE	COLOUR	QTY	BARCODE
480266	330GRM	WHITE	12	5029347600389


Fast drying ready mixed filler in an easy to use squeeze tube, can be used for a multitude of filling applications both internally and externally. Fills holes up to 5mm deep.



Fill and Skim Ready Mixed Plaster

SGAN	SIZE	COLOUR	QTY	BARCODE
486745	5LTR	WHITE	1	5029347603229

Fill and Skim is a ready mixed lightweight plaster for both patching jobs and covering larger areas. Fill and skim is ideal for covering over old textured surfaces. Ideal for trade and DIY use.



Brick / Stone / Concrete / Plaster

Filler Coat Thick Base Coat

SGAN	SIZE	COLOUR	QTY	BARCODE
486746	5LTR	WHITE	1	5029347610067

Filler Coat is a thick base coat for use on imperfect surfaces prior to painting. It hides and obliterates areas that have been filled, as well as covering and preventing the reappearance of hairline cracks. Working like a roll on filler, the thick formula completely covers strong colours. Ideal for use on walls and ceilings.



Brick / Stone / Concrete / Plaster

Multi Purpose Joinery Grade Wood Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
480449	100ML	LIGHT STAINABLE	6	5029347603335
480461	250ML	LIGHT STAINABLE	6	5029347603359
480462	250ML	MEDIUM STAINABLE	6	5029347603366
480463	250ML	PINE	6	5029347608286
480464	250ML	MAHOGANY	6	5029347608323
480465	250ML	LIGHT OAK	6	5029347608309
480466	250ML	DARK OAK	6	5029347608316
499701	250ML	TEAK	6	5029347613921
480467	250ML	WHITE	6	5029347608293

Multi-Purpose Wood Filler fills nail holes, cracks, gaps and minor imperfections in wood. It is easy to sand, can be stained, varnished and painted and is solvent free.




Wood / Brick / Stone / Concrete / Plaster



2 Part High Performance Wood Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
481022	500GR	LIGHT STAINABLE	6	5029347608194
481023	1.4KG	LIGHT STAINABLE	6	5029347608262
481028	500GR	MAHOGANY	6	5029347608156
481029	1.4KG	MAHOGANY	6	5029347608248
481024	500GR	MEDIUM STAINABLE	6	5029347608200
481051	500GR	OAK	6	5029347608132
481050	1.4KG	OAK	6	5029347608217
481027	500GR	PINE	6	5029347608170
481026	1.4KG	PINE	6	5029347608330
481052	500GR	REDWOOD	6	5029347608187
481053	1.4KG	REDWOOD	6	5029347608347
484991	500GR	WHITE	6	5029347608149
484990	1.4KG	WHITE	6	5029347608231

2 Part High Performance Wood Filler, is a fast drying, interior and exterior wood filler. The 2 Part Wood Filler is easy to mix and apply and is completely weatherproof. Once mixed, the filler sets hard to a shatterproof finish in approximately 30 mins and may be drilled, carved or planed once dry.



Wood / Brick / Stone / Concrete / Plaster



Wood Filler Hardener / Catalyst

SGAN	SIZE	COLOUR	QTY	BARCODE
488531	40GRM	-	25	NO BARCODE

Spare catalyst/hardener tubes for use with all 2 part wood fillers.



Pro-Fill High Performance Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
490423	500GR	LIGHT GREY	6	5029347608781

Pro-Fill 2 Part High Performance filler, for joinery, decorating and building applications, suitable for repairing most building materials including concrete, metal, wood and GRP. Rapid cure non-tack surface that's easy to sand.




Wood / Brick / Stone / Concrete / Plaster

Wet Rot Wood Hardener

SGAN	SIZE	COLOUR	QTY	BARCODE
488537	250ML	-	6	5029347807016

Wet Rot Wood Hardener is a highly penetrative solution of selected resins in solvent which soaks deep into the fibres of decaying wood and dries to leave the wood hard and resistant to further moisture penetration. The resin modified wood then becomes an ideal base for repair with Everbuild® 2 part wood fillers.



Is time of the essence?
Use our 5 minute
Polyurethane Wood Adhesive


See page 42



Cotton Dust Sheets

SGAN	SIZE	COLOUR	QTY	BARCODE
484993	3.7M X 2.7M (12' X 9')	-	10	5029347604127


Genuine cotton twill, protect from spills, splashes and dust. Strong hardwearing cotton resists wear from tools, stepladders and feet. Reversible, machine washable.



Laminated Cotton Dust Sheets

SGAN	SIZE	COLOUR	QTY	BARCODE
484992	3.7M X 2.7M (12' X 9')	-	10	5029347602574


Top quality cotton twill with polythene inter-laminate, stops paints and liquids passing through.



Polythene Dust Sheets

SGAN	SIZE	COLOUR	QTY	BARCODE
484995	3.7M X 2.7M (12' X 9')	CLEAR	20	5029347602253

Heavy duty, perfect for painting. Protects from paint spills, splashes, dirt and dust.




Tarpaulins

SGAN	SIZE	COLOUR	QTY	BARCODE
484996	3.7M X 2.7M (12' X 9')	BLUE	25	5029347605612
484997	3.7M X 5.5M (12' X 18')	BLUE	8	5029347605629

Heavy duty tarpaulin. 100% waterproof and tear proof. Reinforced eyelets and corners.


Comes in two sizes:
Standard: 12ft x 9ft - 90gm
Heavy Duty: 12ft x 18ft - 120gm



Brush Cleaner

SGAN	SIZE	COLOUR	QTY	BARCODE
482945	500ML	-	12	5029347601812


A thin solvent based liquid which removes wet paint quickly from brushes, rollers and pads. Works on emulsion, spirit based paints, varnish and is water washable. Conditions to prolong brush/roller life.



Brush Restorer

SGAN	SIZE	COLOUR	QTY	BARCODE
488550	500ML	-	12	5029347601829

A thin solvent based liquid which removes paint from gummed up and old hardened brushes. Works on most paint types and is water washable.



Sugar Soap Powder

SGAN	SIZE	COLOUR	QTY	BARCODE
488588	430GR	-	12	5029347601911

A silicate free powder which when diluted with water effectively removes grease and grime from painted surfaces to improve adhesion and gives a better final finish. Sugar Soap Powder is also the ideal choice as a general household cleaner.



Sugar Soap Liquid and Spray

SGAN	SIZE	COLOUR	QTY	BARCODE
488589	500ML	-	12	5029347601904
488591	500ML	-	6	5029347610883

A concentrated solution which when diluted with water effectively removes grease, grime and nicotine from painted surfaces to ensure improved adhesion. Also ideal as a general household cleaner. Also available in ready to use spray.



Stain Block

SGAN	SIZE	COLOUR	QTY	BARCODE
488592	400ML	-	12	5029347602017


Stain Block is a spray applied, heavily pigmented white paint which permanently prevents existing stains from water, mould, rust, nicotine, grease, soot, crayon showing through subsequent coatings. Quick drying, overcoat in 15 mins, easy to apply.



Turps Substitute

SGAN	SIZE	COLOUR	QTY	BARCODE
488596	2LTR	-	8	5029347601935


A solvent designed for cleaning paint off brushes and rollers to prolong their life and as a general household cleaner/degreaser.



White Spirit

SGAN	SIZE	COLOUR	QTY	BARCODE
488597	750ML	-	12	5029347602000
488598	2LTR	-	8	5029347601997
488599	4LTR	-	4	5029347602215

White spirit is a solvent designed for thinning paints and varnishes, cleaning brushes and general household degreasing and cleaning.



Safer Spirit

SGAN	SIZE	COLOUR	QTY	BARCODE
488594	750ML	-	12	5029347611774


Safer Spirit is a revolutionary water based alternative to White Spirit. Safer Spirit can be used for many of the same applications as White Spirit. It is not only low in VOC's and has a solvent content of below 8%, but it is also virtually odourless, non-toxic, non-flammable and non-corrosive. Safer Spirit also contains a conditioning agent, leaving paint brushes soft and supple.



Methylated Spirit

SGAN	SIZE	COLOUR	QTY	BARCODE
488607	500ML	-	6	5029347605872

Mineralised Methylated Spirits is an alcohol prepared for industrial use. Suitable for use as a solvent for patent knotting, some varnishes, some spirit based paints and French polish. Can also be used as a cleaner/degreaser for paint work, glassware, for wiping resinous matter from knots prior to knotting and as a fuel.



Wallpaper Stripper

SGAN	SIZE	COLOUR	QTY	BARCODE
488619	500ML	-	12	5029347601980


A highly concentrated solution of surfactants designed to strip wallpaper fast. Dilute to make up to 18 litres. Water washable.



All Purpose Wallpaper Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
488610	5ROLL	-	25	5029347601874
488612	10ROLL	-	12	5029347601850
488614	30ROLL	-	10	5029347601867


A powdered adhesive which when mixed with water is suitable for hanging all common wallcoverings including sculptured, blown and textured vinyl, washable and heavy embossed. Also suitable for fixing polystyrene tiles. High tack combines with excellent adjustability. Contains a powerful fungicide.



Overlap and Border Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
488615	250GR	-	12	5029347601799


A high strength, ready mixed paste suitable for all types of borders (inc. vinyl). May be used for adhering overlaps and repairs to damaged paper sections. Will stick all common papers as well as to gloss and emulsion paint. High tack excellent adjustability. Contains a powerful fungicide.



Ready Mixed Wallcovering Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
488621	4.5KG	-	2	5029347601973


A ready mixed paste suitable for hanging all common papers including vinyls and heavy embossed. High tack, excellent adjustability. Contains a powerful fungicide.



Boiled Linseed Oil

SGAN	SIZE	COLOUR	QTY	BARCODE
484799	500ML	-	12	5029347601775

A traditional wood treatment used to replace the natural sheen in aged/ tired wood. Quicker drying than raw linseed oil. May also be mixed with mastic sand to make trowel grade pointing mastic.



Raw Linseed Oil

SGAN	SIZE	COLOUR	QTY	BARCODE
484802	500ML	-	12	5029347601898


A traditional wood treatment for use on cricket bats, oak beams and as a lubricant in the French polishing industry. Nourishes and revives wood.



Teak Oil

SGAN	SIZE	COLOUR	QTY	BARCODE
484805	500ML	-	12	5029347601928

A traditional wood treatment used to replace the natural oils lost through ageing or weathering and brings out the natural colour of wood. Suitable for interior or exterior use on unpolished timbers.





TAPES

Building Tapes	102
Repair Tapes	105
Masking Tapes	106
Safety Tapes	107
Packaging Tapes	107
Double sided Tapes	108
Plasterboard Tapes	109

SCAN TO
SEE THE
FULL
RANGE



Mammoth Powerful Grip Tape

Extra Strong Double Sided Tape



ULTIMATE GRIP STRENGTH

BONDS ALMOST ANYTHING

OUTDOOR AND
INDOOR USE

SGAN	SIZE	COLOUR	QTY	BARCODE
484678	12MM X 2.5MTR	CLEAR	48	5029347605896
484679	25MM X 2.5MTR	CLEAR	24	5029347605773
484680	50MM X 2.5MTR	CLEAR	12	5029347605766

Mammoth Powerful Grip Tape is a double sided tape that breaks the rules, with an incredible immediate bond strength that has to be seen to be believed. It will bond to virtually any material, indoors or outdoors including ceramics, brickwork, wood, metal, plastics and PVC.

It is moisture resistant and will not degrade with U.V light. Ideal for use in the home, industry, construction and office. Can be used in many applications to replace drilling, plugging and unsightly screws.



American
Duct Tape



100% WATERPROOF

50MM WIDTH

SGAN	SIZE	COLOUR	QTY	BARCODE
487240	50MM X 25MTR	ORANGE	12	5029347610326
487241	50MM X 25MTR	SILVER	12	5029347613228

American Duct Tape is a remarkable tape which is not only thick, strong and 100% waterproof; it also has the most amazing adhesive quality.

DOUBLE STRENGTH ADHESIVE

STRONG WEAVE FABRIC

EASY TEAR



Mammoth Mega All Purpose Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
483326	50MM X 50MTR	BLACK	24	5029347600549
483327	50MM X 50MTR	BLUE	24	5029347604226
483328	50MM X 50MTR	RED	24	5029347602611
483329	50MM X 50MTR	SILVER	24	5029347602628
483330	50MM X 50MTR	WHITE	24	5029347602635
483331	50MM X 50MTR	YELLOW	24	5029347604233

The ultimate all purpose duct tape, top quality cloth with aggressive natural rubber adhesive. Tough, durable and waterproof, for thousands of applications on site, in the home and industry, in the widest possible range of colours.



Mammoth Gaffa Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
467448	50MM X 45MTR	BLACK	12	5029347611743
696047	50MM X 45MTR	SILVER	12	5029347611736

Gaffa Tape is a strong, tough and durable utility grade cloth tape for use in repairs in construction, industry, home and garden.



Mammoth Builders PVC Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
488626	50MM X 33MTR	BLACK	24	5029347604646
488627	75MM X 33MTR	BLACK	16	5029347604653

Strong PVC tape with versatile adhesive, ideal for jointing all PVC and polythene sheets and membranes. Perfect for contamination barrier fastening, dust sealing of sheets and many other uses in construction and industry.



Mammoth Aluminium Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
482270	50MM X 45MTR	SILVER	24	5029347604509
482271	75MM X 45MTR	SILVER	16	5029347604516
482259	100MM X 45MTR	SILVER	12	5029347604523

Heat and light reflective aluminium foil tape, heat resistant to 180°C, flame retardant to Class O. Excellent moisture resistance, ideal for use as a vapour barrier between foil faced insulation panels in roof and wall applications, duct sealing on all types of air conditioning and ventilation and protecting wires and pipes from heat.



Mammoth

Clear Weatherproof Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
488634	50MM X 10MTR	CLEAR	36	5029347610494

Strong Weatherproof Tape with aggressive adhesive, ideal for jointing and repairing all PVC and polythene Sheets and many other uses in construction, industry and the home. Also ideal for repairing cracks in glass and acrylic without obscuring vision/light.



Silweld

Silicone Self Fusing Repair Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
484806	3MTR	BLACK	6	5029347611279

Silweld is the incredible silicone self fusing tape that can be used to repair almost anything from an emergency repair to a water hose or air pipe to insulating electrical wires or connections.

It creates an air tight, watertight seal in seconds without the need for any adhesive and even works underwater. Excellent electrical insulator up to 8,000 volts, withstands extreme temperatures -65°C to 260°C and even withstands pressure to 700psi. Silweld also resists petrol, oil, acids, solvents, salt water and UV rays.



Protect your flooring with Roll & Stroll

See the full range on page 88



TAPES

Masking Tapes

Mammoth Low Tack Masking Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
486865	25MM X 25MTR	OFF WHITE	60	5029347604622
486864	50MM X 25MTR	OFF WHITE	30	5029347604639

The professionals choice for application to more delicate surfaces and wallpaper, where conventional Masking Tapes could damage the surface. Can be left on for up to 7 days, without a residue being left on the surface.



Mammoth Pro Blue Masking Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
486861	25MM X 33MTR	BLUE	48	5029347604530
486860	50MM X 33MTR	BLUE	24	5029347604547

Professional long stay masking tape that can be left on for up to 14 days without leaving a residue or damage to the surface.



Mammoth Labelled Masking Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
487011	19MM X 50MTR	OFF WHITE	64	5029347604325
467447	25MM X 50MTR	OFF WHITE	48	5029347604332
487012	38MM X 50MTR	OFF WHITE	32	5029347604349
487013	50MM X 50MTR	OFF WHITE	24	5029347604356
487014	75MM X 50MTR	OFF WHITE	16	5029347604363

General Purpose, trade quality masking tape, suitable for many uses. Easily removable within 3 days. Rolls individually film wrapped and labelled with separate barcode per size.



Mammoth Value GP Masking Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
486871	19MM X 50MTR	OFF WHITE	64	NO BARCODE
486870	25MM X 50MTR	OFF WHITE	48	NO BARCODE
486868	38MM X 50MTR	OFF WHITE	32	NO BARCODE
486867	50MM X 50MTR	OFF WHITE	24	NO BARCODE
486866	75MM X 50MTR	OFF WHITE	16	NO BARCODE

General purpose trade quality masking tape for conventional paint masking, can be left on for up to 3 days without leaving a residue. Loose packed rolls without individual film wrap or barcode.



Mammoth PVC Hazard Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
488638	50MM X 33MTR	RED/WHITE	24	5029347604400
488639	50MM X 33MTR	BLACK/YELLOW	24	5029347604394

A strong and durable self adhesive PVC Hazard tape for all hazard marking, ideal for marking floors, walls and overhead. Abrasion resistant, damp tolerant, can be used internally and externally.



Mammoth Barrier Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
482932	72MM X 500MTR	RED/WHITE	8	5029347604424

Super strength non adhesive polythene barrier tape supplied in an individual box.



Mammoth Retail / Labelled Packaging Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
488640	48MM X 50MTR	BROWN	36	5029347610432
488641	50MM X 50MTR	CLEAR	36	5029347610456

Low noise, quality packaging tape, individually wrapped and labelled. Ideal for all packing applications.



Mammoth Value Packaging Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
488642	48MM X 50MTR	BROWN	36	5029347604387
488643	48MM X 50MTR	CLEAR	36	5029347604370

Quality packaging tape, available packed in towers, labelled and barcoded per tower.



TAPES

Double Sided Tapes

Mammoth

Multi-Purpose Double Sided Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
488735	25MM X 25MTR	CLEAR	48	5029347604707
488736	50MM X 25MTR	CLEAR	24	5029347604714
488737	50MM X 5MTR	CLEAR	30	5029347610623

High tack multi-purpose double sided tape, ideal for securing many items to smooth surfaces, vertically and horizontally.



Mammoth

Heavy Duty Double Sided Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
488760	50MM X 5MTR	CLEAR	36	5029347610609

A premium quality, heavy duty, double sided tape with a strong, thick cloth membrane and an aggressive rubber resin adhesive. Ideal for fixing floor coverings and other heavy duty applications.



Mammoth

Carpet Fix Cloth Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
488761	50MM X 25MTR	CLEAR	24	5029347604738

Premium quality double sided Carpet Fix Cloth Tape is ideal for fixing all carpets to all surfaces. Easily torn by hand during application.



EuroScrim
Self Adhesive Scrim Tape



QUICK AND EASY TO APPLY

SELF ADHESIVE -
ELIMINATES NEED FOR
PRE-PLASTERING

FLEXIBLE, WILL NOT
BUBBLE OR BLISTER

FOR DRYWALL, PLASTER
WALLS AND CEILINGS



SGAN	SIZE	COLOUR	QTY	BARCODE
484687	48MM X 90MTR	WHITE	24	5029347611750
484688	100MM X 90MTR	WHITE	12	5029347612627

EuroScrim is a premium quality, quick and easy to apply, self-adhesive scrim tape that is made in Europe to perform!

EuroScrim has a quality high tack adhesive and an open mesh that will not blister or bubble, creating perfect joints every time.







CLEANERS

Wipes	112
Glazing Cleaners	114
Cleaners and Lubricants	115

SCAN TO
SEE THE
FULL
RANGE



Wonder Wipes Multi-Use



SGAN	SIZE	COLOUR	QTY	BARCODE
467442	100	-	6	5029347601522
484948	300	-	1	5029347604172
524290	500	-	1	5029347614379

Multi-Use Wonder Wipes are specially formulated to clean hands, tools and surfaces from wet and semi-cured paint, sealant, adhesive, bitumen, expanding foam, oil, grease and even silicone.

Useful when there is no water on site. Wonder Wipes contain a powerful anti-bacterial additive that is tested by an independent laboratory to BSEN 1276:2009.



INTERIOR AND
EXTERIOR
USE

**ROBUST AND EXTRA
ABSORBENT TRIPLE LAYER
WIPE THAT TRAPS DIRT
AND ABSORBS MOISTURE**

**ANTIBACTERIAL ADDITIVE
TO PROVIDE PROTECTION**

**CONTAINS VITAMIN E
AND ALOE VERA TO
NOURISH HANDS**



Wonder Wipes Biodegradable

Introducing Sika Wonder Wipes Biodegradable, a fantastic addition to the popular range, offering exceptional cleaning power on hands, tools, and surfaces.

These 100% biodegradable and plastic-free wipes are engineered with extra thickness, providing superior strength for a reliable and durable cleaning experience. Formulated to easily clean tough grime, these wipes can remove Paint, Silicone, Adhesive, Bitumen, Expanding Foam, Oil, Grease, and more.

Sika Wonder Wipes Biodegradable are available in flo-wrap packaging for easy storage, improved accessibility, as well as keeping the wipes fresher for longer.

100% BIODEGRADABLE
AND PLASTIC-FREE WIPES

EXTRA THICK MATERIAL
FOR EXCEPTIONAL
CLEANING

CONTAINS AN
ANTI-BACTERIAL
ADDITIVE



CONTAINS ALOE VERA TO CONDITION SKIN
AND PREVENT DRYNESS AND CRACKING

SGAN	SIZE	COLOUR	QTY	BARCODE
780111	60	-	12	5055492704016



Wonder Wipes Heavy Duty

SGAN	SIZE	COLOUR	QTY	BARCODE
467443	75	-	6	5029347609467

Heavy Duty Wonder Wipes are textured wipes specially formulated for the building, engineering and allied trades to clean ingrained dirt from hands, tools and surfaces.



Wonder Wipes Multi-Use Spray

SGAN	SIZE	COLOUR	QTY	BARCODE
511711	1LTR	-	12	5029347613952


Multi-Use Wonder Wipes is available in a hand spray. Wonder Wipes Spray is the ideal solution for cleaning large surface areas by using the spray with Paper Wipe Rolls or refreshing a Wipe to make it go that extra mile. Wonder Wipes Spray is also the perfect way to keep the PVC door and window frames looking good as new.



Glass Cleaner

SGAN	SIZE	COLOUR	QTY	BARCODE
490894	1LTR	-	12	5029347900014


Glass Cleaner is a powerful glass cleaning agent containing a high level of detergents and solvents for rapid drying to a smear and static free finish. May also be used on tiling, VDUs, TV screens, chrome, and other glass items.



PVCu Solvent Cleaner

SGAN	SIZE	COLOUR	QTY	BARCODE
486919	1LTR	-	12	5029347900045


PVCu Solvent Cleaner is a solvent based product formulated to remove ingrained dirt from PVCu and most plastics. Also suitable to restore an 'as new' look to old windows and plastic garden furniture. Fast drying.



PVCu Cream Cleaner

SGAN	SIZE	COLOUR	QTY	BARCODE
486930	1LTR	-	12	5029347900052

PVCu Cream Cleaner is a solvent free formulation designed to remove ingrained dirt, stains and pollution from PVCu window frames without scratching. Buffs to a deep sheen.



Paper Glass Wipe Rolls

SGAN	SIZE	COLOUR	QTY	BARCODE
467444	150MTR	-	6	5029347603427
488767	280MTR	-	2	5029347119003


Paper Glass Wipe Rolls are made of an extra strong, soft 2-ply paper for effective glass industrial and home cleaning.



All Purpose XT44 Maintenance Spray

SGAN	SIZE	COLOUR	QTY	BARCODE
484811	400ML	-	12	5029347600044


All Purpose Maintenance Spray has 100s of uses around the home, garage, workshop and in industry. Penetrates rusted parts and fastenings to assist dismantling, lubricates locks, hinges and tools. Can be used to protect metals and tools from rusting. Displaces water and can be used to assist starting wet petrol engines and damp ignition systems. Lubricates just about any moving part.



All Purpose Silicone Spray

SGAN	SIZE	COLOUR	QTY	BARCODE
484813	400ML	-	12	5029347600648


All Purpose Silicone Spray is a dry silicone lubricant and mould release agent for the easing of friction between two surfaces. Ideal for use in mould making/release industries, to ease installation of rubber and EPDM gaskets to window and door frames and has 100's of uses around the home, garage, workshop and industry. Silicone Spray will also enhance the appearance of vinyl and hard surfaces such as car dashboards etc, where the dry-bright finish will eliminate the need for polish.



Graffiti Remover

SGAN	SIZE	COLOUR	QTY	BARCODE
484814	400ML	-	12	5029347601683

Graffiti Remover is a powerful non-drip gel formula, works on vertical and horizontal surfaces to remove paint, felt tip marker pen and most other forms of casual graffiti. Water washable, effective on all substrates. Graffiti Remover is aided by its slow evaporation rate, penetrating deeply into graffiti and after a few minutes, marks are easily and safely removed by rinsing with water.



EVERFLEX®

Our huge range is ready for anything you throw at it.

See pages 8-14





Advanced Formula Formulated with a Proprietary Polymer Against Mold

PLUMBERS GOLD

MADE FOR PLUMBERS

CONCRETE REPAIR ELITE

SEALS & BONDS EVERYTHING - EVEN UNDERWATER!

PLUMBING AND HEATING SUPPLIES

Sealers and Compounds	118
Fire and Stove Sundries	121
Fire, Stove and Flue Cements and Mortars	122

SCAN TO
SEE THE
FULL
RANGE



P12 Silicone Grease

SGAN	SIZE	COLOUR	QTY	BARCODE
687373	200GR	-	12	5055492703842

P12 Silicone Grease is a lubricant and sealant with excellent resistance to most chemicals, extreme temperatures and exceptional water resistance. It has low vapour tension up to 200 °C, enabling low residual pressure to be achieved. P12 Silicone Grease is also chemically inert – it is non-corrosive on metals and has no plasticising effect on rubbers or plastics.



P13 Putty

SGAN	SIZE	COLOUR	QTY	BARCODE
488411	750GR	BEIGE	12	5029347600655

Plumber's Putty is a ready-mixed, waterproof, non-setting putty designed for sealing and bedding WC soil pipes, joints in sanitary wear, sinks and waste water fittings. Plumber's Putty will seal ceramics, vitreous enamels, metals and PVC. Remains permanently flexible to allow for joint movement.



P16 PVC Pipe Cement

SGAN	SIZE	COLOUR	QTY	BARCODE
488408	250ML	-	12	5029347607029

PVC Pipe Cement is a non-drip, thixotropic solvent based pipe cement for bonding non-pressure PVC and ABS thermoplastic pipes and conduits to themselves and each other.

Conforms to BSEN14814 and BSEN14680.



CONFORMS TO
BSEN14814/1610



P20 Flux Soldering Paste

SGAN	SIZE	COLOUR	QTY	BARCODE
488416	140GR	WHITE	12	5029347613068

Plumber's Flux is a soft paste which is applied to joint areas prior to soldering. It is suitable for use with most metal types. It is self cleaning and can be used with potable water.



PVC/PVCu/ABS

Plumbers Gold Sealant & Adhesive




CAN BE APPLIED
TO WET SURFACES

WILL EVEN WORK
UNDERWATER

SGAN	SIZE	COLOUR	QTY	BARCODE
486774	290ML	CLEAR	12	5029347607081
486777	290ML	WHITE	12	5029347607074

Specially formulated for the plumbing professional, Plumbers Gold is a sealant and adhesive based on hybrid polymer technology that offers outstanding adhesion to all sanitary, bathroom, wetroom, kitchen and plumbing materials.



containing
Mould Shield

Brick / Timber / Metal / PVCu / Glass

TILING SYSTEM SOLUTIONS WITH SIKACERAM®

From decorative tiled surfaces to highly functional tiled wall and floor finishes, Sika is able to provide full systems. Sika has developed a comprehensive range of tile adhesives, tile grouts and useful ancillary products that are designed as integrated systems to achieve the optimum results.

For the full range see [Page 160-161](#)



Heat Resistant Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
486749	310ML	BLACK	12	5029347609290

Heat Resistant Silicone is a high temperature resistant, fast cure, silicone, heat stable up to 275°C, which is permanent flexibility - high modulus sealant. It is ideal for joints and assemblies in ducting, metal chimneys, industrial/domestic ovens, heating appliances. Excellent adhesion to most non-porous surfaces.



BRING THE HEAT WITH KOS FIRE

Our KOS Fire and Flue Cements offer high-temperature resistance up to 1250°C, with strong adhesion for secure installations in both domestic and commercial settings. Perfect for fire surrounds and flue liners, ensuring durability and safety.

For the full range see Page 122-123



KOS

Fire Cement



ASBESTOS FREE

RESISTANT TO EXTREME
TEMPERATURESAVAILABLE IN BUFF
OR BLACK

SGAN	SIZE	COLOUR	QTY	BARCODE
484657	500G	BUFF	18	501061800110
484658	1KG	BUFF	12	5010618002117
484659	2KG	BUFF	6	5010618003114
484670	6KG	BUFF	2	5010618005118
484672	25KG	BUFF	1	5029347606657
484673	500G	BLACK	18	5029347606619
484674	1KG	BLACK	12	5029347606626
484675	2KG	BLACK	6	5029347606633
484676	12.5KG	BLACK	1	5029347606640

KOS Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C.

Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.



KOS Fire Cement Cartridge

SGAN	SIZE	COLOUR	QTY	BARCODE
486239	300ML	BUFF	12	5010618070161
488425	300ML	BLACK	12	5029347606886

KOS Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C. Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.



KOS Flue Cement

SGAN	SIZE	COLOUR	QTY	BARCODE
488394	300ML	-	12	5010618016169


KOS Flue Cement is a high temperature (to 1250°C) ready mixed fireproof mortar paste, designed for the safe installation/jointing of Type A1 (BSEN1857) concrete flue liners for use with domestic fires and stoves e.g. coal, wood burning or gas (including flame effect).



Flue Jointing Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
488403	500GM	-	12	5010618050019
488407	1KG	-	12	5010618050217

Flue Jointing Compound is a finely dispersed asbestos free material with a stiff consistency. It will not harden completely and small movements can be accommodated without cracking. Flue Jointing Compound is nonflammable and, therefore, there is no risk of fire.



XL Fire Cement

SGAN	SIZE	COLOUR	QTY	BARCODE
488389	500G	BUFF	18	5010404120056
488390	1KG	BUFF	12	5010404120100
488391	2KG	BUFF	6	5010404120209
488392	5KG	BUFF	2	5010404012054

XL Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C. Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.





201 Premium
Mortar Admix



- It is designed to be used for masonry
- It is designed to be used for masonry
- It is designed to be used for masonry

BUILDING SUPPLIES

Waterproofing	126
Building Admixtures	130
Self Levelling Compounds	138
Floor Paints and Line Markers	142
Wall Finishing	143
Concrete and Brick Repair	144
Priming	148
PVA and SBR Bonding	149
Chemical Anchors	152
Putties	154
Pointing	155

SCAN TO
SEE THE
FULL
RANGE



Sika®-1 Waterproofer

Liquid Waterproofing Additive

SGAN	SIZE	COLOUR	QTY	BARCODE
114448	5LTR	YELLOW	4	7612895673271
114449	25LTR	YELLOW	1	5055047200123

A liquid waterproofing additive for mortar and concrete.

The colloidal silicates in the additive swell and block the capillaries and pores in the applied sand/cement renders, screeds and mortar to provide an effective barrier against the transmission of liquid water.



**PROVEN TRACK RECORD
FOR OVER 100 YEARS**

**EXCELLENT RESISTANCE
TO BACKWATER PRESSURE**

**WATERPROOF RENDERS
TO RESIST MOISTURE
ABOVE GROUND**


**CONSUMPTION: 0.75LTR
PER 25KG CEMENT**



Sika®-2 Water Plug

SGAN	SIZE	COLOUR	QTY	BARCODE
114452	5LTR	RED	4	7612895673288


A ready to use, rapid setting, leak stopping liquid which is mixed with ordinary portland cement to produce a paste for immediate leak sealing against high water pressure infiltration. Suitable to seal severe water leaks and to be applied on surfaces with running surface water.



Sika®-4 Rapid Setting

SGAN	SIZE	COLOUR	QTY	BARCODE
114453	5LTR	BROWN	4	5055047200086


A ready to use liquid for accelerating the set time of mortars and renders where low water pressure or slow water movement exists. Sika®-4 Rapid Setting Provides excellent resistance to backwater pressure and prevents cement wash out.



Sika®-4a Water Stop

SGAN	SIZE	COLOUR	QTY	BARCODE
114454	5LTR	CLEAR	4	7612895669489


A ready to use, quick setting, liquid which is mixed with water and ordinary portland cement to produce a paste for leak stopping. Sika®-4a Water Stop is suitable for use against high or moderate water pressure infiltrations.



Sikalastic®-1K

SGAN	SIZE	COLOUR	QTY	BARCODE
489549	20KG	GREY	1	5055492701305


A one-component, highly flexible, cementitious, fibre-reinforced mortar for the waterproofing of concrete structures. It can be used for the outside waterproofing and protection of basement walls as well as on hydraulic structures, such as swimming pools.



Sika® Damp Proofing Slurry


SGAN	SIZE	COLOUR	QTY	BARCODE
456454	20KG	GREY	1	5055492700704
102198	25KG	GREY	1	5055047201021

A high-quality, thin layer, waterproof slurry coating that contains special cements and admixtures that provides a finish that prevents dampness and water penetration. Easy to mix and apply as well as being overpaintable with vapour permeable coatings.

SikaMur®
InjectoCream-100

SGAN	SIZE	COLOUR	QTY	BARCODE
175179	600ML	WHITE	10	7612894718317
425016	300ML	WHITE	12	7612894892604

A silane-based, waterproof cream that can be inserted into holes in mortar course of the wall to provide a Damp Proof Course (DPC) that will block future rising damp.

Febtank Super
Waterproof Coating

SGAN	SIZE	COLOUR	QTY	BARCODE
486609	25KG	GREY	1	5029347607807
489396	20KG	GREY	1	5029347609856

Febtank Super, when mixed with clean water, forms an extremely durable waterproof coating for concrete and masonry which is easily applied by a stiff hand brush, broom or spray. Ideal permanent waterproofing system for basements, cellars, pools, reservoirs and below ground level applications. Resists both negative and positive water pressure. **Tested to BSEN 1504-3.**




Febtank Plug

SGAN	SIZE	COLOUR	QTY	BARCODE
486603	5KG	GREY	1	5029347607814

Febtank Plug is an ultra-rapid setting, durable plugging compound designed to stop active water leaks in concrete and masonry.

Once applied, the material expands as it cures to form a permanent watertight seal with similar characteristics to concrete. Suitable for use with Febtank Super.



THE WATERTIGHT SOLUTION ENGINEERED FOR BASEMENTS



Our ground-breaking **Sika® Watertight Concrete System** is specifically designed for water resistance underground. Made in Britain by the original innovators of watertight concrete to keep water in its place. Available now in powdered (hydrophobic or crystalline) and bulk liquid (hydrophobic).

- Keeps water out – and in for swimming pools
- Industry leading design and technical support for complex projects
- Includes complementary jointing products for a complete watertight seal
- Incorporates the latest concrete admixture technology
- No.1 in the UK – all formulas are BBA certified, backed with 15-year Sika® Guarantee

Find out more at sikawaterproofing.co.uk

BUILDING TRUST




SikaMix® Plus

Mortar Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
445021	5LTR	-	4	5055492700483
445917	25LTR	-	1	5055492700544

A general purpose, liquid mortar plasticiser for brick and blockwork mortars. SikaMix® Plus increases the workability and improves the quality of mortars, renders and plasters. Also, improves the frost resistance of hardened mortar.




Sika® Rendermix

Water Resisting Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
102452	5LTR	YELLOW	4	5055047200529

A water resisting plasticiser and air entraining agent for improving renders and screeds. Can also be used as an admixture for pebble dashing or roughcast finishes.




Sika® Proof

Liquid Waterproofer

SGAN	SIZE	COLOUR	QTY	BARCODE
102327	5LTR	WHITE	4	7612895673219

General purpose, economic waterproofing admixture for mortars and concretes. Ideal for use on swimming pools, water tanks, ponds, below ground applications and more.



Sika® Release Oil

SGAN	SIZE	COLOUR	QTY	BARCODE
513849	5LTR	CLEAR	4	5055047200604


A ready to use, formwork release agent that is suitable for mould and shuttering. Sika® Release Oil is suitable for use prior to casting concrete in order to achieve a clean release after removal of formwork.



Sika® Wintermix

SGAN	SIZE	COLOUR	QTY	BARCODE
102408	5LTR	AMBER	4	5055047200864

A chloride free admixture for concrete that is suitable for use with steel reinforcement. Sika® Wintermix allows mortars and concretes to be used in sub-zero temperatures, eliminating the need for a separate frostproof.



Sikamix® Powdered Mortar Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
165860	250 SACHETS	-	1	5055047209041

SikaMix® Powdered Mortar Plasticiser (PMP) is a pre-measured air entraining admixture which complies to EN 934-3 and replaces or complements the use of lime in sand and cement bricklaying and rendering.



See the PVA range


Page 149



Sika® MaxMix Waterproofer

SGAN	SIZE	COLOUR	QTY	BARCODE
697906	1LTR	YELLOW	6	7612894695649


A highly concentrated waterproofing and air entraining admixture for sand and cement mortars, renders and screeds. Sika® MaxMix® Waterproofer improves the workability of mortar/render and helps prevent shrinkage, cracking, crazing and mild frost damage.



Sika® MaxMix Frostproofer and Accelerator

SGAN	SIZE	COLOUR	QTY	BARCODE
170378	1LTR	STRAW	6	7612894695724


A highly concentrated air entraining admixture which is designed specifically for cold weather by eliminating the requirement for a second frostproofing admix. Sika® MaxMix® Frostproofer and Accelerator reduces the setting time of sand and cement based mortars, renders, screeds etc.



Sika® MaxMix Cement Colour

SGAN	SIZE	COLOUR	QTY	BARCODE
170406	1LTR	BLACK	6	7612894695823
170408	1LTR	BROWN	6	7612894695861
170410	1LTR	RED	6	7612894695908
170412	1LTR	YELLOW	6	7612894695946


A concentrated, one-shot cement colourant that provides a uniform shade of colour to cement mortars, renders, concrete and pointing.



Sika® MaxMix Mortar Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
170376	1LTR	BROWN	6	7612894694888

A highly-concentrated, air entraining liquid plasticising admixture that is twenty five times the strength of conventional products. Forms extremely stable air bubbles in mortar mixes that improves the consistency and workability of mortar. Sika® MaxMix® Mortar Plasticiser helps to prevent shrinkage, cracking, crazing and mild frost damage.




Opti-Mix Integral Waterproofer

SGAN	SIZE	COLOUR	QTY	BARCODE
697951	1LTR	-	12	5029347609894

Opti-Mix Integral Waterproofer is a plasticiser, waterproofing agent and salt inhibitor, all in one. Waterproofs, plasticises, controlled dosage, consistent mix design, easy to use, no waste. 1 litre is equivalent to 25 litres of standard product.


Tested to EN934-3 (2009) +A1 (2012).



Opti-Mix 3-In-1 Render Additive

SGAN	SIZE	COLOUR	QTY	BARCODE
697962	1LTR	-	12	5029347609917


Opti-Mix 3-in-1 render designed specifically for use with renders, giving increased retarding properties with additional waterproofing, plasticising and salt inhibiting capability. Controlled dosage for a consistent mix in an easy to use design with zero waste. 1 litre is equivalent to 25 litres of standard product. **Tested to EN934-3 (2009) + A1 (2012).**



Opti-Mix Cement Colourant Black

SGAN	SIZE	COLOUR	QTY	BARCODE
486213	1LTR	-	12	5029347609924


Opti-Mix Cement Colourant is a cement colourant that enables accurate colour matching and consistency between different batches of mortar. Fast colouring formulation, controlled dosage, consistent mix design, easy to use and no waste. 1 litre is equivalent to 5 litres of standard product. **Tested to EN12878.**



Opti-Mix Mortar Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
486210	1LTR	-	12	5029347609870

The world's first 1:25 plasticiser is just Pure Admix, smells and works like the best traditional Admix. Controlled dosage, consistent mix design, easy to use, no waste. 1 litre is equivalent to 25 litres of standard product. **Tested to EN934 (2009) +A1 (2012).**



201

Mortar Admix

SGAN	SIZE	COLOUR	QTY	BARCODE
486187	5LTR	-	4	5029347002152
486189	25LTR	-	1	5029347002169

Mortar Admix is an air entraining plasticiser that replaces lime in the mix to provide an easy to work 'butter like' consistency to the mortar and to prevent shrinkage, cracking and crazing during the setting process. **Tested to BSEN934-Part 3 (2009)+A1(2012).**




202

Integral Liquid Waterproof

SGAN	SIZE	COLOUR	QTY	BARCODE
488850	5LTR	-	4	5029347002251
488851	25LTR	-	1	5029347002268

Integral Liquid Waterproof is a liquid additive that provides long term water protection to mortar, concrete and rendering. Reduces water permeability and is suitable for all applications where resistance to water absorption is necessary. **Tested to EN934-3 (2009)+A1(2012).**




203

Accelerator and Frostproof

SGAN	SIZE	COLOUR	QTY	BARCODE
488853	5LTR	-	4	5029347002350
488854	25LTR	-	1	5029347002367

Accelerator and Frostproof is a liquid additive formulated to accelerate setting and hardening times of mortar, concretes, screeds and rendering to provide frost protection during the setting period. Effective even in sub-zero temperatures. **Tested to EN934-2 (2009)+A1(2012).**




204

Evermix 3 In 1

SGAN	SIZE	COLOUR	QTY	BARCODE
488855	5LTR	-	4	5029347600006
488856	25LTR	-	1	5029347070533

Evermix 3 in 1 triple action admixture waterproofs, plasticises and retards to assist workability, reduce water penetration and allow larger areas to be covered in one application. Evermix 3 in 1 is particularly formulated for use in renders, dry dash and pebble-dashing. **Tested to EN934-3 (2009)+A1(2012).**



206

Strike Release Oil

SGAN	SIZE	COLOUR	QTY	BARCODE
488885	5LTR	-	4	5029347002657

Strike Release Oil is a highly effective release agent to enable concrete shuttering to be removed easily, leaving the edge of the concrete structure clean and well formed. Suitable for most types of form work, not affected by rain after application.




207

Zeromix C.F.F

SGAN	SIZE	COLOUR	QTY	BARCODE
488857	5LTR	-	4	5029347002756
488858	25LTR	-	1	5029347002763

Zeromix CFF is a double action frostproof and air entraining mortar admixture for use throughout the winter period. Improves workability of mortar and increases resistance to frost in both wet and hardened state. Chloride free, can be used with steel reinforced concrete structures. **Tested to EN934-3 (2009)+A1(2012).**




SCAN HERE or visit gbr.knowledge.sika.com/ for technical articles, eLearning platform, webinars and white papers

Febmix Admix

Air Entraining Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
486723	5LTR	DARK BROWN	4	5029347607203
487244	25LTR	DARK BROWN	1	5029347607210
487247	5LTR	DARK BROWN	4	5029347610791
487249	25LTR	DARK BROWN	1	5029347610807


Febmix Admix is an original air entraining plasticiser that replaces lime in the mix to provide an easy to work "butter like" consistency and to prevent shrinkage, cracking and crazing during the setting process. For use in brick laying and plastering mortars. Provides a degree of frost resistance and long term resistance to freeze-thaw cycles when set. There is also a South West formula specially designed for South Wales and the West Country. **Conforms fully with the requirements of EN 934-3:(2009) +A1 (2012).**

**Febmix Plus**

Air Entraining Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
487142	5LTR	DARK BROWN	4	5029347607180
487143	25LTR	DARK BROWN	1	5029347607197


Febmix Plus is a liquid ultra stable synthetic air entraining mortar plasticiser designed to enhance the workability and freeze thaw resistance of brick and block laying mortars. It may be used to replace or supplement the use of lime, and is designed to maintain efficiency with variations in cement and aggregate sources. **Conforms to EN 934-3:(2009) +A1 (2012).**

**Febproof Plus**

Waterproof and Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
487146	5LTR	AMBER	4	5029347607319
487147	25LTR	AMBER	1	5029347607326


Febproof Plus is a waterproofer and plasticiser that provides water protection to mortar and non-structural concrete and improves workability. Suitable for use in rendering finishes and pointing mortars. Reduces the incidence of efflorescence. **Conforms to EN 934-3:(2009) +A1 (2012).**



Rendamix Retarder and Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
487149	5LTR	AMBER	4	5029347607234

Feb Rendamix is a water resisting, retarding and plasticising admixture for use in sand: cement rendering mortars. The product also acts as an inhibitor for efflorescence. **Conforms to EN 934-3:(2009) for air entraining properties.**



Febspeed Accelerator and Frostproof

SGAN	SIZE	COLOUR	QTY	BARCODE
487184	5LTR	-	4	5029347607333


Febspeed is a chlorine free liquid admixture formulated to accelerate the setting time of cement based mortar, non-reinforced concrete, renders and screeds. Also provides frost protection in the wet mortar during the setting period; even in sub-zero temperature and can also be used neat with cement as a plugging aid. **Tested to the requirements of EN 934-2: 2009 +A1 (2012).**



Wintamix Accelerator and Frostproof

SGAN	SIZE	COLOUR	QTY	BARCODE
487186	5LTR	CLEAR	4	5029347607258


Feb Wintamix is a chloride free, double action liquid frostproof and air entraining mortar admixture for use throughout the winter period, and also in sub-zero temperatures. Suitable for steel reinforced concrete, improves workability of mortar and increases resistance to frost in both wet and hardened state. **Conforms to EN943-3:2009.**



Brickclean Cleaner and Degreasing Solution

SGAN	SIZE	COLOUR	QTY	BARCODE
487189	5LTR	CLEAR	4	5029347607852

Feb Brickclean is a fast acting acid based cleaner and degreasing solution which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, concrete, paving slabs and earthenware.




Sikafloor®-122 Level

Universal Self Levelling Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
813560	20KG	GREY	1	7612655050076


A one-part, multi-purpose, cement based self-leveller for smoothing and levelling uneven internal rigid floors prior to applying a final wearing covering. Suitable for underfloor heating applications beneath heating systems. This product is highly fluid and easy to apply.

**Sikafloor®-125 Level**

Flex Self Levelling Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
825002	20KG	GREY	1	7612655082343


A one-part, latex modified smoothing and levelling compound with added polymer powder for improved flexibility and resilience. This product is suitable for smoothing and levelling rigid internal floors prior to applying final wearing coverings. Suitable for underfloor heating applications beneath heating systems.



Sikafloor®-131 Level Latex Ultra

SGAN	SIZE	COLOUR	QTY	BARCODE
619525	25KG	GREY	1	5055047210726

A one-part, latex modified, high-strength self leveller for smoothing and levelling uneven rigid floors. Sikafloor® 131 Level Latex Ultra may be overlaid with common floor coverings or may be left as a final wearing surface. A rapid setting heavy duty product which is suitable for both internal and external floors, this product is also strong enough to withstand vehicular traffic.



Sikafloor®-132 Level Rapid Self Levelling Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
767210	16KG	GREY	1	7612895935782



Sikafloor®-132 Level Rapid is a 1-part, cementitious, polymer-modified, fast setting, smoothing and levelling compound for uneven rigid internal floors - ideal for applications where same day covering is required. Suitable for use with many flooring finishes such as carpets, vinyl, wood block flooring, ceramic tiles and laminate flooring.

Suitable for use with underfloor heating applications beneath heating systems, with maximum surface temperature of +27 °C.



Sikafloor®-245 Level Deep Fill Ultra

SGAN	SIZE	COLOUR	QTY	BARCODE
612979	25KG	GREY	1	5055492702951


A one-part, thick bed, smoothing and resurfacing compound for levelling out highly uneven floors and screeds down to the depth of 50mm in just one coat. This product is known for its extremely low shrinkage properties and is suitable for use on internal and external floors.



Sikafloor®-440 Level Fibre Reinforced Self Levelling Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
612787	20KG	GREY	1	5055492702944

A one-part, fibre and polymer re-enforced, flexible, high strength heat resistant cement based levelling compound. Designed specifically for the embedment of underfloor heating elements and for use on timber floors. SikaFloor® 440 Level Fibre Reinforced can be left as a final wearing surface or may be overlaid with floor coverings.



708 Febflor Universal Self Levelling Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
620324	20KG	GREY	1	5029347003012

Perfect for most applications. Levelling floors prior to laying ceramic or thermoplastic tiles, lino, wood block flooring or carpet. Use on internal uneven rigid floors and underfloor heating applications beneath heating systems.

Cement based, free flowing, sets in 2-4 hours and can be overlaid after only 8 hours at 20°C. Mix with Febflor 709 to add moisture resistance, additional flexibility and durability.



710 Febflor Flexiplus Self Levelling Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
620325	20KG	-	1	5029347071028

For increased flexibility. Use to level out uneven floors where there may be a small level of movement. Self-smoothing with added latex powder for improved flexibility, resilience and adhesion. Suitable for use on internal uneven rigid floors, underfloor heating applications beneath heating systems.



720 Febflor Fibre Plus Fibre Self Levelling Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
647831	20KG	GREY	1	5029347615796

A fibre modified, cement based, protein free self-levelling compound used for levelling out uneven floors and screeds. Contains powdered polymer to eliminate the need for a separate latex liquid being added. Free flowing mix that sets in 4 hours and can be overlaid after 8 hours.



709 Febflor Latex Plus Liquid Additive

SGAN	SIZE	COLOUR	QTY	BARCODE
489452	5L	-	4	5029347003029

To increase flexibility and durability by adding to flooring compounds and tile adhesives. Ideal for use on timber flooring substrates to allow for a limited amount of movement. Rubber based latex liquid. 5 litres mixes with a 20kg bag of 708 Febflor Universal Self Levelling Compound.



Floor Paint

SGAN	SIZE	COLOUR	QTY	BARCODE
538684	5LTR	GREY	4	5029347602826
538683	5LTR	RED	4	5029347602833



Floor Paint is a solvent-based polyurethane formula designed to provide a clean hard wearing finish to concrete, stone and wooden floors subject to light to medium traffic. Ideal for use on garage floors, workshops, storerooms, and walkways. Floor Paint gives enhanced durability, abrasion resistance and a good resistance to dilute acids/alkalis and oils.

Surveyline
Marking Paint

SGAN	SIZE	COLOUR	QTY	BARCODE
490207	700ML	BLUE	12	5029347601560
490209	700ML	GREEN	12	5029347601584
490210	700ML	ORANGE	12	5029347608415
490213	700ML	RED	12	5029347601577
490214	700ML	WHITE	12	5029347000943
490215	700ML	YELLOW	12	5029347601553

A spray applied marking paint for contractors/surveyors spot marking. Colour coded for electric, gas, water and cable company use. Semi permanent formula lasts at least 3 months after application. Survey Line is available in seven different colours: White (General Marker), Red (Electricity), Yellow (General Marker, Gas), Blue (Water), Orange (General Marking), Green (Cable Work) and Black (Covering Old Lines).

Trafficline
Marking Paint

SGAN	SIZE	COLOUR	QTY	BARCODE
489774	700ML	WHITE	12	5029347602987
489782	700ML	YELLOW	12	5029347602994

A spray applied marking paint for permanent line marking. Heavy duty latex formulation for use over concrete, asphalt and most other surfaces. Ideal for car parks, warehouses, tennis courts, playgrounds etc. Trafficable in 1 hour at normal temperatures. Designed to be used with applicator or by hand. Available in three colours: White (General Marking), Yellow (Caution/Hazard), Red (Danger/Prohibited).




Febond Blue Grit Plaster Bonding Agent

SGAN	SIZE	COLOUR	QTY	BARCODE
487206	5LTR	BLUE	1	5029347608910
487207	10LTR	BLUE	1	5029347608880



Febond Blue Grit is a high performance, plasterers grip coat bonding agent specifically designed to provide an improved key to smooth surfaces. Containing a fine aggregate, it provides a mechanical key to backgrounds such as plaster, concrete, painted surfaces, textured surfaces and ceramic tiles. One coat application, coloured blue to indicate coverage.



507 Rendagrip Render Bonding Agent

SGAN	SIZE	COLOUR	QTY	BARCODE
461975	10LTR	RED	1	5029347612610

Rendagrip is an extra grip render bonding agent that contains a fine aggregate to provide an improved key before applying render on external surfaces e.g. concrete, lightweight blockwork, brick etc. The fine aggregates are suspended in a unique waterproof polymer to ensure easy application and an even spread of aggregate avoiding any weak spots in the key coat and preventing the aggregate particles coming loose during application.



505 Plasterers Gripcoat

SGAN	SIZE	COLOUR	QTY	BARCODE
461974	10LTR	BLUE	1	5029347611538


Plasterers Gripcoat is a high performance, plasterers grip coat bonding agent specifically designed to provide an improved key to smooth surfaces. Containing a fine aggregate, it provides a mechanical key to backgrounds such as plaster, concrete, painted surfaces, textured surfaces and ceramic tiles. One coat application, coloured blue to indicate coverage; now, with new improved colour.



SikaGrout®
111 GP

SGAN	SIZE	COLOUR	QTY	BARCODE
527763	25KG	GREY	1	7612895340319

A one part, general purpose, high precision, shrinkage compensated cementitious grout. SikaGrout® 111 GP is easy to mix and apply; it is perfect for a multitude of jobs, such as filling voids, machine and base plates.


**Sikadur®-31+**

SGAN	SIZE	COLOUR	QTY	BARCODE
644950	1.2KG	GREY	8	7612895650944
674401	4.5KG	GREY	1	7612895707785
644872	6KG	GREY	1	7612895650838
707808	30KG	GREY	1	7611237015793

Rapid

644950	1.2kg	GREY	8	7612895650944
644872	6kg	GREY	1	7612895650838

Sikadur®-31+ is a two-part, low-VOC, moisture-tolerant epoxy structural adhesive which bonds to many construction materials. It is also used for structural concrete repairs, joint filling, and crack sealing. It can be used in both do-it-yourself (DIY) and professional applications.



Looking for a dry spray mortar for large volume applications?

Look no further than
Sikacrete®-101 Standard.



- Economical
- Dust reduction technology
- Class R4 according to EN 1504-3
- High build
- Rapid strength gain
- Low shrinkage


And that's not all!
Find out the details at:



SCAN ME

Sikagard® 550 W Elastic Crack Bridging and Protective Coating

SGAN	SIZE	COLOUR	QTY	BARCODE
407930	15 LTR	RAL 1001	1	7612894809237
407929	15 LTR	RAL 1002	1	7612894809220
183570	15 LTR	RAL 1015	1	7612895387826
524264	15 LTR	RAL 7023	1	7612895322650
489356	15 LTR	RAL 7030	1	7612895203720
504747	15 LTR	RAL 7032	1	N/A
457266	15 LTR	RAL 7035	1	7612895062860
403609	15 LTR	RAL 7037	1	N/A
540553	15 LTR	RAL 7038	1	7612895394756
452574	15 LTR	RAL 7040	1	7612895046648
405013	15 LTR	RAL 7044	1	7612895194356
414256	15 LTR	RAL 9001	1	7612894841824
414250	15 LTR	RAL 9002	1	7612894841794
182776	15 LTR	RAL 9010	1	N/A
486873	15 LTR	RAL 9016	1	7612895194356



Colour swatches are a guide only and may vary.

Sikagard 550 W Elastic is a one component, plasto-elastic coating based on UV-curing acrylic dispersion with excellent crack-bridging properties even at temperatures below 0°C.

It has been specifically designed for the protection and enhancement of concrete structures (normal and lightweight concrete), especially exposed outdoor concrete surfaces with a risk of cracking. Sikagard 550 W Elastic is the perfect solution for overpainting render in the colour of your choice, giving an exceptional protection against UV, weather and ageing.



Jetcem Rapid Repair Cement

SGAN	SIZE	COLOUR	QTY	BARCODE
620460	3KG	GREY	4	5010618043103
620438	6KG	GREY	2	5010618044100

Ideal for rapid patching or when a fast repair job is needed. Sets in approximately 30 minutes. Sets in the cold and wet.



Jetcem Deep Rapid Repair Sand and Cement

SGAN	SIZE	COLOUR	QTY	BARCODE
620326	2KG	GREY	6	5010618047101
620439	6KG	GREY	2	5010618048108

Strong and easy to use rapid setting repair compound. Internal and external repairs to gaps and cracks on walls, floors, steps and kerbstones. Repairs deep holes in concrete, stone and brick.



Jetcem Waterproof Rapid Repair Cement

SGAN	SIZE	COLOUR	QTY	BARCODE
620436	3KG	-	4	5029347610166

Fast, strong and easy to use waterproof repair compound. Internal and external repairs to cracks and holes in structures subject to permanent water immersion. Ideal for patch repairs to tanking and water retaining structures including ponds. Suitable for use on concrete, stone and brick.



Jetcem Plaster Rapid Repair

SGAN	SIZE	COLOUR	QTY	BARCODE
620437	6KG	OFF WHITE	2	5029347610173


Fast, strong and easy to use repair compound for patching plaster. Internal repairs for plasterboard, brick wood and stone. With added PVA powder to increase strength and reduce cracking and shrinkage.



Febset 45 Rapid High Strength Repair Mortar

SGAN	SIZE	COLOUR	QTY	BARCODE
628382	25KG	GREY	1	5029347607630


Febset 45 is a specially formulated repair mortar, based on magnesia-phosphate cement pre-mixed with selected aggregates, which gives controlled, extremely high early strengths in temperatures ranging from -20°C up to over 30°C. Trafficable after 45 minutes. High bond strength, no primers required.



Febgrout Flowable Anchoring Grout

SGAN	SIZE	COLOUR	QTY	BARCODE
627865	25KG	GREY	1	5055492703156

Febgrout Flowable is a structural fluid precision grout, specifically formulated to give high strength, shrinkage compensation and vibration resistance. It's suitable for grouting equipment and machinery, bearing pads, bridge bearings, rails and stanchion base plates. It can also be used to fill cavities, voids, gaps, recesses, and sealing around penetrations. Fills gaps in concrete 10mm to 150mm wide.



Pro Point Gun Kit

SGAN	SIZE	COLOUR	QTY	BARCODE
489049	-	-	1	5029347603410

Mortar Pointing Gun Kit complete with nozzles for both mortar and tile grout and mixing paddle. Designed to apply mortar deep into joints for maximum protection and strength. Comes complete with two plastic nozzles, a metal ended nozzle and a mixing paddle packed in a high impact printed box.



HEAVY DUTY WONDER WIPES

Textured for tough jobs

See page 113




EpoxySet 105

Heavy Duty Epoxy Mortar Kit

SGAN	SIZE	COLOUR	QTY	BARCODE
490359	4KG	GREY	1	5029347010515
490405	14KG	GREY	1	5029347010522

Epoxyset 105 is a three part general purpose repair mortar based on epoxy technology. Formulated to withstand chemicals, impact and abrasion and can be used to repair concrete, screeds, stone, brick and steel in even the most demanding domestic and industrial situations. Pack includes finishing solvent and gloves.




Brick / Stone / Concrete

EpoxySet NF

Epoxy Adhesive and Bedding Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
490427	3KG	GREY	2	5029347607609
490431	10KG	GREY	1	5029347607616

Epoxyset NF is a two-part epoxy resin mortar for use as an adhesive in industrial and domestic bonding and bedding applications. Ideal for bedding stone and concrete lintels, stone mullions, ceramic and stone tiles. Pack includes finishing solvent and gloves.




Brick / Stone / Concrete / Metal

SikaBond®
Rapid DPM


SGAN	SIZE	COLOUR	QTY	BARCODE
175129	SLTR	BROWN	4	5055047210603

A solvent-free, single-part, moisture curing polyurethane primer and damp proof membrane, ideal for use on cement based substrates. SikaBond® Rapid DPM can be used for priming, consolidating and sealing in various applications. This product is particularly ideal to use on absorbent and non-absorbent subfloors, consolidating weak cement screeds and isolating old adhesive residue. Can be used as DPM on subfloors under hydrostatic pressure.

**Sika® Primer**
MB

SGAN	SIZE	COLOUR	QTY	BARCODE
498982	5KG	BLUE	1	7612894379990
703839	10KG	BLUE	1	7612894354652


A low viscosity, solvent-free, two-component epoxy resin based primer and moisture barrier for wooden floors. Suitable for use in conjunction with SikaBond® elastic adhesives on critical substrates.



SikaBond® PVA+

SGAN	SIZE	COLOUR	QTY	BARCODE
446005	1LTR	WHITE	12	5055492700568
446004	2.5LTR	WHITE	6	5055492700575
443233	5LTR	WHITE	4	5055492700469
445915	25LTR	WHITE	1	5055492700520

A medium viscosity general purpose adhesive, sealer and mortar admixture. It is easy to use, has excellent adhesion and reduces surface dusting. **SikaBond® PVA + Conforms to BS5270.**



SikaBond® Waterproof PVA

SGAN	SIZE	COLOUR	QTY	BARCODE
183382	5LTR	WHITE	4	5055047209867


A water resistant, vinyl acetate polymer, specifically formulated for exterior use as an adhesive and sealer. Suitable for brickwork, mortar render, screed and plaster. Easy to use and, unlike normal PVA, will not re-emulsify when wet.



SikaBond® Contractors PVA

SGAN	SIZE	COLOUR	QTY	BARCODE
757726	2.5LTR	WHITE	6	7612895923253
754683	5LTR	WHITE	4	7612895914145
509205	10KG	WHITE	1	5055492701688

A multi-purpose, economic adhesive, sealer and mortar admixture. SikaBond® Contractors PVA Adheres to most common building materials, making it ideal for priming unsound surfaces prior to plastering or painting. Also suitable for use as an adhesive, general dust sealer and cement admixture.



SikaBond® SBR+

SGAN	SIZE	COLOUR	QTY	BARCODE
445916	25LTR	WHITE	1	5055492700537
443839	5LTR	WHITE	4	5055492700476

A one-component, water-based, general purpose bonding agent and mortar admixture. As an admixture diluted with water, it produces a gauging solution for improving adhesion, workability and water resistance of mortars and cementitious mixes. Suitable for improving resistance to abrasion, chemicals and oils.




501

PVA Bond

SGAN	SIZE	COLOUR	QTY	BARCODE
489545	500ML	WHITE	20	5029347005108
479075	1LTR	WHITE	12	5029347005115
489546	2.5LTR	WHITE	6	5029347005122
482246	5LTR	WHITE	4	5029347005153
489547	25LTR	WHITE	1	5029347005160

501 PVA Bond is a multi-purpose bonding agent, primer, sealer, cement and plaster admixture that adheres to most common building and DIY materials. **Fully conforms to BS 5270.**




503

S.B.R Bond

SGAN	SIZE	COLOUR	QTY	BARCODE
489469	2.5LTR	WHITE	6	5029347613624
489466	5LTR	WHITE	4	5029347005351
489467	25LTR	WHITE	1	5029347005368

503 S.B.R Bond is a latex based, water resistant bonding agent and admixture for use in areas subject to humidity and dampness contact. Improves water resistance of cement mixtures by forming a reinforcing polymer that increases long term durability and flexibility of the mix on renderings.




506

Contractors PVA

SGAN	SIZE	COLOUR	QTY	BARCODE
489453	5KG	WHITE	4	5029347602680
489454	25KG	WHITE	1	5029347613372

Contractors PVA is a multi-purpose primer, sealer, cement and plaster admixture that adheres to most common building and DIY materials. Ideal for priming and dust sealing on flaking surfaces and as an adhesive on wood, cork etc.



Febond PVA

SGAN	SIZE	COLOUR	QTY	BARCODE
495084	1LTR	WHITE	12	5029347607449
495223	2.5LTR	WHITE	6	5029347607456
489517	5LTR	WHITE	4	5029347607463
495224	25LTR	WHITE	1	5029347607470


Febond PVA is the original multi purpose quick drying PVA adhesive, sealer and bonding agent and cement admixture which has many applications in the building and construction markets. Ideal primer and sealer for concrete and plaster. **Conforms to the requirements of BS 5270-1:1989.**



Febond SBR

SGAN	SIZE	COLOUR	QTY	BARCODE
489444	5LTR	WHITE	4	5029347607357
489445	25LTR	WHITE	1	5029347607364

Febond SBR is a styrene-butadiene co-polymer latex specifically designed for use with cementitious mixes and as a reliable water resistant bonding agent. Ideal for concrete strengthening and repair, floor screeds and toppings, waterproofing and tanking.



Feb General Purpose PVA

SGAN	SIZE	COLOUR	QTY	BARCODE
489446	5KG	WHITE	4	5029347607487

Feb General Purpose PVA is a multi purpose quick drying PVA adhesive, sealer and bonding agent and cement admixture which has many applications in the building and DIY markets. Bonds a wide variety of building materials including wood, plaster, concrete and ceramics.



Why Chemical Anchors?

Chemical Anchors, also often referred to as 'Resin Bonded' anchors, are being increasingly used where a critical or heavy weight loading needs fastening.

Unlike intrusive mechanical expansion anchors or plastic plugs, chemical anchors make the fixing an integral part of the substrate as the load is spread throughout the entire fixing area, removing the stress caused within the substrate when mechanical anchors or plastic plugs are "tightened" up.

This key difference is particularly relevant on lightweight substrates, and poor and friable substrates, cracked concrete, sandstone and masonry as well for fixings close to the edge.

How are they used?

The hole is drilled to the required diameter dependent upon the threaded bar to be used, and the loading it has to take. Full tables of relevant hole diameter sizes and loading strengths can usually be found on all packs and technical data, but for example for an M8 fixing a 10mm diameter hole would normally be used in concrete.

Where are they used?

In addition to the more critical structural applications Chemical Anchors also provide a more robust fixing solution in many day to day building applications such as:


- Railings • Heavy Pipes • Gates • Sanitary Fixings • Wall Ties • Fire Surrounds • Lamps
- Steel Structures • Kitchen Wall Cupboards
- Towel Holders

Anchorset Green 150

Styrene Free Anchor Fixing Resin

SGAN	SIZE	COLOUR	QTY	BARCODE
490165	150ML	GREY	12	5029347606503

Anchorset Green 150 is a styrene free anchor fixing resin packed using a twin bag system for application with a standard sealant gun. Applied in one single action, this general purpose resin will produce a strong, chemical resistant fixing. Ideal for a multitude of uses including fixing railings, satellite dishes, brackets etc. which require heavy loads.




Anchorset Green 300

Styrene Free Anchor Fixing Resin

SGAN	SIZE	COLOUR	QTY	BARCODE
482457	300ML	GREY	12	5029347606046


A styrene free chemical anchor in a new easy to use twin bag system operated by a standard sealant gun, therefore easy to use by a general builder. Applied in one single action, this general purpose resin will produce a strong, chemical resistant fixing. Perfect for satellite dish mountings, gate hinges, balcony rails etc. Complete with a mixer nozzle.



Sika® AnchorFix-1

SGAN	SIZE	COLOUR	QTY	BARCODE
461476	300ML	GREY	6	5055492700742

A two-component, fast curing, solvent and styrene free, polyester based chemical anchoring adhesive. Sika® AnchorFix®-1 is recommended for standard applications with low to medium loads.



Anchorset Nozzle

SGAN	SIZE	COLOUR	QTY	BARCODE
489048	-	-	25	NO BARCODE

Nozzle No. 4 - Standard mixer nozzle, 215MM length for use with Anchorset 150 and 300.



Sikadur® 33 Structural Epoxy Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
498629	250ML	GREY	12	7612894403688

A two-component, solvent-free, cold cure, thixotropic epoxy resin, structural adhesive. Sikadur® 33 is supplied in a cartridge with an in-line mixer nozzle.



101 Multi Purpose Linseed Oil Putty

SGAN	SIZE	COLOUR	QTY	BARCODE
489026	0.5KG	BROWN	12	5029347001179
489027	1KG	BROWN	12	5029347001186
480207	0.5KG	NATURAL	12	5029347001100
480210	1KG	NATURAL	12	5029347001117
480211	2KG	NATURAL	6	5029347001124
480212	5KG	NATURAL	1	5029347001155

101 Multi-Purpose Linseed Oil Putty is specially formulated using only the best grade linseed oil, for glazing single glass into metal, softwood and hardwood window frames.



102 Premium Butyl Glazing Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
489029	2KG	BROWN	6	5029347001223

102 Butyl Glazing Compound is specially formulated for glazing double glazed units into timber window frames where a timber bead is to be used. Suitable for both soft and hardwood frames.



103 Premium Trowel Mastic

SGAN	SIZE	COLOUR	QTY	BARCODE
488963	3KG	RED	4	5029347600532
488964	3KG	STONE	4	5029347600525
488965	6KG	RED	2	5029347606787
488966	6KG	STONE	2	5029347606794

103 Trowel Mastic is a premium oil based mastic for perimeter pointing around wood and metal window and door frames.



208

Powder Mortar Tone

SGAN	SIZE	COLOUR	QTY	BARCODE
489429	1KG	BLACK	6	5029347002817
489440	1KG	BROWN	6	5029347002831
489441	1KG	BUFF	6	5029347002855
489442	1KG	MARIGOLD	6	5029347002848
489443	1KG	RED	6	5029347002824

Powder Mortar Tone is formulated from best quality oxide pigments for colouring all types of mortars. The pigments disperse easily into the mix to give a uniform shade for each mix batch, shading can be adjusted to provide a wider variety of colour depths. **Tested to EN12878.**

209

Liquid Mortar Tone

SGAN	SIZE	COLOUR	QTY	BARCODE
488950	1LTR	BLACK	12	5029347002916
488951	5LTR	BLACK	4	5029347002954

Liquid Mortar Tone is formulated to provide a colour to all types of mortars, rendering, concrete and pointing. The liquid disperses evenly throughout the mix to give uniform shade for each mix batch. Shading can be adjusted to provide a wide variety of colour depths. **Tested to EN12878.**





TILING

Wet Room System	158
Tile Adhesives	160
Grouts	163

SCAN TO
SEE THE
FULL
RANGE



Aquaseal Wet Room System Kit

SGAN	SIZE	QTY	BARCODE
487861	LARGE	1	5029347611149
487891	STD	1	5029347611262

The Aquaseal Wet Room System Kit gives you everything you need to waterproof both walls and floors prior to tiling showers, wet rooms, wet zones and other areas susceptible to water and excessive moisture. Ideal for use on Plasterboard, Plaster, MDF, Plywood, Cementitious Boards, Block work, Concrete and Specialist Wet Room Boards.

The Aquaseal Tanking Kit is available in two sizes; Standard – everything you need to waterproof 4.5m² and Large – everything you need to waterproof 7.5m².

Both kits come complete with:

- Waterproof Tanking Primer (1L)
- Waterproof Tanking Membrane (3LTR - Standard, 5LTR - Large)
- Waterproof Tanking Tape (10MTR)
- Waterproof Tanking Drain Mat
- Aquaseal Wet Room System instruction leaflet



**SIMPLE AND EASY TO APPLY
3 PART SYSTEM**

**COMES COMPLETE WITH ROLLER,
BRUSH AND DRAIN MAT.**

**SUITABLE FOR USE WITH
UNDERFLOOR HEATING**



Aquaseal Waterproof Tanking Membrane

SGAN	SIZE	COLOUR	QTY	BARCODE
487333	5LTR	BLUE	1	5029347611163

Aquaseal Waterproof Tanking Membrane is the ideal product for use when waterproofing before tiling. It forms a permanently flexible watertight membrane, is non hazardous and solvent free. Aquaseal Tanking Membrane is easy to apply by brush, is quick drying and can be tiled after 12 hours.




1 Tanking Primer
Apply primer to surfaces that are to be waterproofed.



2 Tanking Tape and Mat
Apply self-adhesive tape across all joints, corners and pipe penetrations.
Next, apply the self-adhesive drain mat around the drain outlet.



3 Tanking Membrane
The ready-to-use membrane is applied by brush in a 2 coat system at right angles to each other.



Aquaseal Wet Room System Tape

SGAN	SIZE	QTY	BARCODE
683645	10MTR	1	NO BARCODE

Aquaseal Waterproof Tanking Tape is a self adhesive joint and corner tape ideal for use when waterproofing showers, wet rooms and wet zones in bathrooms before tiling. A permanently flexible butyl backed fleece with cross directional stability, Waterproof Tanking Tape can be used on all board joints, corners and pipe entries. Can be tiled directly or overcoated with Aquaseal Waterproof Tanking Membrane for full wet zones and is easy to apply with a pre-cut release liner.



SikaCeram®-140 Rapid Set

SGAN	SIZE	COLOUR	QTY	BARCODE
674162	20KG	GREY	1	5055492703712

SikaCeram®-140 Rapid Set is a water-resistant tile adhesive, suitable for bonding ceramic and mosaic tiles to floor or walls in both thick and thin bed applications.

Classification C1FT



SikaCeram®-240 Flexible Rapid Set

SGAN	SIZE	COLOUR	QTY	BARCODE
677239	20KG	GREY	1	5055492703729

SikaCeram®-240 Flexible Rapid Set Tile Adhesive is suitable for bonding ceramic tiles to walls or floors with a thick or thin bed application, with crack resistant properties making it ideal for applications where slight surface movement is likely.

Classification C2 FE



SikaCeram®-272 Ultra Flexible Rapid Set

SGAN	SIZE	COLOUR	QTY	BARCODE
677329	20KG	WHITE	1	5055492703736

SikaCeram®-272 Ultra Flexible is a rapid-setting, water resistant tile adhesive with superior flexibility, and is ideal for tiling heavy duty areas including heavily walked floors or areas under constant immersion.

Classification C2 FTE S1



SikaCeram®-277 Flexible Standard Set

SGAN	SIZE	COLOUR	QTY	BARCODE
677506	20KG	WHITE	1	5055492703743
677508	20KG	GREY	1	5055492703750

SikaCeram®-277 Flexible Standard Set is a thin bed adhesive with a long working pot-life and extended open time for applications where extensive cutting is required during application.

Classification C2 TE S1



SikaCeram®-282 Fibre Reinforced

SGAN	SIZE	COLOUR	QTY	BARCODE
678298	20KG	GREY	1	5055492703767

SikaCeram®-282 Fibre Reinforced is a highly flexible, lightweight, fibre reinforced tile adhesive for applications where movement is expected.

Classification C2 TE S2



701 Non Slip Showerproof Ready Mixed Tile Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
487066	3.75KG	OFF WHITE	1	5029347070120
487067	7.5KG	OFF WHITE	1	5029347070137
487068	14KG	OFF WHITE	1	5029347070144

Acrylic Non Slip Tile Adhesive is an acrylic based formula for extra slip resistance and grab. Designed for general use in bathroom and kitchen areas. May be used in domestic showers when used in conjunction with Everbuild Powdered Wall Tile Grout. Tested to EN 12004 type D1T.



702 Water Resistant Ready Mixed Tile Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
487071	7.5KG	OFF WHITE	1	5029347070250
487072	16KG	OFF WHITE	1	5029347070205

Water Resistant Tile Adhesive is a premium grade adhesive that can be used in areas subject to prolonged/permanent wet conditions and in areas of high humidity and condensation. Tested to EN 12004 type D2T.



703 Fix And Grout Ready Mixed Tile Adhesive and Grout

SGAN	SIZE	COLOUR	QTY	BARCODE
487074	750G	WHITE	12	5029347600426
487075	1.5KG	WHITE	12	5029347070311
487077	3.75KG	WHITE	1	5029347070328
487078	7.5KG	WHITE	1	5029347070359

Fix and Grout Tile Adhesive is a premium grade adhesive, formulated to be used as both an adhesive and grout. Contains a fungicide to prevent mould growth and dries to a brilliant white finish. Tested to EN 12004 type D2T.




TileSet 700 Universal

Floor and Wall Tile Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
678329	20KG	GREY	1	5029347615819
695061	20KG	WHITE	1	5029347615826

700 TileSet Universal is a standard setting tile adhesive, ideal for when an extended opening time is required. Suitable for fixing ceramic, mosaic and natural stone tiles to semi-porous surfaces.

Classification C1 T




TileSet 705 Rapid

Floor and Wall Tile Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
486663	20KG	GREY	1	5029347070526

705 TileSet Rapid is fast setting tile adhesive, drying in just 1-2 hours making it ideal for when same day fixing, and grouting is required. Suitable for bonding ceramic tiles to floors and walls.




TileSet 711 Flexiplus S1

Floor and Wall Tile Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
486660	20KG	GREY	1	5029347071110
695062	20KG	WHITE	1	5029347615901

711 TileSet Flexiplus S1 is a rapid setting tile adhesive with added latex powder for improved flexibility. Can be used for ceramic, porcelain, and large format tiles.




730 Universal Flexible Hygienic
Wall and Floor Tile Grout

SGAN	SIZE	COLOUR	QTY	BARCODE
695765	2.5KG	WHITE	4	5029347615918
486468	5KG	WHITE	1	5029347612283
486045	5KG	ANTHRACITE	1	5029347612337
486466	5KG	IVORY	1	5029347612306
486465	5KG	GREY	1	5029347612290

730 Uniflex Flexible Hygienic Wall and Floor Tile Grout is a cementitious grout designed specifically for wall and floor tile applications for joints up to 15mm wide. The added powder polymer provides flexibility and water resistance to provide a durable water repellent finish.

Suitable for most common tiles including ceramic, natural stone and porcelain. 730 Uniflex Flexible Hygienic Wall and Floor Tile Grout contains Mould Shield for long lasting Anti-Fungal protection against black mould.*.


*Simulated ageing.



GREY



IVORY



WHITE



ANTHRACITE

These swatch colours may not be a true representation, please obtain a sample from your local stockist.

SikaCeram® CleanGrout

Floor and Wall Tile Grout

SGAN	SIZE	COLOUR	QTY	BARCODE
427156	5KG	ANTHRACITE	4	7612894904116
427154	5KG	ASH	4	7612894904079
427155	5KG	BEIGE	4	7612894904093
445625	5KG	ABSOLUTE BLACK	4	7612895008001
445651	5KG	JASMIN	4	7612895008318
427153	5KG	MANHATTAN GREY	4	7612894904055
445640	5KG	SAND	4	7612895008110
427157	5KG	WHITE	4	7612894904130


SikaCeram® CleanGrout is a cementitious, floor and wall tile grout for joints 1mm to 8mm in width; incorporating a high-quality, water-repellent formula which also prevents colours from fading over time.

Used: in applications where water-resistance is essential including swimming pools and tanks.


Inhibits the formation of mould and bacterial growth

Suitable for interior and exterior applications

For use on all types of tiles, mosaic, marble and natural stone.



WHITE




MANHATTAN GREY




SAND




ABSOLUTE BLACK




JASMIN



ASH



BEIGE



ANTHRACITE

These swatch colours may not be a true representation, please obtain a sample from your local stockist.

Forever White Powder Wall Tile Grout

SGAN	SIZE	COLOUR	QTY	BARCODE
560638	1.2KG	ARCTIC WHITE	8	5029347606145
485874	3KG	ARCTIC WHITE	1	5029347606367

Forever White Powder Wall Tile Grout is a cement based powdered grouting compound with added PVA to promote adhesion and water repellents to shed water.

Simply mix with water to give a pure white paste. Can be used on wall joints up to 3mm.




Forever White Grout Reviver

SGAN	SIZE	COLOUR	QTY	BARCODE
487331	200ML	ARCTIC WHITE	12	5029347606152

Forever White Grout Reviver is the easy way to restore discoloured and dirty grout to a bright white finish.

Simply apply to grout lines using the easy to use applicator, allow to dry and remove any excess residue with a damp cloth. Depending upon size of tile, will cover approx 20m² of tiles.





BUILDING FINISHING

Mineral Renders	168
Lime Renders	169
Base Coats	170
Top Coats	171
Pointing Mortars	172
Complementary Products	173

SCAN TO
SEE THE
FULL
RANGE



Parex Monorex GM

A medium grain one-coat or top coat finish, through coloured, weather resistant and breathable decorative render. Available in a wide range of colours.



SCAN FOR
FULL COLOUR
RANGE



Parex Monorex GF

A fine grain one-coat or top coat finish, through coloured, weather resistant and breathable decorative render. Available in a wide range of colours.



SCAN FOR
FULL COLOUR
RANGE



SikaWall-580 Monorex GM UK

SGAN	SIZE	COLOUR	PALLET QTY
721393	25KG	G00	40
721401	25KG	G10	40
721394	25KG	G20	40

A medium grain one-coat or top coat finish, through coloured, weather resistant and breathable decorative render.



Parex Monoblanco

SGAN	SIZE	PALLET QTY
629246	25KG	48

A bright white, semi-lightweight, one coat, weather resistant and breathable one-coat render for vertical masonry and concrete walls. Monoblanco is a bright white version of Monorex GF.

SikaWall®-500
Wet Dash

SGAN	SIZE	COLOUR	PALLET QTY
711785	25KG	BROWN	40
711783	25KG	RED	40
711784	25KG	TAN	40
711782	25KG	YELLOW	40
711777	25KG	FAWN	40
711776	25KG	CREAM	40
711779	25KG	IVORY	40
711780	25KG	MAGNOLIA	40
711781	25KG	WHITE	40
711778	25KG	GREY	40

SikaWall®-500 Wet Dash is combined with decorative aggregate to create a wet dash finish for masonry applications.

SikaWall®-530
Top Coat

SGAN	SIZE	COLOUR	PALLET QTY
711795	25KG	YELLOW	40
711786	25KG	BEIGE	40
711793	25KG	TAN	40
711790	25KG	IVORY	40
711787	25KG	BROWN	40
711792	25KG	RED	40
711796	25KG	GREY	40
711788	25KG	CREAM	40
711789	25KG	FAWN	40
711791	25KG	MAGNOLIA	40
711794	25KG	WHITE	40

SikaWall®-530 Topcoat is a Dry Dash receiver for application onto SikaWall®-100 Base Coat.



Blanc du littoral

SGAN	SIZE	COLOUR	PALLET QTY
673946	25KG	WHITE	48

A bright white, one-coat weather resistant and decorating render for internal and external vertical dense masonry and concrete walls.



Parlumiere Fin

SGAN	SIZE	COLOUR	PALLET QTY
632158	25KG	G00	48
633775	25KG	G20	48
633788	25KG	T60	48

A fine through-coloured hydraulic lime render for use as a traditional render, please see the Mineral Render Colour Chart.



Parlumiere Moyen

SGAN	SIZE	COLOUR	PALLET QTY
700173	25KG	G00	48
662492	25KG	G20	48
669192	25KG	J20	48
688632	25KG	J30	48
662493	25KG	J40	48
686918	25KG	V10	48

A medium grain through-coloured top coat render made of hydraulic lime, used as the finishing coat of traditional renders. Please see the Mineral Render Colour Chart.



Parlumiere Clair

SGAN	SIZE	COLOUR	PALLET QTY
632159	25KG	WHITE	48

Hydraulic, lime-based, lightweight, natural white mortar, designed for use as a base coat in conjunction with Parlumiere Moyen/Fin or Parexal lime renders.



Parlumiere STH

SGAN	SIZE	COLOUR	PALLET QTY
657211	25KG	GREY	48
657210	25KG	WHITE	48

Hydraulic, lime-based, lightweight, water repellent mortar and render, resistant to sulphates, designed to stabilise masonry which has deteriorated due to salts, saltpetre or damp.



Parinter Renovation

SGAN	SIZE	COLOUR	PALLET QTY
673947	25KG	G00	48

A restoration and bonding mortar for the renovation of old hydraulic cement or lime based renders, whether sound or cracked but not delaminated, including render or masonry that has been painted or has received a thick textured coating system.



SikaWall®-100 Base Coat

SGAN	SIZE	PALLET QTY
711840	25KG	40

SikaWall®-100 Base Coat is for use prior to the application of SikaWall®-530 Top Coat. Made in the UK.



SikaWall®-1015 Adhesive Coat

SGAN	SIZE	COLOUR	PALLET QTY
711844	25KG	WHITE	40

SikaWall®-1015 Adhesive Coat is an adhesive to bond insulation as part of Sika EWI systems.



Parex Maité

SGAN	SIZE	COLOUR	PALLET QTY
632422	25KG	G00	48
633990	25KG	J20	48

An Insulation adhesive and base coat used with the Parextherm and Parexdirect render systems.



Parex Monogris E

SGAN	SIZE	PALLET QTY
674154	25KG	48

A high-performance polymer modified, weather resistant, grey base coat and finishing render for vertical external and internal walls.



Parex Parmurex

SGAN	SIZE	PALLET QTY
673948	25KG	48

One-coat weather resistant grey render for internal and external dense masonry and concrete walls. Suitable as a grey coat finishing render or as a base coat for receiving a Parex decorative finish.



One-Coat GPR General Purpose Render

SGAN	SIZE	COLOUR	QTY	BARCODE
636028	25KG	Grey	1	5055492703194

One-Coat General Purpose Render used to render over prepared masonry to provide a weather resistant, breathable rendered finish. Applied to a thickness of up to 15mm which cures to an overpaintable finish and perfect for use on brickwork, blockwork and concrete substrates. Dries to a grey surface finish that complies to W2 water capillary resistance.



Parex Revlane+ Ignifuge Taloché Gros

A pre-mixed, vapour permeable, ready to apply Acrylic based decorative coating for external and internal walls. Finished appearance is based upon grain size, Gros 1.6mm.



**SCAN FOR
FULL COLOUR
RANGE**



Parex Revlane+ Ignifuge Taloché Fin

A pre-mixed, vapour permeable, ready to apply Acrylic based decorative coating for external and internal walls. Finished appearance is based upon grain size, Fin 1.0mm.



**SCAN FOR
FULL COLOUR
RANGE**



Parex Revlane Siloxane Ignifuge Taloché Gros

A pre-mixed, vapour permeable, ready to apply Siloxane-based decorative coating offering increased weather resistance and water run off properties. Finished appearance is based upon grain size, Gros 1.6mm.



**SCAN FOR
FULL COLOUR
RANGE**



Parex Revlane Siloxane Ignifuge Taloché Fin

A pre-mixed, vapour permeable, ready to apply Siloxane-based decorative coating offering increased weather resistance and water run off properties. Finished appearance is based upon grain size, Fin 1.0mm.



**SCAN FOR
FULL COLOUR
RANGE**



Parex Revlane+ Régulateur

An acrylic-based, ready-to-use coloured primer designed to adjust the base absorption to substrates and increase the depth of colour prior to the application of Parex REVLANE+ top coat finishes.



**SCAN FOR
FULL COLOUR
RANGE**



Parex Crylane

An acrylic binder paint specially designed for new and existing building façades with excellent coverage. Can be used pure or diluted with water. Please see the Revlane Colour chart.



**SCAN FOR
FULL COLOUR
RANGE**



Historic Mortar

Designed for gun-injection, Parex Historic Mortar provides a cement-free mortar for pointing soft brick or stonework. Consistent in both colour and finish, Parex Historic mortars are pumped deep into the joint, providing a complete fill and a degree of flexibility.



**SCAN FOR
FULL COLOUR
RANGE**

**Historic Mortar KL**

Designed for gun-injection, Parex Historic Mortar KL is a cement-free mortar suitable for use with dense masonry and brick tiles, eg. Corium Brick Cladding System, where porosity is low and suction is limited.



**SCAN FOR
FULL COLOUR
RANGE**

**Standard Mortar**

Designed for gun-injection, Parex Standard Mortar provides a clean, quick, lasting solution for pointing sound brickwork or masonry.



**SCAN FOR
FULL COLOUR
RANGE**

**Reproface**

A cementitious, through coloured, masonry repair mortar.



**SCAN FOR
FULL COLOUR
RANGE**



Parex TV10 Reinforcement Mesh

SGAN	SIZE	PALLET QTY
633203	1M X 50M ROLL	33

A glass fibre mesh fabric combined with specially designed surface treatments that can be used in a wide range of Parex cement and lime render applications. For ease of identification the TV10 mesh is coloured green and has the Parex logo throughout the mesh.



Parex Fixopierre

SGAN	SIZE	PALLET QTY
633436	5LTR	90
633435	20LTR	28

A water vapour-permeable and microporous substrate porosity regulator and key coat admixture, particularly suitable for lime or earth-based substrates where high breathability of the substrate is required or where a high absorption substrate is expected.

FIXOPIERRE improves the adhesion of façade renders by reducing the risk of the product drying out before hardening.



Parex Render Bead Adhesive

SGAN	SIZE	COLOUR	BOX QTY
651522	350ML	WHITE	12

A new ready-to-use, high-strength render bead adhesive. The bead adhesive has been designed for ease of application, fast drying and is capable of bonding to a wide range of substrates.



Parex Monacel Plus

SGAN	SIZE	PALLET QTY
669718	20LTR	24

Monacel Plus is an admixture used to reduce the initial setting time of one-coat renders.



Parex Micro Gobetis 3000

SGAN	SIZE	PALLET QTY
633272	20LTR	27

A pink coloured liquid with a high granular consistency for ease of application recognition, and to provide excellent bonding characteristics. Micro Gobetis 3000 is designed to control suction to high absorption or low porosity substrates and improves the adhesion for one coat render systems.



Parex Paraguard

SGAN	SIZE	PALLET QTY
630036	5LTR	48
630037	25LTR	24

A water-based coating, which provides a weatherproof, lotus leaf effect, water resistant surface to a range of render, paving, masonry and timber substrates.



TERMS AND CONDITIONS

Standard terms and conditions of sale for goods sold by Sika Limited.

1. INTERPRETATION

In these Terms and Conditions the following expressions will have the following meanings unless inconsistent with the context:

"Bespoke Goods"

means any Goods which are made to measure, bespoke, or otherwise manufactured to a unique specification.

"Brexit"

means the United Kingdom ceasing to be a member state of the European Union.

"Buyer"

the person(s), firm or company whose order for the Goods or Services is accepted by the Company in accordance with these Terms and Conditions.

"Company"

Sika Limited (Company number:226822) whose registered office is located at Watchmead, Welwyn Garden City, Herts, AL71BQ.

"Confidential Information"

means all information in respect of the business of the Company including, but not limited to, know-how, prices or other matters connected with the Goods

or Services (which shall include any instructions or procedures, instruction manuals, user guides and other information which is supplied by the Company with the Goods or Services) and any other information of whatever nature which, if disclosed, will be liable to cause harm to the Company.

"Contract"

any contract between the Company and the Buyer for the sale and purchase of the Goods or Services formed in accordance with Condition 2.

"Delivery Point"

the place where delivery of the Goods is agreed to take place, as set out in the Company's written acknowledgement of order.

"Final Inspection Certificate"

A Certificate issued for the benefit of a third party at the completion of the Services.

"Goods"

any goods which the Company supplies to the Buyer (including any of them or any part of them) under a Contract.

"Guarantee"

a guarantee or Final Inspection Certificate for or related to the Goods in a form to be provided by the Company in favour of a third party nominated by the Buyer.

"Guarantee Period"

the on-going period of protection provided to a third party as set out in a Guarantee.

"Intellectual Property Rights"

all intellectual and industrial property rights including patents, know-how, registered trade marks, registered designs, utility models, applications for and rights to apply for any of the foregoing, unregistered design rights, unregistered trade marks, rights to prevent passing off for unfair competition and copyright, database rights, topography rights and any other rights in any invention, discovery or process, in each case in the United Kingdom and all other countries

in the world and together with all renewals and extensions

"Services"

any services which the Company performs for the Buyer under a Contract, which are ancillary to the supply of Goods.

"Service Point"

the place at which the Services are to be performed, as set out in the Company's written acknowledgement of order.

"Specific Delivery Requirement"

any goods, which are required to be delivered by a type of vehicle specified by the Buyer.

"Terms and Conditions"

the standard terms and conditions of sale set out in this document together with any special terms agreed in writing between the Buyer and the Company.

"Trademark"

the SARNAFIL trademark registered in the United Kingdom under trademark number 1046240.

"Working Day"

any day other than Saturday or Sunday or a public or bank holiday in England.

2. FORMATION AND INCORPORATION

2.1 Subject to any variation under Condition 14.5, the Contract will be upon these Terms and Conditions, to the exclusion of all other terms and conditions and all previous oral or written representations including any terms or conditions which the Buyer purports to apply under any purchase order, confirmation of order or similar document, whether or not such document is referred to in the Contract.

2.2 Each order or acceptance of a quotation for Goods or Services will be deemed to be an offer by the Buyer to purchase Goods or Services upon these Terms and Conditions. The Contract is formed when the Buyer receives confirmation that the order is accepted by the Company. Such confirmation may either be given orally or in writing. No contract will come into existence until such confirmation has been given by the Company.

2.3 The Buyer must ensure that the terms of its order and any

applicable specification are complete and accurate.

2.4 Acceptance of delivery of the Goods or commencement of the performance of the Services will be deemed conclusive evidence of the Buyer's acceptance of these Terms and Conditions.

2.5 Subject to Condition 5, the Buyer may not cancel the Contract. The Company may cancel the Contract at any time prior to delivery of the Goods or commencement of the performance of the Services.

3. DESCRIPTION OF THE GOODS AND SERVICES

3.1 The description of the Goods will be as set out in the Company's price list. All samples, drawings, descriptive matter, specifications and advertising issued by the Company and any descriptions or illustrations contained in the Company's catalogues or brochures are issued or published for the sole purpose of giving an approximate idea of the Goods represented by or described in them. They will not form part of the Contract and this is not a sale by sample.

3.2 The Company may make any change to the specification, design, materials or finishes of the Goods which are:

3.2.1 required to conform with any applicable safety, statutory or regulatory requirement; or

3.2.2 do not materially affect their quality

3.3 The Company will only perform Services which are ancillary to, or relating to, Goods provided under a contract.

3.4 The Services will only be performed by the Company at the Service Point.

3.5 The Company shall use all reasonable endeavours to perform the Services:

3.5.1 to the standard required for the issue of a Final Inspection Certificate;

3.5.2 promptly, but time shall not be the essence for the performance of the services

3.6 The Company shall have the right to make any changes to the Services which are necessary to comply with applicable safety, statutory or regulatory requirements, or which do not materially affect the nature or quality of the Services, and the Company shall notify the Buyer in any such event.

4. PRICE AND PAYMENT

4.1 The price for the Goods or Services will be the price set out in the Company's published price list current at the date of delivery of Goods or performance of Services or as otherwise notified by the Company to the Buyer prior to the Contract being made. Orders for Goods valued below £2000 (before VAT) are exclusive of any costs of packaging and carriage, VAT and any other applicable sales tax or duty which will be added to the sum in question. Orders for Goods valued greater than £2000 (before VAT) and which are to be dispatched from the Company's warehouse within the United Kingdom are inclusive of any costs of packaging and carriage within the United Kingdom but exclusive of VAT and any other applicable sales tax or duty will be added to the sum in question.

4.2 The Company may invoice the Buyer for the Goods on or at any time after dispatch, or for the Services on or at any time after performance commences and payment is due in pounds sterling by the last day of the next calendar month following the date of invoice, or upon termination of the Contract, whichever occurs first

4.3 Time for payment will be of the essence. No payment will be deemed to have been received until the Company has received cleared funds.

4.4 All payments to be made by the Buyer under the Contract will be made in full without any set-off, restriction or condition and without any deduction for or on account of any counterclaim

4.5 If any sum payable under the Contract is not paid due then, without prejudice to the Company's other rights under the Contract, that sum will bear interest from the due date until payment is made in full, both before and after any judgment, at a combined rate of the Bank of England base rate from time to time and the rate provided by the Late Payment of Commercial Debts (Interest) Act 1998 as amended from time to time; and the Company will be entitled to suspend deliveries of the Goods or performance of the Services until the outstanding amount has been received.

4.6 The Company reserves the right to recoup any sum, resulting from costs incurred from legal proceedings to recover the sum payable under the contract.

4.7 Any invoice queries must be communicated to the Company within ten (10) Working Days of receipt of the invoice by the Buyer

5. INSTALLMENTS

5.1 The Company may deliver the Goods, or perform Services, by separate instalments. Each instalment will be a separate Contract and no cancellation or termination of any one Contract relating to an instalment will entitle the Buyer to repudiate or cancel any other Contract or instalment unless otherwise notified by the Company. Each separate instalment will be invoiced and paid for in accordance with the provisions of the Contract.

6. DELIVERY OF GOODS

6.1 Delivery of the Goods within the UK mainland will be CPT Delivery Point INCOTERMS 2010 (save that carriage may be charged to the Buyer in accordance with Condition 6.4 and/or Condition 6.5).

6.2 Delivery of the Goods to Northern Ireland, the Scottish Isles, the Channel Islands or the Isle of Man will be made FOB Delivery Point INCOTERMS 2010.

6.3 Delivery of the Goods outside the UK will be made FAS Delivery Point INCOTERMS 2010, except that risk shall pass to the Buyer at the time that the Goods leave the Company's premises.

6.4 Delivery of the Goods will be accepted at any time of day.

At the sole discretion of the Company, overnight deliveries or deliveries at specified times may be agreed in certain circumstances. Notwithstanding condition 6.1, such deliveries shall be subject to an additional charge being raised by the Company. If the Buyer fails to take delivery, or provide any necessary documents, the Goods will be deemed to have been delivered and the Company, without prejudice to its other rights, may at its option:

6.4.1 store or arrange for storage of the Goods until actual delivery or sale and charge the Buyer for all related costs and expenses (including, without limitation, storage and insurance); and/or

6.4.2 following written notice to the Buyer, sell any of the Goods at the best price reasonably obtainable in the circumstances and charge the Buyer for any shortfall below the price under the Contract.

Excessive waiting times may also be charged to the Buyer in certain circumstances.

6.5 The Company will use reasonable endeavours to deliver Goods five (5) Working Days after the date on which the order is confirmed by the Company, but the time of delivery will not be of the essence of a Contract. Notwithstanding condition 6.1, carriage will be charged on deliveries required within five (5) Working Days, or deliveries with specific time or vehicle type stipulations. If, despite those endeavours, the Company is unable for any reason to fulfil any delivery of Goods on a specified date, the Company will be deemed not to be in breach of the Contract, nor (for the avoidance of doubt) will the Company have any liability to the Buyer for direct, indirect or consequential loss (all three of which terms includes, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss) howsoever caused (including as a result of negligence) by any delay or failure in delivery of Goods except as set out in this condition. Any delay in delivery of Goods will not entitle the Buyer to cancel the order unless and until the Buyer has given ten (10) Working Days' written notice to the Company requiring the delivery of the Goods and the Company has not fulfilled the delivery of the Goods within that period. If the Buyer cancels the order in accordance with this Condition 6.5 then, save as excluded under Condition 6.6:

6.5.1 the Company will refund to the Buyer any sums which the Buyer has paid to the Company in respect of the Goods which have been cancelled;

6.5.2 the Buyer will be under no liability to make any further payments under Condition 4 in respect of the Goods that have been

6.6 Notwithstanding, the provisions of Condition 5, the Company will be under no obligation to:

6.6.1 to refund the Buyer any sums which the Buyer has paid to the Company in respect of the Bespoke Goods which have been cancelled under Condition 5; and

6.6.2 waive any outstanding further payments due by the Buyer in respect of Bespoke Goods which have been cancelled under Condition 5.

6.7 The Buyer will provide at its expense at the Delivery Point adequate and appropriate equipment and manual labour for off-loading the goods.

6.8 A £10.00 handling charge will be made in addition to the carriage charge for overnight dispatch of Goods. This service is offered as resources allow and is subject to availability.

6.9 The type of vehicle used to deliver Goods and the method of packaging of the Goods for delivery will be at the discretion of the Company.

6.10 Any change required by the Buyer to the delivery vehicle and/or the method of packaging the Goods for delivery selected by the Company will constitute a Specific Delivery Requirement. The Buyer will incur any additional costs for a Specific Delivery Requirement

6.11 The Buyer will provide a full and correct address, including postcode, for the delivery of the company.

7. RISK/TITLE IN THE GOODS

7.1 Risk of damage to or loss of the Goods will pass to the Buyer in accordance with Condition 6.

7.2 Ownership of the Goods will not pass to the Buyer until the Company has received in full (in cash or cleared funds) all sums due to it in respect of:

7.2.1 the Goods; and

7.2.2 all other sums which are, or which become due to the Company from the Buyer on any account, whether for Goods or Services

7.3 Until ownership of the Goods has passed to the Buyer, the Buyer must:

7.3.1 hold the Goods on a fiduciary basis as the Company's bailee;

7.3.2 store the Goods (at no cost to the Company) separately from all other Goods of the Buyer or any third party in such a way that they remain readily identifiable as the Company's property;

7.3.3 not destroy, deface or obscure any identifying mark or packaging or relating to the Goods; and

7.3.4 maintain the Goods in satisfactory condition insured on the Company's behalf for their full price against all risks to the reasonable satisfaction of the Company, and will whenever requested by the Company produce a copy of the policy of insurance.

7.4 The Buyer may resell the Goods before ownership has passed to it solely on the following conditions:

7.4.1 any sale will be effected in the ordinary course of the Buyer's business at full market value and the Buyer will account to the Company accordingly; and

7.4.2 any such sale will be a sale of the Company's property on the Buyer's own behalf and the Buyer will deal as principal when making such a sale

7.5 The Buyer's right to possession of the Goods will

terminate immediately if any of the circumstances set out in Condition 11.1 occur.

7.6 The Company will be entitled to recover payment for the Goods notwithstanding that title in any of the Goods has not passed from the Company.

7.7 The Buyer grants the Company, its agents and employees an irrevocable licence at any time to enter any premises where the Goods are or may be stored in order to inspect them, or, where the Buyer's right to possession has terminated, to recover them.

7.8 Where the Company is unable to determine whether any Goods are the goods in respect of which the Buyer's right to possession has terminated, the Buyer will be deemed to have sold all goods of the kind sold by the Company to the Buyer in the order in which they were invoiced to the Buyer.

7.9 On termination of the Contract, howsoever caused, the Company's (but not the Buyer's) rights contained in this Condition 7 will remain in effect.

8. LIABILITY OF COMPANY

8.1 The Company will, free of charge, within a period of twelve (12) months from the date of delivery of Goods, or where a Guarantee has been issued, for the Guarantee Period, which are proved to the reasonable satisfaction of the Company to be missing, damaged or defective due to defects in material or design (other than a design made, furnished or specified by the Buyer), repair, or at its option provide or replace, such Goods. This obligation will not apply where:

8.1.1 the Goods have been improperly altered in any way whatsoever, or have been subject to misuse or unauthorised repair;

8.1.2 the Goods have been improperly installed or connected;

8.1.3 any maintenance requirements relating to the Goods have not been complied with;

8.1.4 the Buyer has failed to notify the Company of any defect(s) or missing item(s) from the order acknowledgement within forty-eight (48) hours of delivery where the defect(s) or missing item(s) should be apparent on reasonable inspection, or within forty-eight (48) hours of the same coming to the knowledge of the Buyer where the defect(s) or missing item(s) is not that which should be apparent on reasonable inspection, and in any event no later than twelve (12) months from the date of delivery;

8.1.5 where a guarantee has been issued, and has been breached by the third party beneficiary of the Guarantee within the Guarantee Period

8.2 Any Goods which have been replaced by the Company will belong to the Company. Any repaired or replacement Goods will be liable to repair or replacement under the terms specified in Condition 8.1 for the unexpired portion of the twelve (12) month period from the original date of delivery of the replaced Goods or where a Guarantee has been issued, for the Guarantee Period

8.3 In the event of any breach of the Company's express obligations under Conditions 5, 8.1 and 8.2 above the remedies of the Buyer will be limited to damages.

8.4 The Company does not exclude its liability (if any) to the Buyer

8.4.1 for breach of the Company's obligations arising under section 12 Sale of Goods Act 1979 or section 2 Supply of Goods and Services Act 1982;

8.4.2 for personal injury or death resulting from the Company's negligence;

8.4.3 under section 2(3) Consumer Protection Act 1987;

8.4.5 for any matter which it would be illegal for the Company to exclude (or to attempt to exclude) its liability; or

8.4.6 for fraud

8.5 Except as provided in Conditions 6.5 and 8.1 to 8.4, the Company's liability to the Buyer (whether in contract, tort (including negligence), breach of statutory duty, restitution or otherwise) for any injury, death, damage or direct, indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss) howsoever caused arising out of or in connection with:

8.5.1 any of the Goods, or the manufacture or sale or supply, or failure or delay in supply, of the Goods by the Company or on the part of the Company's employees, agents or subcontractors;

8.5.2 any of the Services, or their performance, or failure or delay in performance, of the Services by the Company or on the part of the Company's employees, agents or subcontractors

8.5.3 any breach by the Company of any of the express or implied terms of the Contract;

8.5.4 any use made or resale by the Buyer of any of the Goods, or of any product incorporating any of the Goods;

8.5.5 any use made by the Buyer of any of the Services, or of any product incorporating any of the Services; or

8.5.6 any statement made or not made, or advice given or not given, by or on behalf of the Company or otherwise under the Contract, shall be limited to the invoiced value of the Goods

8.6 Except as set out in Conditions 6.5 and 8.1 to 8.5, the Company hereby excludes to the fullest extent permissible in law, all conditions, warranties and stipulations, express (other than those set out in the Contract) or implied, statutory, customary or otherwise which, but for such exclusion, would or might subsist in favour of the Buyer.

8.7 Each of the Company's employees, agents and subcontractors may rely upon and enforce the exclusions and restrictions of liability in Conditions 6.5 and 8.3 to 8.6 in that person's own name and for that person's own benefit, as if the words "its employees, agents and sub-contractors" followed the word Company wherever it appears in those conditions save each reference in Condition 8.5.1.

8.8 The Buyer agrees to indemnify, keep indemnified and hold harmless the Company from and against all costs (including the costs of enforcement), expenses, liabilities (including any tax liability), injuries, direct, indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss), damages, claims, demands, proceedings or legal costs (on a full indemnity basis) and judgments which the Company incurs or suffers as a consequence of a direct or indirect breach or negligent performance or failure or delay in performance by the Buyer of the terms of the Contract. Where a Guarantee has been issued, such indemnity shall continue until the end of the Guarantee Period.

9. GUARANTEE

9.1 Where the Company provides a Warranty additional to the guarantee in Condition 8 hereof, the Buyer may request that the Warranty be provided in favour of an interested third party nominated by the Buyer.

9.2 The Warranty shall be on such terms and in such form as the Company considers appropriate.

9.3 The Warranty shall only be provided when all payments due from the Buyer have been received and if in association with a Final Inspection Certificate, when the Company has been given all reasonable opportunity to carry out a technical audit.

9.4 The Buyer acknowledges that in the event of a claim being brought against the Company under, and in accordance with the terms of a Warranty, which is solely or partially due to the installation of the Goods not having been carried out in accordance with the Company's recommendations or with the skill and care expected of an experienced contractor, the Buyer shall indemnify the Company and shall:

9.4.1 recognise the continuing obligations of the Company and the Buyer to remedy defects in the Goods for the Guarantee Period; and

9.4.2 not seek to rely on and, if and to the extent necessary, expressly waive any entitlement to rely on the provisions of the Limitation Act 1980 in defence of such claim.

10. FORCE MAJEURE

The Company will not be in breach of the Contract and / or liable to the Buyer for any failure or delay, or for the consequences of any failure or delay, in performance of the Contract if such failure or delay is due to any event or circumstance beyond the reasonable control of the Company including, without limitation, any act of God, disease, epidemic, pandemic, war, industrial dispute, protest, fire, tempest, explosion, act of terrorism, and national emergency, and the Company will be entitled to a reasonable extension of time for performing its obligations in such event or circumstance.

11. TERMINATION

11.1 The Company may by written notice terminate the Contract immediately if the Buyer:

11.1.1 is in material breach of any of the terms of the Contract. Failure to pay any sums due in accordance with Condition 4.2 is a material breach of the terms of the Contract which is not capable of remedy;

11.1.2 becomes bankrupt, insolvent, makes any composition with his creditors, has a receiver appointed under the Mental Health Act 1983 or dies;

11.1.3 has any restraint, execution or other process levied or enforced on any of its property;

11.1.4 ceases to trade or appears in the reasonable opinion of the Company likely or is threatening to cease trade;

or

11.1.5 the equivalent of any of the above occurs to the Buyer under the jurisdiction to which the Buyer is subject.

11.2 The Company may terminate the Contract in accordance with Condition 14.14

11.3 The termination of the Contract howsoever arising is without prejudice to the rights, duties and liability of either the Buyer or the Company accrued prior to termination. The conditions which expressly or impliedly have effect after termination will continue to be in force notwithstanding termination, which shall include but shall not be limited to, the Buyer's obligations in relation to any Guarantee.

12. INTELLECTUAL PROPERTY

12.1 No right or licence is granted to the Buyer in respect of the existing Intellectual Property Rights of the Company, except the right to use, or re-sell the Goods in the Buyer's ordinary course of business.

12.2 All Intellectual Property Rights in or arising out of or in connection with the performance of Services shall be owned by the company.

12.3 The Buyer will not without the Company's prior consent allow the Trademark or any other trade marks of the Company or other words or marks applied to the Goods to be obliterated, obscured or omitted nor will he add any additional marks or words.

13. DISTRIBUTION

13.1 The Buyer shall not give additional or more favourable warranties than the ones given under clause 8 if it resells the Goods, and the Company shall not bear any liability whatsoever in relation thereto.

Furthermore, if the Buyer intends to resell the Goods for a non-approved Sika use or outside of the United Kingdom, then the Buyer/Reseller shall do so at its own risk and the Company shall not bear any liability whatsoever with respect to such a resale. Furthermore, the Buyer/Reseller shall indemnify and hold harmless the Company against any third party claim in relation to such a resale, including without limitation, expenses, fees and damages that could be claimed against the Company.

14. GENERAL

14.1 Time for performance of all obligations of the Buyer is of the essence. Time for performance of all obligations of the Company is not of the essence.

14.2 Each right or remedy of the Company under the Contract is without prejudice to any other right or remedy of the Company whether under the Contract or not.

14.3 If any condition or part of the Contract is found by any court, tribunal, administrative body or authority of competent jurisdiction to be illegal, invalid or unenforceable then that provision will, to the extent required, be severed from the Contract and will be ineffective, without, as far as is possible, modifying any other provision or part of the Contract and this will not affect any other provisions of the Contract which will remain in full force and effect.

14.4 No failure or delay by the Company to exercise any right, power or remedy will operate as a waiver of it, nor will any partial exercise preclude any further exercise of the same, or of any other right, power or remedy.

14.5 Save as set out in the Contract and Condition 8.1.5, these Terms and Conditions may only be varied or amended in writing and signed by a senior manager of the Company.

14.6 The Company may assign, delegate, license, hold on trust or sub-contract all or any part of its rights or obligations under the Contract.

14.7 The Contract is personal to the Buyer who may not assign, delegate, license, hold on trust or sub-contract all or any of its rights or obligations under the Contract without the Company's prior written consent.

14.8 The Contract contains all the terms which the Company and the Buyer have agreed in relation to the Goods and/or Services and supersedes any prior written or oral agreements, representations or understandings between the parties relating to such Goods and/or Services. The Buyer acknowledges that it has not relied on any statement, promise or representation made or given by or on behalf of the Company which is not set out in the Contract. Nothing in this Condition 14.8 will exclude any liability which one party would otherwise have to the other party in respect of any statements made fraudulently.

14.9 Save as set out in Condition 8.7 the parties to the Contract do not intend that any of its terms will be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person not a party to it.

14.10 Any notice in connection with the Contract will be in writing addressed to the other party at its registered office, or principal place of business and will be delivered by hand, or first class or special delivery post or the notice will be deemed to have been duly served, if delivered by hand, when left at the proper address for service or if made by paid, first class post or special delivery post, forty-eight (48) hours after being posted or in the case of Airmail, fourteen (14) days after being posted.

14.11 The formation, existence, construction, performance, validity and all aspects whatsoever of the Contract or of any term of the Contract will be governed by English law. The English courts will have exclusive jurisdiction to settle any dispute which may arise out of, or in connection with the Contract. The parties agree to submit to that jurisdiction.

14.12 Where Part II of the Housing Grants, Construction and Regeneration Act 1996 applies, either party may refer any dispute or difference arising under this Agreement to adjudication. The adjudication procedures and the agreement for the appointment of an adjudicator shall be set out in the Model Adjudication Procedures published by the Construction Industry Council current at the date of reference. The nominating body shall be the Technology and Construction Solicitors' Association or any successor organisation.

14.13 The Buyer will keep confidential any and all Confidential Information that it may acquire. The Buyer will not use the Confidential Information for any purpose other than to perform its obligations under the contract. The Buyer will ensure that its officers and employees comply with the provisions of this Condition 14.13. The obligations of the Buyer set out in this Condition will not apply to any information which is publicly available or becomes publicly available through no act or omission of the Buyer or if the Buyer is required to disclose by order of a court of competent jurisdiction.

14.14 Where a Brexit Trigger Event occurs (as defined below) and the Company gives notice to the Buyer of the same:

14.14.1 The Company shall not be liable to the Buyer for any failure or delay or for the consequences of any failure or delay in performance of the Contract where there is a Brexit Trigger Event (and the notice shall have effect from its date)

14.14.2 The Company may require the Buyer to negotiate in good faith an amendment to the Contract to alleviate the Brexit Trigger Event; and if no such amendment is made to the Contract within seven (7) days from notice given by the Company, the Company may terminate the Contract by giving Buyer not less than twenty one (21) days written notice

14.15 For the avoidance of doubt the rights afforded by this clause 14.14 are without prejudice to the entitlement of the Company to exercise its rights pursuant to Condition 2.5, and the Company may cancel the Contract at any time prior to delivery of the Goods or commencement of the performance of the Services, for any reason

14.16 "Brexit Trigger Event" means any of the following events occurring at any time on or after Brexit

14.16.1 an adverse impact on the Company's ability to perform the Contract in accordance with its terms and the law (and the Company shall determine its its absolute discretion whether such an adverse impact has occurred);

14.16.2 an increase in the costs incurred by the Company performing the Contract since the price for the Goods was last agreed.

Revised April 2020

Numbers

101 Multi Purpose Putty	154
102 Butyl Glazing Compound	154
103 Trowel Mastic	154
105 EpoxySet	148
115 GP Building Mastic	8
125 One Hour Caulk	8
145 Premium Butyl Rubber Sealant	9
175 Premium Universal Acrylic Sealant	9
195 Premium+ Silicised Acrylic Sealant	9
2 Part High Performance Wood Filler	94
200 LMA Contractors Silicone	9
201 Mortar Admix	134
202 Integral Liquid Waterproof	134
203 Accelerator and Frostproof	134
204 Evermix 3 In 1	134
206 Strike Release Oil	135
207 Zeromix C.F.F	135
208 Powder Mortar Tone	155
209 Liquid Mortar Tone	155
225 Contract Industrial and Glazing Silicone	10
30 Minute PU Wood Adhesive Gel	43
30 Minute PU Wood Adhesive Liquid	43
335 Premium Construction Silicone	10
401 Brick and Patio Cleaner	61
402 Water Seal	59
403 Concrete Hardener and Dustproof	61
404 Fungicidal Wash	61
405 Path and Patio Seal	59
406 Stabilising Solution	62
407 Mortar Stain Remover	62
408 Super Seal	59
409 Block-Guard	59
45 Minute PU Wood Adhesive Liquid	43
450 Premium+ Builders Silicone	10
5 Minute PU Wood Adhesive Gel	42
5 Minute PU Wood Adhesive liquid	42
500 Premium+ Bath and Sanitary Silicone	10
501 PVA Bond	150
502 All Purpose Weatherproof Wood Adhesive	42
503 SBR Bond	150
505 Plasterers Gripcoat	143
506 Contractors PVA	150
507 Rendagrip	143
565 Premium+ Clean Room Silicone	11
700 TileSet Universal	162
700T Contract LMN Silicone	11
701 Non-Slip Tile Adhesive	161
702 Water Resistant Tile Adhesive	161
703 Fix and Grout	161
705 TileSet Rapid	162
708 Febflor Universal	141
709 Febflor Latex Plus	141
710 Febflor Flexiplus	141
711 TileSet Flexiplus S1	162
720 Febflor Fibre Plus	141
730 Universal Flexible Hygienic	163
825 Silicone Sealant	20
901 Black Bitumen Paint	78

902 Bitumen Flashing and Primer	78
903 Bitumen Trowel Mastic	78
904 Roof Felt Adhesive	78
905 All Weather Roof Coating	79
906 Bitumen Roofing Emulsion	79
907 Solar Reflective Paint	79
908 DPM	79

A

AC50 Contract Acoustic Sealant & Adhesive	11
AC95 Contract Intumescent Sealant & Adhesive	14
Adhesive Spray - Mammoth	47
All Purpose Powder Filler	93
All Purpose Ready Mixed Filler	91
All Purpose Ready Mixed Filler Easi Squeeze	93
All Purpose XT44 Maintenance Spray	115
Aluminium Tape	104
American Duct Tape	103
Anchorset Green 150	152
Anchorset Green 300	152
Anchorset Nozzle	153
Aqua Mate	12
Aquaseal Waterproof Tanking Membrane	159
Aquaseal Wet Room Kit	158
Aquaseal Wet Room Tape	159

B

Barrier Tape	107
Bath and Kitchen Sealant	15
Blanc du littoral	169
Boiled Linseed Oil	99
Brush Cleaner	97
Brush Restorer	97
Builders PVC Tape	104

C

Carpet Fix Cloth Tape	108
Caulk Once	7
Cemstrip	63
Clear Fix	35
Clear Varnish	71
Clear Weatherproof Tape	105
Constructa-Pro	83
Cotton Dust Sheets	96
Coving Adhesive and Joint Filler	37
Creocote	69

D

D4 Wood Adhesive	42
Damp Proofing Slurry	128
Deep Gap Ready Mixed Filler	91
Dual Purpose Foam Cleaner	84

E

EB25	33
EpoxySet NF	148
Euro Scrim	109
Evercrl Emergency Roof Repair	75
Evercrl One Coat Roof Repair Compound	74
Exact Gap Foam	82
External Frame Sealant	16

F

Feb Brickclean	137
Feb General Purpose PVA	151
Feb Rendamix	137
Feb Wintamix	137
Febgrout Flowable	147
Febmix Admix	136
Febmix Plus	136
Febond Blue-Grit	143
Febond PVA	151
Febond SBR	151
Febproof Plus	136
FebSet 45	147
Febspeed	137
Febtank Plug	128
Febtank Super	128
Fill and Skim	93
Fill Once	90
Filler Coat	93
Fine Surface Ready Mixed Filler	91
Fire Mate	13
Fire Foam B1 Gun Grade	85
Fire Foam B1 Handheld	85
Fire Foam B2 Gun Grade	85
Fire Foam B2 Handheld	85
Fix and Fill	82
Flashing Tape - DIY	77
Flashing Tape - Trade	77
Flexible Decorators Filler	15
Floor Paint	142
Floor Varnish	71
Flue Jointing Compound	123
Foil Pack Spare Nozzles and Push Disc	17
Forever White	6
Forever White Grout	165
Forever White Grout Reviver	165

G

Gaffa Tape	104
Galva Mate	12
General Purpose Silicone	14
Glass Cleaner	114
Graffiti Remover	115
Griptite	37
Gun A Nail Extra	35
Gun A Nail Standard	35

H

Heat Mate	13
Heat Resistant Silicone	121
Heavy Duty Double Sided Tape	108
Heavy Duty Wonder Wipes	113
Historic Mortar	172
Historic Mortar KL	172

I

Instant Nails	37
---------------	----

J

Jetcem Deep Rapid Repair Sand and Cement	146
Jetcem Plaster Rapid Repair Cement	146
Jetcem Rapid Repair Cement	146
Jetcem Waterproof Rapid Repair Cement	146

K

KOS Fire Cement	122
KOS Fire Cement - Cartridge	123
KOS Flue Cement	123

L

Laminated Dust Sheets	96
Lead Mate	13
Lead Mate Patination Oil	75
Liquid Roof All Weather Roofing System	76
Low Tack Masking Tape	106
Lumberjack 160 Woodbond	46
Lumberjack 550 Floor Adhesive	46
Lumberjack 650 Floor Adhesive	46

M

Masking Tape - Labelled	106
Masking Tape - Value	106
Masonry Dry Rot Treatment	69
Maximum Torque	36
Mega All Purpose Tape	104
Methylated Spirit	98
Mirror Mate	35
Mitre Fast Activator	49
Mitre Fast Adhesive	49
Mitre Fast Kit	49
Multi Stick	34
Multi-Purpose Double Sided Tape	108
Multi-Purpose Wood Filler	94

N

No Waste	83
Nozzles - Standard	19

O

Oil-Away Foam	63
One Strike Ready Mixed Filler	92
One-Coat GPR General Purpose Render	170
Opti-Mix 3-In-1 Integral Waterproofer	133
Opti-Mix 3-In-1 Render Additive	133
Opti-Mix Mortar Plasticiser	133
Opti-Tone Cement Colourant Black	133
Overlap and Border Adhesive	99

P

P12 Silicone Grease	118
P13 Plumbers Putty	118
P16 Pipe Cement	118
P20 Flux Soldering Paste	118
P45 Medium Duty Foam Gun	84
P65 Heavy Duty Foam Gun	84
Packaging Tape - Labelled	107
Packaging Tape - Value	107
Paper Glass Wipe Roll	114
Parex Crylane	171
Parex Fixopierre	173
Parex Maité	170
Parex Micro Gobetis 3000	173
Parex Monacel Plus	173
Parex Monoblanco	168
Parex Monogris E	170
Parex Monorex GF	168
Parex Monorex GM	168
Parex Paraguard	173
Parex Parmurex	170
Parex Render Bead Adhesive	173
Parex Revlane Siloxane Ignifuge Taloché Fin	171
Parex Revlane Siloxane Ignifuge Taloché Gros	171
Parex Revlane+ Ignifuge Taloché Fin	171
Parex Revlane+ Ignifuge Taloché Gros	171
Parex Revlane+ Regulateu	171
Parinter Renovation	169
Parlumiere Clair	169
Parlumiere Fin	169
Parlumiere Moyen	169
Parlumiere STH	169
Patio Wizard	62
Pinkgrip	38
Pinkgrip Dry Fix Applicator Gun	40
Pinkgrip Dry Fix FR	40
Pinkgrip Solvent Free	39
Plumbers Gold	119
Polythene Dust Sheets	96
Powerful Grip Tape	102
Pro Blue Masking Tape	106
Pro Point Gun Kit	147
Professional Gun Grade Foam	83
Pro-Fill High Performance Filler	95
PVC Cream Cleaner	114
PVC Hazard Tape	107
PVC Solvent Cleaner	114

PVCu Acti-Spray	49
Pyro Mate	13

Q

R

Raw Linseed Oil	99
Ready Mixed Wallcovering Adhesive	99
Reproface	172
Resiblock Indian Sandstone Sealer	57
Resiblock Superior	56
Resiblock Trade	57
Roll and Stroll Contract Carpet Protector	89
Roll and Stroll Glass Protector	89
Roll and Stroll Hard Surface Protector	89
Roll and Stroll Premium Carpet Protector	88
Roll and Stroll Textured Carpet Protector	89
Roof and Gutter Sealant	16

S

Safer Spirit	98
Salt-Away	63
Seal Rite Smooth-Out Tool	19
Seal Rite Strip-Out / Smooth-Out Twin Pack	19
Seal Rite Strip-Out Tool	19
Sealant Gun Jumbo	17
Sealant Gun Power Pro	18
Sealant Gun Professional	17
Sealant Gun Superflow	18
Shed and Fence Mate	69
Showerproof Bathroom Silicone	15
Sika Anchorfix-1	153
Sika Block Paving Seal	58
Sika Boom -405	25
Sika Brick and Patio Cleaner	60
Sika Dustproof	60
Sika FastFix All Weather	54
Sika Hybriflex AntiPick 109	22
Sika Hybriflex 25LM	22
Sika Hybriflex 40	22
Sika Foil Applicator Gun	18
Sika Hybriflex 55	23
Sika Hybriflex SMP	23
Sika Hybriflex FR	23
Sika MaxMix Cement Colour	132
Sika MaxMix Frostproof and Accelerator	132
Sika MaxMix Mortar Plasticiser	132
Sika MaxMix Waterproof	132
Sika Mould Buster	60
Sika Multiseal	77
Sika Patio Seal	57
Sika Plastix 22A Premium LMN Silicone	17
Sika Powercure Dispenser	18
Sika Primer -115	27
Sika Primer 3N	26

Sika Primer MB	148	SikaGrout -111 GP	144
Sika Proof	130	SikaHyflex -250 Facade	24
Sika Release Oil	130	Sikalastic -1K	127
Sika Rendermix	130	SikaMix Plus	130
Sika Sanisil Sanitary Silicone	16	Sikamix Powdered Mortar Plasticiser	131
Sika Setting Sand	56	SikaMur InjectoCream -100	128
Sika Silent Layer Mat	45	Sikaseal Multi Purpose Silicone	16
Sika Stone Protector	58	Sikasil -670 Fire	21
Sika Water Repel+	58	Sikasil-825	20
Sika Water Seal	58	SikaSeal -632	14
Sika Wintermix	131	SikaSeal -414 Backer Rod UK	21
Sika-1 Waterproofing	126	Sikasil HM	22
Sika-2 Water Plug	127	Sikasil DW	26
Sika-4 Rapid Setting	127	Sikasil Pool	24
Sika-4A Water Stop	127	SikaWall-100	170
SikaBond Contractors PVA	149	SikaWall-1015	170
SikaBond MS Wood Floor Adhesive	44	SikaWall-500	168
SikaBond MS Wood Floor Foil Adhesive	44	SikaWall-530	168
SikaBond PVA+	149	SikaWall-580 Monorex GM UK	168
SikaBond Rapid DPM	148	Silicone Eater	12
SikaBond SBR+	149	Silicone Spray	115
SikaBond Waterproof PVA	149	Silweld	105
SikaBond-52 Wood Floor Adhesive	44	Smart Tack Bulk Tank	41
SikaBond-54 Wood Floor Adhesive	44	Smart Tack Bulk Tank Gun	41
SikaBond-5500S	45	Smart Tack Bulk Tank Hose	41
SikaCeram CleanGrout	164	Smart Tack Handy Aerosol	41
SikaCeram FlowFix Bonding Primer	55	Stain Block	98
SikaCeram FlowFix Jointing Compound	55	Standard Mortar	172
SikaCeram FlowFix Porcelain Paving System	55	Stick 2 All Purpose Clear Adhesive	50
SikaCeram-140 Rapid	160	Stick 2 All Purpose Superglue Bottle	50
SikaCeram-240 Flexible Rapid	160	Stick 2 All Purpose Superglue Tube	50
SikaCeram-272 Ultra Flexible	160	Stick 2 Carpet Fix Instant Adhesive - Spray	47
SikaCeram-277 Flexible Standard	160	Stick 2 Hard Plastic Adhesive	50
SikaCeram-282 Fibre Reinforced	161	Stick 2 Instant Bond Contact Adhesive	50
Sikacryl -620 Fire	21	Stick 2 Instant Contact Adhesive	47
Sikadur-31+	144	Stick 2 Instant Contact Adhesive - Spray	47
Sikadur-33	153	Stick 2 Rapid Epoxy Syringe	51
Sikaflex -11 FC Purform	24	Stick 2 Rapid Epoxy Tube	51
Sikaflex -117 Metal Force	27	Stick 2 Superglue Gel	51
Sikaflex -403 Tank & Silo	27	Stick 2 Touch Up Enamel	51
Sikaflex -406 KC	26	Stixall Extreme Power	30
Sikaflex -415 Universal	27	Sugar Soap Liquid	97
Sikaflex -423 Powercure	26	Sugar Soap Powder	97
Sikaflex Construction+	25	Superglue De-bonder	48
Sikaflex EBT+	32	Superglue Industrial GP	48
Sikaflex PRO-3 Purform	23	Superglue Industrial HV	48
Sikaflex PRO-3 Self Levelling	24	Surveyline	142
Sikaflex Tank N	25		
Sikafloor -122 Level	138		
Sikafloor -125 Level Flex	138		
Sikafloor -131 Level Latex Ultra	139		
Sikafloor -132 Level Rapid	139		
Sikafloor -245 Level Deep Fill Ultra	140		
Sikafloor -440 Level Fibre Reinforced	140		
SikaGard Universal 5 Star Wood Treatment	66		
SikaGard Wood Preserver	66		
Sikagard Woodworm Killer	66		
Sikagard -112 Mortar and Brick Cleaner	60		
Sikagard -550 W Elastic	145		

U

V

W

Wallpaper Adhesive	99
Wallpaper Stripper	98
Weather Mate	12
Wet Rot Wood Hardener	95
White Spirit	98
Wonder Wipes Biodegradable	113
Wonder Wipes Multi-Use	112
Wonder Wipes Spray	113
Wood Filler Hardener / Catalyst	95
Wood Preserver	68
Wood Stain	70
Woodworm Killer	68

XYZ

XL Fire Cement	123
----------------	-----

T

Tarmac Restorer	63
Tarpaulin	96
Teak Oil	99
Thermofoam	82
Threadlock GP	48
Timber and Laminate Sealant	15
Trafficline	142
Triple Action Wood Treatment	68
Turps Substitute	98

JARGON BUSTER

Acetoxy Cure – A product that cures by a reaction with moisture in the air, giving off an odour of Acetic Acid or vinegar. Acetoxy cure sealants shouldn't be used when they are primarily in contact with alkaline substrates such as concrete.

Alkoxy Cure – Products that cure through a system of crosslinkers, which, when activated by exposure to moisture in the air, release by-products, mainly alcohols. Alkoxy cure sealants are non-corrosive and have minimal impact on the substrates to which they are applied.

Acrylic – Water based sealants which cure through the loss of water into the substrate. These products are commonly used for interior finishing and can be overpainted once cured.



CE / UKCA – There are four main types of approval under the sealant CE / UKCA Mark:

- F** – Façade use which is split into two sub categories with FINT meaning internal use only and F EXT INT meaning the product can be used both internally and externally. F EXT INT is then split into various classifications:
 - P** – Plastic which means the product has limited elastic recovery and behaves more like a plastic bag.
 - E** – Elastic which means the product behaves more like an elastic band.
 - HM** – High Modulus.
 - LM** – Low Modulus.
- G** – Glazing use.
- S** – Sanitary use which is only approved for internal use and is split into two sub categories S and XS with the latter being the more stringently tested of the two. A number will always follow the S or XS with 1 showing the least biological growth and 3 showing the most, basically meaning S3 is the lowest classification and XS1 is the highest.
- PW** – Pedestrian Walkway use.

Fire Rating – The measure of a sealant's ability to maintain its insulation and integrity in a joint when exposed to fire.

Hybrid Polymers / MS – This is the next generation technology combining a sealant and adhesive into one product which can be used on most porous and non-porous materials giving them an almost unlimited number of application possibilities. One major advantage these products have over other sealants is that they can be applied in the wet and even under water.

Modulus – Sealants can be either high, mid or low modulus and refers to the elastic nature of the material.

Flexibility – The degree of movement a sealant can cope with when applied with a greater number meaning the sealant is more flexible.

Shore A Hardness – A number which denotes the surface hardness of a sealant once cured. The higher the number, the harder the surface.

Silicone – The most common form of sealant on the market, silicones come in a variety of grades for multiple application uses.

Polyurethanes – Combining the properties of a sealant, adhesive and filler into one product.

Oil Based Mastic – A traditional product mainly used in wooden window installations and pre-cast concrete panel sealing applications.

Treated Articles – Some products now state 'Please use treated articles responsibly' within the health and safety panel which refers to any item which contains a preservative to protect the product through its life cycle.

SALES SUPPORT:

☎ 0113 240 2424

✉ distribution.sales@uk.sika.com

TECHNICAL SUPPORT:

☎ 0808 141 0709

✉ distribution.technical@uk.sika.com

Sika® Limited

Site 41, Knowsthorpe Way,
Cross Green Industrial Estate,
Leeds LS9 0SW

☎ 0113 240 3456

✉ distribution.info@uk.sika.com

🌐 gbr.sika.com/en/distribution.html

Sika® Ireland Limited

Sika® House
Ballymun Industrial Estate,
Dublin D11 DA2V

☎ +353 (0) 1862 0709

✉ info@sika.ie

🌐 irl.sika.com



VIEW THE LATEST
PRODUCT GUIDE ONLINE

BUILDING TRUST

