

Sika® MaxMix Concentrated Mortar Tone Red

DECLARATION OF PERFORMANCE

No. 75529350

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	75529350
2	INTENDED USE/S	Liquid mortar tone for use in concrete, mortar and grout applications
3	MANUFACTURER:	Sika Services AG Tüffenwies 16 8064 Zürich
4	AUTHORISED REPRESENTATIVE:	N/A
5	SYSTEM/S OF AVCP:	2+
6a	DESIGNATED STANDARD:	BS EN12878:2014
	Conformity Assessment body/ies:	0086

Declaration of Performance

Sika® MaxMix Concentrated Mortar Tone 75529350 2025/07 , ver. 03 1213

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Designated Technical Specification
Setting Time	Pass		
Water Soluble Content	Category A		
Soluble Chloride	Category A		BS EN12878: 2014
Total Chlorine	Category A		
Loss on Ignition @ 1000°C	2 %		
Dangerous substances	None		

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Paul Thomas Function: Technical Product

Coordinator

At Leeds on 29 July 2025

Name: Charlotte Ogden Function: Product Manager At Leeds on 29 July 2025

End of information as required by UKCA





	es AG, Zurich, Switzerland DP No. 75529350
	S EN12878:2014
Conformit	y Assessment Body 0086
Liquid mortar tone for use in	concrete, mortar and grout applications
Setting Time	
Vater Soluble Content	Category A
Soluble Chloride	Category A
otal Chlorine	Category A
oss on Ignition @ 1000°C	2 %
Dangerous substances	None

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

User must read the most recent corresponding Safety Data Sheets (SDS) before using any products. The SDS provides information and advice on the safe handling, storage and disposal of chemical products and contains physical, ecological, toxicological and other safety-related data.

LEGAL NOTE

Any information provided in this Declaration of Performance ("DoP"), including any descriptions and recommendations relating to the application and end-use of any Sika products ("Products"), are given in good faith based on Sika's current knowledge and experience of the Products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. Please note that the materials, substrates and actual site conditions may vary considerably, and therefore Sika makes no warranty for merchantability or fitness for a particular purpose, and accepts no liability for the application and use of the Products, for any recommendations, or for any advice offered. Prior to using, the Product must be tested for its suitability for the intended application and purpose, and the most recent version of the Product Data Sheet must be consulted. Sika reserves the right to change the properties of its Products any time without prior notice. Any orders for Products or services provided by Sika are subject to Sika's current terms and conditions of sale.

Declaration of Performance

Sika® MaxMix Concentrated Mortar Tone 75529350 2025/07, ver. 03 1213



2025/07 , ver. 03 1213