

Date of last issue: 05.01.2023	Version 1.8	Print Date 29.02.2024
Revision Date: 11.12.2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Parex[®] T-10 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Skin irritation, Category 2	H315: Causes skin irritation.					
Serious eye damage, Category 1	H318: Causes serious eye damage.					
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.					

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		!
Signal word	:	Danger	
Hazard statements	:	H315	Causes skin irritation.



_

Date of last issue: 05.01.2023 Revision Date: 11.12.2023	Version 1.8 P		Print Date 29.02.2024
	H318 H335	Causes serious eye damage. May cause respiratory irritation.	
Precautionary statements :	P101	If medical advice is needed, have container or label at hand.	e product
	P102	Keep out of reach of children.	
	Prevention:		
	P271	Use only outdoors or in a well-ve	entilated ar-
	P280	ea. Wear protective gloves/ eye prot protection.	ection/ face
	Response:		
	P305 + P351 + F	P338 + P310 IF IN EYES: Rinse with water for several minutes. R tact lenses, if present and easy t tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	accordance

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components			
Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 40 - < 60
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	



e of last issue: 05.01.2023 ision Date: 11.12.2023	Version 1.	Version 1.8		
hexacalcium hex- aoxotris[sulphato(2-)]dialuminate(12-)	12004-14-7 234-448-5	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335	>= 20 - < 25	
calcium dihydroxide	1305-62-0 215-137-3 01-2119475151-45- XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 3 - < 5	
sodium carbonate	497-19-8 207-838-8 01-2119485498-19- XXXX	497-19-8 207-838-8 01-2119485498-19- Eye Irrit. 2; H319		
Substances with a workplace	exposure limit :	•	•	
Quartz (SiO2)	14808-60-7 238-878-4		>= 5 - < 10	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

	General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
	If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
	In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
	In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
	If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2	Most important symptoms ar	nd e	effects, both acute and delayed
	Symptoms	:	Cough Respiratory disorder



Date of last issue: 05.01.2023 Revision Date: 11.12.2023		Version 1.8	Print Date 29.02.202
		Excessive lachrymation	
		Erythema	
		Dermatitis	an haalth affaata
		See Section 11 for more detailed information and symptoms.	on nealth effects
Risks	:	irritant effects	
		Causes skin irritation.	
		Causes serious eye damage.	
		May cause respiratory irritation.	
4.3 Indication of any immediate	mec	dical attention and special treatment needed	d
Treatment	:	Treat symptomatically.	
	sur	es	
SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media		es In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	
5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from 	: n the	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	al powder for
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from 	: n the	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	al powder for
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- 	: n the	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	al powder for
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters 	: the :	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	al powder for 'n

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
		Avoid breathing dust.
		Deny access to unprotected persons.

6.2 Environmental precautions



Date of last issue: 05.01.2023	Version 1.8	Print Date 29.02.2024
Revision Date: 11.12.2023		

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, in	ncl	uding any incompatibilities
Requirements for storage	:	Keep container tightly closed in a dry and well-ventilated

Further information on stor-	: Keep in a dry place.
age stability	No decomposition if stored and applied as directed.

7.3 Specific end use(s)

areas and containers

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Cement (chromium reduced)	65997-15-1	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40

place. Store in accordance with local regulations.



Date of last issue: 05.01.2023 Revision Date: 11.12.2023 Version 1.8

Print Date 29.02.2024

calcium dihydroxide	1305-62-0	TWA (Respirable	1 mg/m3	2017/164/EU
		fraction)		
	Further inform	nation: Indicative		
		STEL (Respirable	4 mg/m3	2017/164/EU
		fraction)		
		TWA	5 mg/m3	GB EH40
		TWA (Respirable	1 mg/m3	GB EH40
		fraction)		
		STEL (Respirable	4 mg/m3	GB EH40
		fraction)	-	

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Value type	Control parameters	Basis
Inhalable	TWA	10 mg/m3	GB EH40
Respirable fraction	TWA	4 mg/m3	GB EH40

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.



Date of last issue: 05.01.2023 Revision Date: 11.12.2023	Version 1.8	Print Date 29.02.2024

Environmental exposure controls

General advice

 Try to prevent the material from entering drains or water courses.
 No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

internation on basic physical	un	a onennoar propert
Physical state	:	solid
Appearance Colour	÷	powder
Colodi	•	grey
Odour	:	odourless
		No data available
Melting point/range / Freezing point	•	No data avallable
point		
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

Upper/lower flammability or explosive limits

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	No data available
Viscosity Viscosity, kinematic	:	No data available

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Parex[®] T-10 Part B

Date of last issue: 05.01.2023 Revision Date: 11.12.2023		Version 1.8	Print Date 29.02.2024
Solubility(ies)			
Water solubility	: N	o data available	
Partition coefficient: n- octanol/water	: N	o data available	
Vapour pressure	: N	o data available	
Density	: Ca	a. 1 g/cm3 (20 °C)	
Relative vapour density	: N	o data available	
Particle characteristics	: N	o data available	
9.2 Other information			
No data available			
SECTION 10: Stability and I	eactivity	1	
10.1 Reactivity			
No dangerous reaction kno	wn under	conditions of normal use.	
10.2 Chemical stability			

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



Date of last issue: 05.01.2023 Revision Date: 11.12.2023 Version 1.8

Print Date 29.02.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential No data available



Version 1.8	Print Date 29.02.2024
assessment	
 This substance/mixture contains no con to be either persistent, bioaccumulative very persistent and very bioaccumulativ 0.1% or higher 	and toxic (PBT), or
perties	
perties	
	assessment : This substance/mixture contains no con to be either persistent, bioaccumulative very persistent and very bioaccumulativ

13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good

14.2 UN proper shipping name



Date of last issue: 05.01.2023 Revision Date: 11.12.2023	Version 1.8	Print Date 29.02.2024
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.3 Transport hazard class	e(es)	
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.4 Packing group		
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA (Cargo)	: Not regulated as a dangerous good	
IATA (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazards Not regulated as a dange		
14.6 Special precautions for Not applicable	r user	
14.7 Maritime transport in b Not applicable for produc	ulk according to IMO instruments t as supplied.	

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable



Date of last issue: 05.01.2023 Revision Date: 11.12.2023	Version 1.8	Print Date 29.02.2024
UK REACH List of substances so (Annex XIV)	ubject to authorisation : Not applicable	
Volatile organic compounds :	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties	
	Directive 2010/75/EU of 24 November 2010 or emissions (integrated pollution prevention and Not applicable	
If other regulatory information ap Sheet, then it is described in this	plies that is not already provided elsewhere in th subsection.	ne Safety Data
Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	Environmental Protection Act 1990 & Subsidia Health and Safety at Work Act 1974 & Subsidia Control of Substances Hazardous to Health Re (COSHH) May be subject to the Control of Major Acciden Regulations (COMAH), and amendments.	iary Regulations egulations

Other regulations:

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315 H318	:	Causes skin irritation. Causes serious eye damage.
H319	:	Causes serious eye irritation.
H335		May cause respiratory irritation.
Full text of other abbreviat	ions	
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
2017/164/EU / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)
ADR	:	European Agreement concerning the International Carriage of



Date of last issue: 05.01.2023 Revision Date: 11.12.2023		Version 1.8		Print Date 29.02.2024	
		Dongoroup Coodo by Do	od		
CAS		Dangerous Goods by Ro Chemical Abstracts Serv			
DNEL	:	Derived no-effect level	ice		
EC50	:	Half maximal effective co	ncontration		
GHS	:	Globally Harmonized Sys			
IATA	:	International Air Transpo			
IMDG	:			de	
LD50	:		International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at		
LD30	•	once, which causes the c			
		test animals)		or a group of	
LC50		Median lethal concentrat	ion (concentrations of th	a chomical in	
2030	•	air that kills 50% of the te			
		period)	st animals during the o	DServation	
MARPOL		International Convention	for the Provention of Pr	allution from	
MARTOL	•	Ships, 1973 as modified			
OEL		Occupational Exposure L			
PBT	:	Persistent, bioaccumulative and toxic			
PNEC	:	Predicted no effect concentration			
REACH	:			Parliament	
REAGH	REACH : Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg-				
		istration, Evaluation, Aut			
		cals (REACH), establishi			
SVHC		Substances of Very High		alongeney	
vPvB	:	Very persistent and very			
	·	very persistent and very	biodobarrialative		
Further information					
Classification of the mixtur	re:		Classification proced	ure:	
Skin Irrit. 2	H3	15	Calculation method		
Eye Dam. 1	H3	18	Calculation method		
STOT SE 3	H3	35	Calculation method		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN