

Date of last issue: 01.12.2023	Version 7.14	Print Date 29.02.2024
Revision Date: 18.12.2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Bonding Primer unfinished Part A
Recommended restrictions	:	For professional users only.
on use		

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	:	Primer

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH210 Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Date of last issue: 01.12.2023 Revision Date: 18.12.2023 Version 7.14

Print Date 29.02.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

		Concentration
CAS-No.	Classification	Concentration
EC-No.		(% w/w)
Registration number		
107-98-2	Flam. Liq. 3; H226	>= 2,5 - < 5
203-539-1	STOT SE 3; H336	
01-2119457435-35-	(Central nervous	
XXXX	system)	
100-51-6	Acute Tox. 4; H302	>= 1 - < 2,5
202-859-9	Acute Tox. 4; H332	
01-2119492630-38-	Eye Irrit. 2; H319	
XXXX		
	Acute toxicity esti-	
	mate	
	Acute oral toxicity:	
	107-98-2 203-539-1 01-2119457435-35- XXXX 100-51-6 202-859-9 01-2119492630-38-	Registration number Flam. Liq. 3; H226 107-98-2 Flam. Liq. 3; H226 203-539-1 STOT SE 3; H336 01-2119457435-35- (Central nervous system) 100-51-6 Acute Tox. 4; H302 202-859-9 Acute Tox. 4; H332 01-2119492630-38- Eye Irrit. 2; H319 XXXX Acute toxicity esti-

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.



Date of last issue: 01.12.2023 Revision Date: 18.12.2023	Version 7.14	Print Date 29.02.2024
4.2 Most important symptoms and o	effects, both acute and delayed	
Symptoms :	See Section 11 for more detailed informatio and symptoms.	n on health effects
Risks :	No known significant effects or hazards.	
4.3 Indication of any immediate me	dical attention and special treatment need	ed
Treatment :	Treat symptomatically.	
SECTION 5: Firefighting measur	es	
5.1 Extinguishing media		
Suitable extinguishing media :	In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chemi extinction.	
5.2 Special hazards arising from the	e substance or mixture	
Hazardous combustion prod- : ucts	No hazardous combustion products are kno	own
5.3 Advice for firefighters		
Special protective equipment : for firefighters	In the event of fire, wear self-contained brea	athing apparatus.
Further information :	Standard procedure for chemical fires.	
SECTION 6: Accidental release	measures	
6.1 Personal precautions, protectiv	e equipment and emergency procedures	
Personal precautions :	For personal protection see section 8.	
6.2 Environmental precautions		
Environmental precautions :	No special environmental precautions requi	red.
6.3 Methods and material for contai	inment and cleaning up	
Methods for cleaning up :	Wipe up with absorbent material (e.g. cloth, Keep in suitable, closed containers for dispo	

6.4 Reference to other sections

For personal protection see section 8.



Date of last issue: 01.12.2023 Revision Date: 18.12.2023	Version 7.14	Print Date 29.02.2024
SECTION 7: Handling and storage		

SECTION 7. Handling and storage

7.1	Precautions for safe handling	3	
	Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	When using do not eat or drink. When using do not smoke.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Advice on common storage	:	No special restrictions on storage with other products.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
1-methoxy-2-propanol	107-98-2	TWA	100 ppm 375 mg/m3	2000/39/EC
	Further inform	ation: Identifies the	possibility of signi	ficant uptake
	through the sk	in, Indicative		-
		STEL	150 ppm 568 mg/m3	2000/39/EC
		TWA	100 ppm 375 mg/m3	GB EH40
	Further inform	ation: Can be absor	bed through the s	kin. The as-
	signed substa	nces are those for w	hich there are co	ncerns that
	dermal absorp	tion will lead to syst	emic toxicity.	
		STEL	150 ppm 560 mg/m3	GB EH40



Date of last issue: 01.12.2023	Version 7.14	Print Date 29.02.2024
Revision Date: 18.12.2023		

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Personal protective equipment			
Eye/face protection	:	Safety glasses	
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.	
		Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.	
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.	
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.	

Environmental exposure controls

General advice

: No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid white
Odour	:	very faint
Melting point/range / Freezing point	:	No data available



Date of last issue: 01.12.2023 Revision Date: 18.12.2023		Version 7.14	Print Date 29.02.2024
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	ovr	Nosive limits	
Upper explosion limit / Up-	-		
per flammability limit	•		
Lower explosion limit /	:	No data available	
Lower flammability limit			
Flash point	:	> 100 °C	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
-11			
рН	:	ca. 9,5	
Viscosity			
Viscosity, kinematic	:	7 mm2/s (40 °C)	
Solubility(ies)			
Water solubility		soluble	
Water solubility	•	Soluble	
Partition coefficient: n-	:	No data available	
octanol/water	•		
Vapour pressure	:	23 hPa	
Density	:	ca. 1 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

No data available



Date of last issue: 01.12.2023 Revision Date: 18.12.2023 Version 7.14

Print Date 29.02.2024

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

1-methoxy-2-propanol:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50: 7,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg
benzyl alcohol:		
Acute oral toxicity	:	LD50 Oral (Rat): 1.620 mg/kg
		Acute toxicity estimate: 1.620 mg/kg Method: Calculation method
Acute inhalation toxicity	:	LC50 (Rat): > 4,178 mg/l



Date of last issue: 01.12.2023 Revision Date: 18.12.2023 Version 7.14

Print Date 29.02.2024

Exposure time: 4 h Test atmosphere: dust/mist

Acute toxicity estimate: 4,178 mg/l Test atmosphere: dust/mist Method: Calculation method

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

Components:

1-methoxy-2-propanol:

Toxicity to fish

: LC50 (Fish): > 100 mg/l Exposure time: 96 h

- ·
- Toxicity to daphnia and other : EC50 (Daphnia (water flea)): > 100 mg/l



U		
Date of last issue: 01.12.2023 Revision Date: 18.12.2023	Version 7.14	Print Date 29.02.202
aquatic invertebrates	Exposure time: 48 h	
benzyl alcohol:		
Toxicity to fish	: LC50 (Fish): > 100 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	EC50 (Daphnia magna (Water flea Exposure time: 48 h	a)): > 100 mg/l
12.2 Persistence and degradabili No data available	/	
12.3 Bioaccumulative potential No data available		
12.4 Mobility in soil No data available		
12.5 Results of PBT and vPvB as	essment	
Product:		
Assessment	 This substance/mixture contains n to be either persistent, bioaccumul very persistent and very bioaccum 0.1% or higher 	lative and toxic (PBT), or
12.6 Endocrine disrupting proper No data available	ies	
12.7 Other adverse effects		
Product: Additional ecological infor- mation	: There is no data available for this	product.
SECTION 13: Disposal conside	rations	
13.1 Waste treatment methods		
Product	The generation of waste should be wherever possible.	e avoided or minimized

ct	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues.
	This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional



Date of last issue: 01.12.2023 Revision Date: 18.12.2023	Version 7.14	Print Date 29.02.2024
	local authority requirements. Avoid dispersal of spilled material and ru soil, waterways, drains and sewers.	unoff and contact with
European Waste Catalogue	: 08 01 12 waste paint and varnish other in 08 01 11	than those mentioned

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		
Not regulated as a dangerous	go	od
14.6 Special precautions for use	r	

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



Date of last issue: 01.12.2023	Version 7.14	Print Date 29.02.2024
Revision Date: 18.12.2023		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant EU provisions transposed through retained EU law

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation		:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)		:	Not applicable
International Chemical Weapons Schedules of Toxic Chemicals an	· · · · · · · · · · · · · · · · · · ·	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer		:	Not applicable
UK REACH List of substances su (Annex XIV)	bject to authorisation	:	Not applicable
Volatile organic compounds :	(VOCV)		or volatile organic compounds ds (VOC) content: 3,5% w/w
	emissions (integrated p	poll	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 4,8% w/w
If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.			

Health, safety and environ-	Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation	Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or	Control of Substances Hazardous to Health Regulations
mixture:	(COSHH)
	May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

Other regulations:

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.



Date of last issue: 01.12.2023 Revision Date: 18.12.2023 Version 7.14

Print Date 29.02.2024

SECTION 16: Other information

Full text of H-Statements	
H226 :	Flammable liquid and vapour.
H302 :	Harmful if swallowed.
H319 :	Causes serious eye irritation.
H332 :	Harmful if inhaled.
H336 :	May cause drowsiness or dizziness.
Full text of other abbreviation	-
Acute Tox. :	
Eye Irrit. :	Eye irritation
Flam. Liq. :	Flammable liquids
STOT SE :	Specific target organ toxicity - single exposure
2000/39/EC :	Europe. Commission Directive 2000/39/EC establishing a first
	list of indicative occupational exposure limit values
GB EH40 :	UK. EH40 WEL - Workplace Exposure Limits
2000/39/EC / TWA :	Limit Value - eight hours
2000/39/EC / STEL :	Short term exposure limit
GB EH40 / TWA :	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL :	Short-term exposure limit (15-minute reference period)
ADR :	European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS :	Chemical Abstracts Service
DNEL :	Derived no-effect level
EC50 :	Half maximal effective concentration
GHS :	Globally Harmonized System
IATA :	International Air Transport Association
IMDG :	International Maritime Code for Dangerous Goods
LD50 :	Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50 :	Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	period)
MARPOL :	International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978
OEL :	Occupational Exposure Limit
PBT :	Persistent, bioaccumulative and toxic
PNEC :	Predicted no effect concentration
REACH :	Regulation (EC) No 1907/2006 of the European Parliament
	and of the Council of 18 December 2006 concerning the Reg-
	istration, Evaluation, Authorisation and Restriction of Chemi-
	cals (REACH), establishing a European Chemicals Agency
SVHC :	Substances of Very High Concern
vPvB :	Very persistent and very bioaccumulative
	· · · ·

Further information



Date of last issue: 01.12.2023 Revision Date: 18.12.2023 Version 7.14

Print Date 29.02.2024

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN