

Date of last issue: 07.11.2022	Version 3.0	Print Date 29.02.2024
Revision Date: 26.09.2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Parex M1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone Telefax E-mail address of person	:	+44 (0)1707 394444 +44 (0)1707 329129 EHS@uk.sika.com
responsible for the SDS	•	

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Skin irritation, Category 2	H315: Causes skin irritation.					
Serious eye damage, Category 1	H318: Causes serious eye damage.					
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.					

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		!
Signal word	:	Danger	
Hazard statements	:	H315	Causes skin irritation.



Date of last issue: 07.11.2022 Revision Date: 26.09.2023	Version 3.0		Print Date 29.02.2024
	H318 H335	Causes serious eye damage. May cause respiratory irritation.	
Precautionary statements :	P101	If medical advice is needed, hav container or label at hand.	e product
	P102	Keep out of reach of children.	
	Prevention:		
	P271	Use only outdoors or in a well-ve	entilated ar-
	P280	Wear protective gloves/ eye prot protection.	ection/ face
	Response:		
	P305 + P351 + F	P338 + P310 IF IN EYES: Rinse with water for several minutes. F tact lenses, if present and easy t tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	accordance

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Date of last issue: 07.11.2022 Revision Date: 26.09.2023 Version 3.0

Print Date 29.02.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
hexacalcium hex-	12004-14-7	Skin Irrit. 2; H315	>= 5 - < 10
aoxotris[sulphato(2-	234-448-5	Eye Dam. 1; H318	
)]dialuminate(12-)		STOT SE 3; H335	
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 1 - < 2,5
	215-137-3	Eye Dam. 1; H318	
	01-2119475151-45-	STOT SE 3; H335	
	XXXX	(Respiratory system)	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.



Date of last issue: 07.11.2022	Version 3.0	Print Date 29.02.2024
Revision Date: 26.09.2023		

4.2 Most important symptoms and effects, both acute and delayed

	••••••••••••••••••••••••••••••••••••••		effects, both acute and delayed
Symptom	IS	:	Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks		:	irritant effects
			Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
4.3 Indication	n of any immediate n	nec	dical attention and special treatment needed
Treatmer	nt	:	Treat symptomatically.
SECTION 5:	Firefighting meas	ur	es
5.1 Extinguis	hing media		
•	hing media extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
Suitable	extinguishing media		ide/sand/foam/alcohol resistant foam/chemical powder for
Suitable	extinguishing media azards arising from	the	ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
Suitable 5.2 Special ha Hazardou ucts 5.3 Advice fo	extinguishing media azards arising from us combustion prod- or firefighters protective equipment	the :	ide/sand/foam/alcohol resistant foam/chemical powder for extinction.

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment.
	Avoid breathing dust.
	Deny access to unprotected persons.



Date of last issue: 07.11.2022 Revision Date: 26.09.2023	Version 3.0	Print Date 29.02.2024
6.2 Environmental precautions		
Environmental precautions	Try to prevent the material from entering drains of courses.	or water
	No special environmental precautions required.	
6.3 Methods and material for conta	ainment and cleaning up	
Methods for cleaning up	Pick up and arrange disposal without creating du Keep in suitable, closed containers for disposal.	ıst.
6.4 Deference to other continue		

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8).Do not get in eyes, on skin, or on clothing.For personal protection see section 8.Smoking, eating and drinking should be prohibited in the application area.Follow standard hygiene measures when handling chemical products
Advice on protection agains fire and explosion	st :	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storag	e, incl	uding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	· :	Keep in a dry place. No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.



Date of last issue: 07.11.2022 Revision Date: 26.09.2023 Version 3.0

Print Date 29.02.2024

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *		
Cement (chromium reduced)	65997-15-1	TWA (inhalable dust)	10 mg/m3	GB EH40		
		TWA (Respirable dust)	4 mg/m3	GB EH40		
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU		
	Further inform	Further information: Indicative				
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU		
		TWA	5 mg/m3	GB EH40		
		TWA (Respirable fraction)	1 mg/m3	GB EH40		
		STEL (Respirable fraction)	4 mg/m3	GB EH40		

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Value type	Control parameters	Basis
Inhalable	TWA	10 mg/m3	GB EH40
Respirable fraction	TWA	4 mg/m3	GB EH40

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons



Date of last issue: 07.11.2022 Revision Date: 26.09.2023	Version 3.0	Print Date 29.02.2024
	and protective boots are additionaly recommer and stirring work.	nded for mixing
Respiratory protection :	In case of inadequate ventilation wear respirate Respirator selection must be based on known exposure levels, the hazards of the product an ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substance Ensure adequate ventilation. This can be achie exhaust extraction or by general ventilation. (E ods for determining inhalation exposure). This ticular to the mixing / stirring area. In case this to keep the concentrations under the occupation limits then respiration protection measures mu	or anticipated d the safe work- ces eved by local N 689 - Meth- applies in par- is not sufficent onal exposure
Environmental exposure contr	rols	
General advice	 Try to prevent the material from entering drains courses. No special environmental precautions required 	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

internation on baole phycioa	u.,	a ononnoar proport
Physical state Appearance	:	solid powder
Colour	:	grey
Odour	:	odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available



Date of last issue: 07.11.2022 Revision Date: 26.09.2023		Version 3.0	Print Date 29.02.2024
Flash point	:	Not applicable	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	No data available	
Viscosity Viscosity, kinematic	:	No data available	
Solubility(ies) Water solubility	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	ca. 1 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions No hazards to be specially mentioned. :



Date of last issue: 07.11.2022 Revision Date: 26.09.2023	Version 3.0	Print Date 29.02.202
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition	roducts	
No decomposition if stored an	applied as directed.	
SECTION 11: Toxicological in	ormation	
11.1 Information on hazard clas	es as defined in Regulation (EC) No 1272/2	2008
Acute toxicity		
Not classified based on availa	ble information.	
Skin corrosion/irritation		
Causes skin irritation.		
Serious eye damage/eye irr	ation	
Causes serious eye damage.		
Respiratory or skin sensitis	ition	
Skin sensitisation		
Not classified based on availa	ble information.	
Respiratory sensitisation		
Not classified based on availa	ble information.	
Germ cell mutagenicity		
Not classified based on availa	ble information.	
Carcinogenicity		
Not classified based on availa	ble information.	
Reproductive toxicity		
Not classified based on availa	ole information.	
STOT - single exposure		
May cause respiratory irritation	ι.	
STOT - repeated exposure		
Not classified based on availa	ole information.	
Aspiration toxicity		
	ple information.	



Date of last issue: 07.11.2022 Revision Date: 26.09.2023	Version 3.0	Print Date 29.02.2024
11.2 Information on other hazards		

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation
		(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
		levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		



Date of last issue: 07.11.2022	
Revision Date: 26.09.2023	

Version 3.0

Print Date 29.02.2024

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
		Not regulated as a dangerous good Not regulated as a dangerous good
ADR		
ADR IMDG		Not regulated as a dangerous good
ADR IMDG IATA		Not regulated as a dangerous good
ADR IMDG IATA 14.4 Packing group	::	Not regulated as a dangerous good Not regulated as a dangerous good
ADR IMDG IATA 14.4 Packing group ADR	::	Not regulated as a dangerous good Not regulated as a dangerous good Not regulated as a dangerous good



Date of last issue: 07.11.2022	Version 3.0	Print Date 29.02.2024
Revision Date: 26.09.2023		

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Ar	nnex 17)	:	Not applicable
UK REACH Candidate list of subs concern (SVHC) for Authorisation		:	Not applicable
The Persistent Organic Pollutants Regulation (EU) 2019/1021 as am ain)		:	Not applicable
International Chemical Weapons Schedules of Toxic Chemicals an		:	Not applicable
Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable
UK REACH List of substances su (Annex XIV)	bject to authorisation	:	Not applicable
GB Export and import of hazardou Informed Consent (PIC) Regulation		:	Not applicable
Control of Major Accident Hazards 2015 (COMAH)	s Regulations	Not	applicable
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax fc	or volatile organic compounds
			4 November 2010 on industrial ution prevention and control)



Date of last issue: 07.11.2022 Revision Date: 26.09.2023	Version 3.0	Print Date 29.02.2024

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	Health and Safety at Work Act 1974 & Subsidiary Regulations
---	---

Other regulations:

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315 H318 H335	:	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
Full text of other abbreviatio	ns	
Eye Dam. Skin Irrit. STOT SE 2017/164/EU GB EH40 2017/164/EU / STEL 2017/164/EU / TWA GB EH40 / TWA GB EH40 / STEL ADR CAS DNEL EC50 GHS		Serious eye damage Skin irritation Specific target organ toxicity - single exposure Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values UK. EH40 WEL - Workplace Exposure Limits Short term exposure limit Limit Value - eight hours Long-term exposure limit (8-hour TWA reference period) Short-term exposure limit (15-minute reference period) Short-term exposure limit (15-minute reference period) European Agreement concerning the International Carriage of Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System
IATA IMDG LD50 LC50	:	International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)



Date of last issue: 07.11.2022 Revision Date: 26.09.2023		Version 3.0	Print Date 29.02.2024
MARPOL	:	International Convention for the Pre Ships, 1973 as modified by the Prot	
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and tox	ic
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of th and of the Council of 18 December istration, Evaluation, Authorisation a cals (REACH), establishing a Europ	2006 concerning the Reg- ind Restriction of Chemi-
SVHC	:	Substances of Very High Concern	
vPvB	:	Very persistent and very bioaccumu	lative
Further information			
Classification of the mixtur	e:	Classifica	tion procedure:
Skin Irrit. 2	H3	15 Calculation	method
Eye Dam. 1	H3	18 Calculation	method
STOT SE 3	H3	35 Calculation	method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN