

Date of last issue: 05.01.2023	Version 1.8	Print Date 29.02.2024
Revision Date: 11.12.2023		

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : Parex<sup>®</sup> T-10

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone Telefax E-mail address of person	:	+44 (0)1707 394444 +44 (0)1707 329129 EHS@uk.sika.com
responsible for the SDS	•	

### **1.4 Emergency telephone number**

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Skin irritation, Category 2	H315: Causes skin irritation.					
Serious eye damage, Category 1	H318: Causes serious eye damage.					
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.					

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H315	Causes skin irritation.



Date of last issue: 05.01.2023 Revision Date: 11.12.2023	Version 1.8		Print Date 29.02.2024
	H318 H335	Causes serious eye damage. May cause respiratory irritation.	
Precautionary statements :	P101	If medical advice is needed, have container or label at hand.	e product
	P102	Keep out of reach of children.	
	Prevention:		
	P271	Use only outdoors or in a well-ve	entilated ar-
	P280	Wear protective gloves/ eye prot protection.	ection/ face
	Response:		
	P305 + P351 + F	P338 + P310 IF IN EYES: Rinse with water for several minutes. R tact lenses, if present and easy t tinue rinsing. Immediately call a CENTER/ doctor.	emove con- o do. Con-
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	accordance

## Hazardous components which must be listed on the label:

Cement (chromium reduced)

## 2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

Components			
Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 40 - < 60
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	



e of last issue: 05.01.2023 ision Date: 11.12.2023	Version 1.	Version 1.8	
hexacalcium hex- aoxotris[sulphato(2- )]dialuminate(12-)	12004-14-7 234-448-5	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335	>= 20 - < 25
calcium dihydroxide	1305-62-0 215-137-3 01-2119475151-45- XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 3 - < 5
sodium carbonate	497-19-8 207-838-8 01-2119485498-19- XXXX	Eye Irrit. 2; H319	>= 1 - < 2,5
Substances with a workplace	exposure limit :		
Quartz (SiO2)	14808-60-7 238-878-4		>= 5 - < 10

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

	General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
	If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
	In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
	In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
	If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2	Most important symptoms ar	nd e	effects, both acute and delayed
	Symptoms	:	Cough Respiratory disorder



Date of last issue: 05.01.2023 Revision Date: 11.12.2023		Version 1.8	Print Date 29.02.202
		Excessive lachrymation Erythema Dermatitis	
		See Section 11 for more detailed information and symptoms.	n on health effects
Risks	:	irritant effects	
		Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	
4.3 Indication of any immediate r	nec	lical attention and special treatment neede	ed
5.1 Extinguishing media			
SECTION 5: Firefighting meas	sure		
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media	suro :	es In case of fire, use water/water spray/water j ide/sand/foam/alcohol resistant foam/chemic extinction.	
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	suro : the	es In case of fire, use water/water spray/water j ide/sand/foam/alcohol resistant foam/chemic extinction.	cal powder for
<ul> <li>SECTION 5: Firefighting meas</li> <li>5.1 Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2 Special hazards arising from Hazardous combustion prod- ucts</li> </ul>	suro : the	es In case of fire, use water/water spray/water j ide/sand/foam/alcohol resistant foam/chemic extinction.	cal powder for
<ul> <li>SECTION 5: Firefighting meas</li> <li>5.1 Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2 Special hazards arising from Hazardous combustion prod- ucts</li> <li>5.3 Advice for firefighters</li> </ul>	: the	es In case of fire, use water/water spray/water j ide/sand/foam/alcohol resistant foam/chemic extinction.	cal powder for wn
<ul> <li>SECTION 5: Firefighting meas</li> <li>5.1 Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2 Special hazards arising from Hazardous combustion prod- ucts</li> <li>5.3 Advice for firefighters Special protective equipment</li> </ul>	: the	es In case of fire, use water/water spray/water j ide/sand/foam/alcohol resistant foam/chemic extinction. e substance or mixture No hazardous combustion products are know In the event of fire, wear self-contained brea	cal powder for wn

Personal precautions	: Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.

# 6.2 Environmental precautions

Environmental precautions	<ul> <li>Try to prevent the material from entering drains or water courses.</li> <li>No special environmental precautions required.</li> </ul>
---------------------------	--



Date of last issue: 05.01.2023 Revision Date: 11.12.2023	Version 1.8	Print Date 29.02.2024
6.3 Methods and material for con	• •	
Methods for cleaning up	: Pick up and arrange disposal without of Keep in suitable, closed containers for	

# 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, in	ncl	uding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.

Further information on stor-	: Keep in a dry place.
age stability	No decomposition if stored and applied as directed.

#### 7.3 Specific end use(s)

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Cement (chromium reduced)	65997-15-1	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40



Date of last issue: 05.01.2023
Revision Date: 11.12.2023

Version 1.8

Print Date 29.02.2024

calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU
	Further inforr	nation: Indicative		
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU
		TWA	5 mg/m3	GB EH40
		TWA (Respirable fraction)	1 mg/m3	GB EH40
		STEL (Respirable fraction)	4 mg/m3	GB EH40

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

### general dust value

Form of exposure	Value type	Control parameters	Basis
Inhalable	TWA	10 mg/m3	GB EH40
Respirable fraction	TWA	4 mg/m3	GB EH40

### 8.2 Exposure controls

### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.



Date of last issue: 05.01.2023 Revision Date: 11.12.2023	Version 1.8	Print Date 29.02.2024

### Environmental exposure controls

General advice

: Try to prevent the material from entering drains or water courses. No special environmental precautions required.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

internation on baole phycical	an	a ononnoar proport
Physical state Appearance Colour	:	solid powder grey
Odour	:	odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

# Upper/lower flammability or explosive limits

Upper explosion limit / Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	No data available
Viscosity Viscosity, kinematic	:	No data available



Version 1.8	Print Date 29.02.2024
: No data available	
: No data available	
· No doto ovoilable	
(-22, 1, 2/22) (20 °C)	
$\therefore$ ca. Fg/cm3 (20 C)	
No doto ovoilable	
-41-114-2	
Ctivity	
under conditions of normal use.	
е.	
ctions	
: No hazards to be specially mentioned.	
) J	<ul> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>ca. 1 g/cm3 (20 °C)</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> </ul>

## 10.5 Incompatible materials

Materials to avoid : No data available

### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.





Date of last issue: 05.01.2023 Revision Date: 11.12.2023 Version 1.8

Print Date 29.02.2024

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Not classified based on available information.

### Skin corrosion/irritation

Causes skin irritation.

# Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

May cause respiratory irritation.

# STOT - repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

## 11.2 Information on other hazards

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

# 12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential No data available



Date of last issue: 05.01.2023 Revision Date: 11.12.2023	Version 1.8	Print Date 29.02.2024
12.4 Mobility in soil		
No data available		
12.5 Results of PBT and vPvB	assessment	
Product:		
Assessment	<ul> <li>This substance/mixture contains no cor to be either persistent, bioaccumulative very persistent and very bioaccumulative 0.1% or higher</li> </ul>	and toxic (PBT), or
<b>12.6 Endocrine disrupting pro</b> No data available	, i i i i i i i i i i i i i i i i i i i	
	, i i i i i i i i i i i i i i i i i i i	

#### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues.</li> <li>This material and its container must be disposed of in a safe way.</li> <li>Dispose of surplus and non-recyclable products via a licensed</li> </ul>
	waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

# 14.1 UN number or ID number

ADR	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good

### 14.2 UN proper shipping name



Date of last issue: 05.01.2023 Revision Date: 11.12.2023		Version 1.8	Print Date 29.02.202
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class	(es)		
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards Not regulated as a dange		od	
14.6 Special precautions for Not applicable	0		
14.7 Maritime transport in bu Not applicable for produc		-	

Relevant EU provisions transposed through retained EU law

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable



Date of last issue: 05.01.2023 Revision Date: 11.12.2023	Version 1.8	Print Date 29.02.2024	
UK REACH List of substances su (Annex XIV)	ubject to authorisation : Not applicable		
Volatile organic compounds :	Law on the incentive tax for volatile organic co (VOCV) no VOC duties	ompounds	
	Directive 2010/75/EU of 24 November 2010 o emissions (integrated pollution prevention and Not applicable		
If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.			
Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	Environmental Protection Act 1990 & Subsidia Health and Safety at Work Act 1974 & Subsidia Control of Substances Hazardous to Health R (COSHH) May be subject to the Control of Major Acciden Regulations (COMAH), and amendments.	ary Regulations egulations	

## Other regulations:

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

# **SECTION 16: Other information**

Full text of H-Statements			
H315	:	Causes skin irritation.	
H318	:	Causes serious eye damage.	
H319	:	Causes serious eye irritation.	
H335	:	May cause respiratory irritation.	
Full text of other abbreviations			
Eye Dam.	:	Serious eye damage	
Eye Irrit.	:	Eye irritation	
Skin Irrit.	:	Skin irritation	
STOT SE	:	Specific target organ toxicity - single exposure	
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a	
		fourth list of indicative occupational exposure limit values	
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits	
2017/164/EU / STEL	:	Short term exposure limit	
2017/164/EU / TWA	:	Limit Value - eight hours	
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)	
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)	
ADR	:	European Agreement concerning the International Carriage of	

Date of last issue: 05.01.2023 Revision Date: 11.12.2023		Version 1.8	Print Date 29.02.2024
CAS DNEL EC50 GHS IATA IMDG LD50		Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentr Globally Harmonized System International Air Transport Asso International Maritime Code for Median lethal dosis (the amour	ociation Dangerous Goods t of a material, given all at
LC50	:	once, which causes the death of test animals) Median lethal concentration (co air that kills 50% of the test anim period)	ncentrations of the chemical in nals during the observation
MARPOL OEL PBT PNEC REACH		International Convention for the Ships, 1973 as modified by the Occupational Exposure Limit Persistent, bioaccumulative and Predicted no effect concentration Regulation (EC) No 1907/2006 and of the Council of 18 Decem	Protocol of 1978 d toxic on of the European Parliament uber 2006 concerning the Reg-
SVHC vPvB Further information	:	istration, Evaluation, Authorisat cals (REACH), establishing a E Substances of Very High Conc Very persistent and very bioacc	uropean Chemicals Agency ern
Classification of the mixtu	re:	Class	fication procedure:
Skin Irrit. 2	HB	15 Calcul	ation method
Eye Dam. 1	HB	18 Calcul	ation method
STOT SE 3	HB	35 Calcul	ation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN

