

Date of last issue: -	Version 1.0	Print Date 23.03.2024
Revision Date: 08.03.2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Sika[®] ViscoCrete[®]-370 PC

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Intermediate

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone Telefax	:	+44 (0)1707 394444 +44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms		
Signal word	: Warning	
Hazard statements	: H317 H412	May cause an allergic skin reaction. Harmful to aquatic life with long lasting ef- fects.



Date of last issue: - Revision Date: 08.03.2023	Version 1.0		Print Date 23.03.2024	
Precautionary statements :	Prevention:			
	P261 P273 P280	Avoid breathing mist or vapours. Avoid release to the environmen Wear protective gloves.		
	Response:			
	P333 + P313	If skin irritation or rash occurs: G advice/ attention.	et medical	
	P362 + P364	Take off contaminated clothing a before reuse.	ind wash it	
	Disposal:			
	P501	Dispose of contents/container in with local regulation.	accordance	

Hazardous components which must be listed on the label:

1,2-benzisothiazol-3(2H)-one (BIT) 2-octyl-2H-isothiazole-3-one (OIT)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Date of last issue: -Revision Date: 08.03.2023 Version 1.0

Print Date 23.03.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 specific concentration	>= 0,0025 - < 0,025
		limit Skin Sens. 1; H317 >= 0,05 %	
		Acute toxicity esti-	
		597 mg/kg Acute inhalation tox- icity (dust/mist): 0,4 mg/l	



Date of last issue: - Revision Date: 08.03.2023	Version 1.0	0	Print Date 23.03.2024
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1 247-761-7 01-2120768921-45- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100100 M-Factor (Chronic aquatic toxicity): 100100 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	>= 0,0025 - < 0,025
		Acute toxicity esti- mate Acute oral toxicity: 125 mg/kg 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l 0,27 mg/l Acute dermal toxicity: 311 mg/kg 311 mg/kg	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air.



In case of skin contact : Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. In case of eye contact : Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed : Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed Symptoms : Allergic reactions See Section 11 for more detailed information on health effects and symptoms. Risks : sensitising effects May cause an allergic skin reaction. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically. SECTION 5: Firefighting media: : In case of fire, use water/water spray/water jet/carbon diox- ide/sand/loan/alcohol resistant foam/chemical powder for extinction. 5.3 Excidue for firefighters ucts : No hazardous combustion products are known ucts 5.3 Advice for firefighters Evide firefighters : No hazardous combustion products are known ucts 5.3 Advice for firefighters : In the event of fire, wear self-contained breathing apparatus. Further information : Standard procedure for chemical fires.	Date of last issue: - Revision Date: 08.03.2023		Version 1.0	Print Date 23.03.2024
Wash off with soap and plenty of water. If symptoms persist, call a physician. In case of eye contact If symptoms persist, call a physician. In case of eye contact If symptoms persist, call a physician. If swallowed If eye irritation persists, consult a specialist. If swallowed If on not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed Symptoms : Allergic reactions See Section 11 for more detailed information on health effects and symptoms. Risks : sensitising effects May cause an allergic skin reaction. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically. SECTION 5: Firefighting measures Sitable extinguishing media Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon diox- ide/sand/loan/alcohol resistant foam/chemical powder for extinction. 5.2 Special hazards arising from the substance or mixture Hazardous combustion prod- : No hazardous combustion products are known ucts 5.3 Advice for firefighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters			Consult a physician after significant exposu	re.
Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed Symptoms : Allergic reactions See Section 11 for more detailed information on health effects and symptoms. Risks : Risks : May cause an allergic skin reaction. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treats symptomatically. SECTION 5: Firefighting measures 5.1 Extinguishing media : Suitable extinguishing media : Si Advice for firefighters : Special protective equipment : No hazardous combustion prod- :	In case of skin contact	:	Wash off with soap and plenty of water.	mmediately.
Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed Symptoms : Allergic reactions See Section 11 for more detailed information on health effects and symptoms. Risks : Risks : sensitising effects May cause an allergic skin reaction. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically. SECTION 5: Firefighting measures 5.1 Extinguishing media : Suitable extinguishing media : Suitable extinguishing media : Lazardous combustion prod- : No hazardous combustion prod- : S.3 Advice for firefighters : Special protective equipment : In the event of fire, wear self-contained breathing apparatus. tor firefighters :	In case of eye contact	:	Keep eye wide open while rinsing.	
Symptoms : Allergic reactions See Section 11 for more detailed information on health effects and symptoms. Risks : sensitising effects May cause an allergic skin reaction. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically. SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction. 5.2 Special hazards arising from the substance or mixture Hazardous combustion prod- ucts : No hazardous combustion products are known ucts 5.3 Advice for firefighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters	If swallowed	:	Rinse mouth with water. Do not give milk or alcoholic beverages.	
See Section 11 for more detailed information on health effects and symptoms. Risks : sensitising effects May cause an allergic skin reaction. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically. SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction. 5.2 Special hazards arising from the substance or mixture Hazardous combustion prod- : No hazardous combustion products are known ucts 5.3 Advice for firefighters Special protective equipment Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters	4.2 Most important symptoms a	nd	effects, both acute and delayed	
May cause an allergic skin reaction. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically. SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction. 5.2 Special hazards arising from the substance or mixture Hazardous combustion prod- : No hazardous combustion products are known ucts 5.3 Advice for firefighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters	Symptoms	:	See Section 11 for more detailed informatio	n on health effects
4.3 Indication of any immediate medical attention and special treatment needed Treatment Treat symptomatically. SECTION 5: Firefighting measures Section 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction. 5.2 Special hazards arising from the substance or mixture Hazardous combustion prod- ucts No hazardous combustion products are known ucts 5.3 Advice for firefighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters	Risks	:	sensitising effects	
Treatment : Treat symptomatically. SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction. 5.2 Special hazards arising from the substance or mixture Hazardous combustion prod- : Hazardous combustion prod- : No hazardous combustion prod- : Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters			May cause an allergic skin reaction.	
Treatment : Treat symptomatically. SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction. 5.2 Special hazards arising from the substance or mixture Hazardous combustion prod- : Hazardous combustion prod- : No hazardous combustion prod- : Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters	4.3 Indication of any immediate	mo	dical attention and special treatment need	ed
 5.1 Extinguishing media Suitable extinguishing media In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction. 5.2 Special hazards arising from the substance or mixture Hazardous combustion prod- No hazardous combustion products are known ucts 5.3 Advice for firefighters Special protective equipment In the event of fire, wear self-contained breathing apparatus. for firefighters 	•	:	-	
 Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon diox-ide/sand/foam/alcohol resistant foam/chemical powder for extinction. 5.2 Special hazards arising from the substance or mixture Hazardous combustion prod- : No hazardous combustion products are known ucts 5.3 Advice for firefighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters 	SECTION 5: Firefighting mea	sui	es	
 Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon diox-ide/sand/foam/alcohol resistant foam/chemical powder for extinction. 5.2 Special hazards arising from the substance or mixture Hazardous combustion prod- : No hazardous combustion products are known ucts 5.3 Advice for firefighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters 	5.1 Extinguishing media			
 Hazardous combustion prod- : No hazardous combustion products are known ucts 5.3 Advice for firefighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters 		:	ide/sand/foam/alcohol resistant foam/chemi	
 Hazardous combustion prod- ucts No hazardous combustion products are known 5.3 Advice for firefighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters 	5.2 Special hazards arising from	n th	e substance or mixture	
Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters		:	No hazardous combustion products are kno	own
Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters	5.3 Advice for firefighters			
Further information : Standard procedure for chemical fires.	Special protective equipment	:	In the event of fire, wear self-contained brea	athing apparatus.
	Further information	:	Standard procedure for chemical fires.	



Sika® ViscoCrete®-370 PC

Date of last issue: - Revision Date: 08.03.2023	Version 1.0	Print Date 23.03.2024
SECTION 6: Accidental release	measures	
6.1 Personal precautions, protecti	ve equipment and emergency procedures	
Personal precautions	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions		
Environmental precautions	Do not flush into surface water or sanitary s If the product contaminates rivers and lakes respective authorities.	
6.3 Methods and material for conta	ainment and cleaning up	
Methods for cleaning up	Soak up with inert absorbent material (e.g. acid binder, universal binder, sawdust). Keep in suitable, closed containers for disp	

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep	container tightly closed in a dry and well-ventilated
---------------------------------	---



Date of last issue: - Revision Date: 08.03.2023	Version 1.0	Print Date 23.03.2024
areas and containers	place. Containers which are opened must sealed and kept upright to prevent leakag ance with local regulations.	
Further information on stor- age stability	No decomposition if stored and applied as	s directed.
7.3 Specific end use(s) Specific use(s)	Consult most current local Product Data S use.	Sheet prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

	Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
--	------------	---------	----------------------------------	---------------------------	---------

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water		
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.		
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.		
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection	No special measures required.		
Environmental exposure controls			

General advice : Do not flush into surface water or sanitary se	sewer system.
---	---------------



Date of last issue: -	
Revision Date: 08.03.2023	

Version 1.0

Print Date 23.03.2024

If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical Physical state Colour	an : :	d chemical properties liquid pale red-brown
Odour	:	hydrocarbon-like
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o	exp	losive limits
Upper explosion limit / Upper flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 3,6 (20 °C)
Viscosity Viscosity, kinematic	:	< 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n-	:	No data available



Date of last issue: - Revision Date: 08.03.2023		Version 1.0	Print Date 23.03.2024
octanol/water			
Vapour pressure	: 23	hPa	
Density	: ca	. 1,07 g/cm3 (20 °C)	
Relative vapour density	: No	o data available	
Particle characteristics	: No	o data available	
9.2 Other information No data available			
SECTION 10: Stability and r	eactivity		
10.1 Reactivity No dangerous reaction know	vn under c	conditions of normal use.	

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid	: No data available
Conditions to avoid	: No data available
Contaitionio to avoia	

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.



e of last issue: - ision Date: 08.03.2023	Version 1.0	Print Date 23.03.202
Components:		
1,2-benzisothiazol-3(2H)-c	ne (BIT):	
Acute oral toxicity	: LD50 Oral (Rat): 597 mg/kg	
	Acute toxicity estimate: 597 mg/kg Method: Calculation method	
Acute inhalation toxicity	: LC50: 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403	
	Acute toxicity estimate: 0,4 mg/l Test atmosphere: dust/mist Method: Calculation method	
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 2.000 mg/kg	
2-octyl-2H-isothiazole-3-o	ne (OIT):	
Acute oral toxicity	: Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate accord No. 1272/2008	ding to Regulation (EC)
	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate accord No. 1272/2008	ding to Regulation (EC)
Acute inhalation toxicity	: Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate accord No. 1272/2008	ding to Regulation (EC)
	Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate accord No. 1272/2008	ding to Regulation (EC)
Acute dermal toxicity	: Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate accord No. 1272/2008	ding to Regulation (EC)
	Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate accord No. 1272/2008	ding to Regulation (EC)

Skin corrosion/irritation

Not classified based on available information.



Sika® ViscoCrete®-370 PC

Version 1.0	Print Date 23.03.2024
sensitisation by skin contact.	
ve endocrine disrupting properties acc ticle 57(f) or Commission Delegated re 2100 or Commission Regulation (EU)	ording to egulation
	e sensitisation by skin contact.



Date of last issue: -	
Revision Date: 08.03.2023	

Version 1.0

Print Date 23.03.2024

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): 3 mg/l aquatic invertebrates Exposure time: 48 h

2-octyl-2H-isothiazole-3-one (OIT):

M-Factor (Acute aquatic tox- icity)	:	100
		100
M-Factor (Chronic aquatic toxicity)	:	100

100

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Date of last issue: -	Version 1.0	Print Date 23.03.2024
Revision Date: 08.03.2023		

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Harmful to aquatic life with long lasting effects.

Global warming potential

Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)

Components:

octamethylcyclotetrasiloxane [D4]:

20-year global warming potential: 2,66 100-year global warming potential: 0,739 500-year global warming potential: 0,211 Atmospheric lifetime: 0,027 yr Radiative efficiency: 0,12 Wm2ppb Further information: Miscellaneous compounds

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should
	at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1	UN	numl	ber	or	D	number	

	Not regulated as a dangerous good
IATA 14.2 UN proper shipping name	Not regulated as a dangerous good

Country GB 10000021501



_

Date of last issue: - Revision Date: 08.03.2023	Version 1.0	Print Date 23.03.2024
ADR		
	Not regulated as a dangerous good	
IMDG	Not regulated as a dangerous good	
ΙΑΤΑ	Not regulated as a dangerous good	
14.3 Transport hazard class(es)		
ADR	Not regulated as a dangerous good	
IMDG	Not regulated as a dangerous good	
ΙΑΤΑ	Not regulated as a dangerous good	
14.4 Packing group		
ADR	Not regulated as a dangerous good	
IMDG	Not regulated as a dangerous good	
IATA (Cargo)	Not regulated as a dangerous good	
IATA (Passenger)	Not regulated as a dangerous good	
14.5 Environmental hazards		
Not regulated as a dangerous	ood	
14.6 Special precautions for user		
Not applicable		
14.7 Maritime transport in bulk a Not applicable for product as s	•	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable
Regulation (EC) No 1005/2009 on substances that de-	:	Not applicable



Date of last issue: - Revision Date: 08.03.2023	Version 1.0	Print Date 23.03.2024
plete the ozone layer		
UK REACH List of substances so (Annex XIV)	ubject to authorisation : Not applicable	
GB Export and import of hazardo Informed Consent (PIC) Regulati		
Control of Major Accident Hazard 2015 (COMAH)	ds Regulations Not applicable	
Volatile organic compounds :		mpounds
	(VOCV) Volatile organic compounds (VOC) content: < no VOC duties	0% w/w
	Directive 2010/75/EU of 24 November 2010 or emissions (integrated pollution prevention and Volatile organic compounds (VOC) content: 09	control)

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	 Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulation Control of Substances Hazardous to Health Regulations (COSHH) May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments. 	
---	---	--

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H311 :	Toxic in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H330 :	Fatal if inhaled.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.



Date of last issue: - Revision Date: 08.03.2023		Version 1.0	Print Date 23.03.2024
H411	:	Toxic to aquatic life with long lasting effects.	
Full text of other abbrev	viations		
Acute Tox.		Acute toxicity	

Acule TUX.		
Aquatic Acute	: Short-term (acute) aquatic hazard	
Aquatic Chronic	: Long-term (chronic) aquatic hazard	
Eye Dam.	: Serious eye damage	
Skin Corr.	: Skin corrosion	
Skin Irrit.	: Skin irritation	
Skin Sens.	: Skin sensitisation	
ADR	: European Agreement concerning the International Ca	rriage of
	Dangerous Goods by Road	0
CAS	: Chemical Abstracts Service	
DNEL	: Derived no-effect level	
EC50	: Half maximal effective concentration	
GHS	: Globally Harmonized System	
IATA	: International Air Transport Association	
IMDG	: International Maritime Code for Dangerous Goods	
LD50	: Median lethal dosis (the amount of a material, given a	ll at
	once, which causes the death of 50% (one half) of a g	roup of
	test animals)	
LC50	: Median lethal concentration (concentrations of the che	emical in
	air that kills 50% of the test animals during the observ	ation
	period)	
MARPOL	: International Convention for the Prevention of Pollutio	n from
	Ships, 1973 as modified by the Protocol of 1978	
OEL	: Occupational Exposure Limit	
PBT	: Persistent, bioaccumulative and toxic	
PNEC	: Predicted no effect concentration	
REACH	: Regulation (EC) No 1907/2006 of the European Parlia	iment
	and of the Council of 18 December 2006 concerning t	
	istration, Evaluation, Authorisation and Restriction of (Chemi-
	cals (REACH), establishing a European Chemicals Ag	jency
SVHC	: Substances of Very High Concern	
vPvB	: Very persistent and very bioaccumulative	
Further information		

Classification of the mixture:		Classification procedure:
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

Version 1.0



Date of last issue: -Revision Date: 08.03.2023

GB / EN



Print Date 23.03.2024