

Sika MonoTop®-4200 Multi Use

DECLARATION OF PERFORMANCE

No. 24662414

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	24662414
2	INTENDED USE/S	EN 13813:2002 Cementitious screed material
3	MANUFACTURER:	Sika Services AG Tüffenwies 16-22 8064 Zürich
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	System 4 for type testing System 3 for reaction to fire
6a	HARMONISED STANDARD:	EN 13813:2002
	Notified body/ies:	0370

Sika MonoTop®-4200 Multi Use 24662414 2025.08, ver. 1 1053

7 **DECLARED PERFORMANCE/S**

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
eaction to fire	Class A1 _{fl}	System 3	
Release of corrosive substances	СТ	System 4	
Water permeability	NPD	System 4	
Water vapor permeability	NPD	System 4	
Compressive strength	C50	System 4	_
Flexural strength	F7	System 4	EN
Wear resistance	A12	System 4	13813:2002 ——————————————————————————————————
Sound insulation	NPD	System 4	
Sound absorption	NPD	System 4	
Thermal resistance	NPD	System 4	
Chemical resistance	NPD	System 4	

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR -**SPECIFIC TECHNICAL DOCUMENTATION**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Rob Doherty

Function: Head Of Product Management – Engineered

Refurbishment

At Welwyn Garden City on 04 August

2025

Name: Steve Holmes

Function: Senior Technical Manager

At Welwyn Garden City on 04 August 2025

End of information as required by Regulation (EU) No 305/2011



21

Sika Services AG, Zurich, Switzerland

24662414

EN 13813:2002

Notified Body 0370

Cementitious screed material

Reaction to fire Class A1_{fl}

Release of corrosive substances CT

Compressive strength C50

Flexural strength F7

Wear resistance A12

http://dop.sika.com

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



Sika Services AG Tüffenwies 16-22 8064 Zürich Switzerland www.sika.com

Declaration of Performance Sika MonoTop®-4200 Multi Use 24662414 2025.08, ver. 1

1053

