

PRODUCT DATA SHEET

Sika® Oil Remover

High performance cleaner for drives, patio & paths.

PRODUCT DESCRIPTION

Sika® Oil Remover is the quick and easy solution for removing oil, petrol, diesel and grease stains from driveways and garage floors. Sika® Oil Remover works on most common surface types including concrete, stone, tarmac, most common paving materials and BBQ areas. Sika® Oil Remover can also be used as a general cleaner to revive the look of pathways and patio areas.

USES

Removing oil stains from:

- Concrete.
- Paving slabs.
- Natural stone.
- Tarmac.
- Block paving etc.

As a general cleaner for paths, patios and driveways.

CHARACTERISTICS / ADVANTAGES

- Ideal for spot and surface cleaning.
- Ready to use, no diluting required.
- Easy to use spray bottle.
- Water clean up.

PRODUCT INFORMATION

1 L trigger spray bottle
Clear pale green / yellow liquid
24 months form date of manufacture
KEEP AWAY FROM CHILDREN. Store away from alkaline products and bleach between 5 $^{\circ}\text{C}$ - 30 $^{\circ}\text{C}.$
~1.1 g/cm³
6.0 - 9.5

APPLICATION INFORMATION

Consumption Approx. 5 - 8 m ² per L

Sika® Oil Remover September 2025, Version 01.01 021890150000245413

VALUE BASE

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

LIMITATIONS

- Always test a small inconspicuous area prior to full application.
- Do not leave on Tarmac for longer than 5 minutes.
 As quality/condition of Tarmac can vary significantly, always test a small area prior to full application.
- Do not allow Sika® Oil Remover to dry on the surface.
- Do not apply to hot surfaces or in strong direct sunlight.
- If Sika® Oil Remover comes into contact with plants or lawn edges, rinse thoroughly with clean water.
 It is the user's responsibility to determine suitability for use. If in doubt contact Technical Services for advice.

ECOLOGY, HEALTH AND SAFETY

User must read the most recent corresponding Safety Data Sheets (SDS) before using any products. The SDS provides information and advice on the safe handling, storage and disposal of chemical products and contains physical, ecological, toxicological and other safety-related data.

APPLICATION INSTRUCTIONS

SUBSTRATE PREPARATION

- Remove any surface debris using a stiff broom.
- Heavy green growth should be first treated with Sika® Patio Wizard prior to application of Sika® Oil Remover.

APPLICATION

Stain Removal

- Sika® Oil Remover is supplied ready to use and does not require diluting.
- Spray Sika® Oil Remover directly onto the stain, work in well with a stiff bristled brush and leave for 5 minutes.
- Do not allow Sika® Oil Remover to dry on the surface.
- Rinse thoroughly with clean fresh water whilst scrubbing with a stiff brush.
- Further application required depending on level of soiling. Should this be necessary, repeat procedure until stains are removed

SIKA LIMITED

Watchmead Welwyn Garden City Hertfordshire, AL7 1BQ Tel: 01707 394444 Web: www.sika.co.uk Twitter: @SikaLimited







Product Data Sheet Sika® Oil Remover September 2025, Version 01.01 021890150000245413

General Cleaning of Paths Patios etc.

- Dampen surface to be treated with water.
- Apply Sika® Oil Remover liberally over the area and work in well with a stiff brush.
- Rinse thouroughly with clean fresh water whilst brushing.

LOCAL RESTRICTIONS

Please note that as a result of specific local regulations the performance of this product may vary from country to country. Please consult the local Product Data Sheet for the exact description of the application fields.

LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

SikaOilRemover-en-GB-(09-2025)-1-1.pdf

