

Everbuild® 403 Concrete Hardener & Dustproofer

DECLARATION OF PERFORMANCE No. 26243253

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT- TYPE:	26243253
2	INTENDED USE/S	Concrete surface protection product - impregnation - physical resistance 5.2 (I) of EN1504-2:2004
3	MANUFACTURER:	Sika Services AG Tüffenwies 16 8064 Zürich
4	AUTHORISED REPRESENTATIVE:	N/A
5	SYSTEM/S OF AVCP:	2+
6a	DESIGNATED STANDARD:	BS EN1504-2:2004
	Conformity Assessment Body body/ies:	0120

Declaration of Performance

403 Concrete Hardener & Dustproofer

26243253

2024/01 , ver. 02

1213

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Designated Technical Specification
Abrasion resistance	Pass		BS EN1504-2:2004
Capillary absorption and permeability to water	<0.1 kg/m ² h ^{0.5}		
Impact resistance	Class III >20 Nm		
Adhesion strength by pull off test	>1.5 N/mm ²		
Depth of penetration	≥5 mm		
Dangerous substances	Complies with 5.4		

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Paul Thomas
Function: Technical Product Coordinator
At Leeds on 25 January 2024

Name : Mariam Maqsood
Function: Product Manager
At Leeds on 25 January 2024

End of information as required by Regulation



21

Sika Services AG, Zurich, Switzerland

DoP No. 26243253

BS EN1504-2:2004

Conformity Assessment Body 0120

Concrete surface protection product - impregnation - physical resistance 5.2 (I) of EN1504-2:2004

Abrasion resistance	Pass
Capillary absorption and permeability to water	<0.1 kg/m ² h ^{0.5}
Impact resistance	Class III >20 Nm
Adhesion strength by pull off test	>1.5 N/mm ²
Depth of penetration	≥5 mm
Dangerous substances	Complies with 5.4

[Declarations of Performance Downloads | Sika Limited](#)

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

User must read the most recent corresponding Safety Data Sheets (SDS) before using any products. The SDS provides information and advice on the safe handling, storage and disposal of chemical products and contains physical, ecological, toxicological and other safety-related data.

LEGAL NOTE

Any information provided in this Declaration of Performance ("DoP"), including any descriptions and recommendations relating to the application and end-use of any Sika products ("Products"), are given in good faith based on Sika's current knowledge and experience of the Products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. Please note that the materials, substrates and actual site conditions may vary considerably, and therefore Sika makes no warranty for merchantability or fitness for a particular purpose, and accepts no liability for the application and use of the Products, for any recommendations, or for any advice offered. Prior to using, the Product must be tested for its suitability for the intended application and purpose, and the most recent version of the Product Data Sheet must be consulted. Sika reserves the right to change the properties of its Products any time without prior notice. Any orders for Products or services provided by Sika are subject to Sika's current terms and conditions of sale.

Declaration of Performance

403 Concrete Hardener & Dustproofer

26243253

2024/01, ver. 02

1213



Declaration of Performance

403 Concrete Hardener & Dustproofer

26243253

2024/01 , ver. 02

1213

