

Date of last issue: 17.02.2023	Version 2.9	Print Date 31.07.2023
Revision Date: 16.06.2023		

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifier**

Trade name EVERBUILD PINKGRIP SF

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

: Sealant/adhesive Product use

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone Telefax	:	+44 (0)1707 394444 +44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

#### 1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)Flammable liquids, Category 2H225: Highly flammable liquid and vapour.							
Eye irritation, Category 2	H319: Causes serious eye irritation.						
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.						
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.						

### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



Date of last issue: 17.02.2023 Revision Date: 16.06.2023		N	/ersion 2.9	Print Date 31.07.2023
Hazard pictograms	:		!	
Signal word	:	Danger		
Hazard statements	:	H225 H319 H336 H412	Highly flammable liquid Causes serious eye irrita May cause drowsiness o Harmful to aquatic life w fects.	ation. or dizziness.
Supplemental Hazard Statements	:	EUH066	Repeated exposure may or cracking.	y cause skin dryness
Precautionary statements	:	Prevention: P210 P233 P261 P273 P280	Keep away from heat, h open flames and other is smoking. Keep container tightly cl Avoid breathing mist or Avoid release to the env Wear protective gloves/ eye protection/ face protection/	gnition sources. No losed. vapours. /ironment. protective clothing/
		<b>Response:</b> P370 + P378	In case of fire: Use dry s alcohol-resistant foam to	

### Hazardous components which must be listed on the label:

ethyl acetate

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.





Date of last issue: 17.02.2023 Revision Date: 16.06.2023 Version 2.9

Print Date 31.07.2023

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No.	Classification	
	Registration number		(% w/w)
ethyl acetate	141-78-6 205-500-4 01-2119475103-46- XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system) EUH066	>= 10 - < 20
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	Not Assigned 920-750-0 01-2119473851-33- XXXX [corresponding group CAS 64742-49- 0]	Flam. Liq. 2; H225 STOT SE 3; H336 (Central nervous system) Asp. Tox. 1; H304 Aquatic Chronic 2; H411 EUH066	>= 5 - < 10
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n- hexane	Not Assigned 921-024-6 01-2119475514-35- XXXX	Flam. Liq. 2; H225 Skin Irrit. 2; H315 STOT SE 3; H336 Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 5 - < 10
Titanium dioxide (> 10 μm)	13463-67-7 236-675-5 01-2119489379-17- XXXX		< 1

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	(	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled		Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	١	Take off contaminated clothing and shoes immediately. Nash off with soap and plenty of water. f symptoms persist, call a physician.



Date of last issue: 17.02.2023 Revision Date: 16.06.2023	Version 2.9	Print Date 31.07.2023
In case of eye contact	Immediately flush eye(s) with plenty of v Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specia	
If swallowed	Do not induce vomiting without medical Rinse mouth with water. Do not give milk or alcoholic beverages Never give anything by mouth to an unc	
4.2 Most important symptoms ar	effects, both acute and delayed	
Symptoms	Excessive lachrymation Erythema Loss of balance Vertigo See Section 11 for more detailed inform and symptoms.	nation on health effects
Risks	irritant effects	
	Causes serious eye irritation. May cause drowsiness or dizziness. Repeated exposure may cause skin dry	ness or cracking.
4.3 Indication of any immediate	edical attention and special treatment n	eeded
Treatment	Treat symptomatically.	
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media	Alcohol-resistant foam	
	Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	Water High volume water jet	
5.2 Special hazards arising from	ne substance or mixture	
Specific hazards during fire- fighting	Do not use a solid water stream as it ma fire.	ay scatter and spread

### 5.3 Advice for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.



Date of last issue: 17.02.2023 Revision Date: 16.06.2023		Version 2.9	Print Date 31.07.202
for firefighters			
Further information	:	Use water spray to cool unopened contained	ers.
SECTION 6: Accidental relea	ise i	neasures	
6.1 Personal precautions, prote	ctiv	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Remove all sources of ignition. Deny access to unprotected persons. Beware of vapours accumulating to form e tions. Vapours can accumulate in low area	
6.2 Environmental precautions			
Environmental precautions	:	Prevent product from entering drains. If the product contaminates rivers and lake respective authorities.	es or drains inform
6.3 Methods and material for co	ontai	nment and cleaning up	
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. acid binder, universal binder, sawdust).	sand, silica gel,
6.4 Reference to other sections			
For personal protection see s	secti	on 8.	

## 7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Use explosion-proof equipment. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Take precautionary



Date of last issue: 17.02.2023 Revision Date: 16.06.2023		Version 2.9	Print Date 31.07.2023			
		measures against electrostatic discharges.				
Hygiene measures	:	Handle in accordance with good industrial hygic practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the e	using do not			
7.2 Conditions for safe storage	7.2 Conditions for safe storage, including any incompatibilities					
Requirements for storage areas and containers	:	Store in cool place. Store in accordance with lo	cal regulations.			
Further information on stor- age stability	:	No decomposition if stored and applied as direc	ted.			
7.3 Specific end use(s)						
Specific use(s)	:	Consult most current local Product Data Sheet use.	prior to any			

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
ethyl acetate	141-78-6	STEL	400 ppm 1.468 mg/m3	2017/164/EU
	Further inform	nation: Indicative		
		TWA	200 ppm 734 mg/m3	2017/164/EU
		TWA	200 ppm 734 mg/m3	GB EH40
		STEL	400 ppm 1.468 mg/m3	GB EH40
Titanium dioxide (> 10 μm)	13463-67-7	TWA (inhalable dust)	10 mg/m3	GB EH40
۲		TWÁ (Respirable dust)	4 mg/m3	GB EH40

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

Eye/face protection

: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water



Date of last issue: 17.02.2023 Revision Date: 16.06.2023	Version 2.9	Print Date 31.07.2023
Hand protection	: Chemical-resistant, impervious gloves complyin proved standard must be worn at all times when chemical products. Reference number EN 374. facturer specifications.	handling
	Suitable for short time use or protection against Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	splashes:
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN long-sleeved working clothing, long trousers). R and protective boots are additionaly recommend and stirring work.	ubber aprons
Respiratory protection	<ul> <li>In case of inadequate ventilation wear respirator Respirator selection must be based on known o exposure levels, the hazards of the product and ing limits of the selected respirator. organic vapor filter (Type A) A1: &lt; 1000 ppm; A2: &lt; 5000 ppm; A3: &lt; 10000 ppm; A3: &lt; 10000 ppm; A2: &lt; 5000 ppm; A3: &lt; 10000 ppm; A3:</li></ul>	r anticipated the safe work- ppm ved by local I 689 - Meth- pplies in par- s not sufficent hal exposure
Environmental exposure cont	rols	
General advice	: Prevent product from entering drains. If the product contaminates rivers and lakes or or respective authorities.	Irains inform

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	::	liquid paste pink
Odour	:	hydrocarbon-like
Melting point/range / Freezing point	:	No data available



Date of last issue: 17.02.2023 Revision Date: 16.06.2023		Version 2.9	Print Date 31.07.2023
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	exp	blosive limits	
Upper explosion limit / Upper flammability limit	:	7,4 %(V)	
Lower explosion limit / Lower flammability limit	:	1,1 %(V)	
Flash point	:	-10 °C Method: closed cup	
Auto-ignition temperature	:	427 °C	
Decomposition temperature	:	No data available	
рН	:	Not applicable	
Viscosity			
Viscosity, dynamic	:	300.000 - 450.000 mPa.s	
Viscosity, kinematic	:	> 30 mm2/s (40 °C)	
Solubility(ies)			
Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	99,9915 hPa	
Density	:	ca. 1,27 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	



Date of last issue: 17.02.2023 Revision Date: 16.06.2023	Version 2.9	Print Date 31.07.2023
9.2 Other information		
No data available		
SECTION 10: Stability and rea	livity	
10.1 Reactivity		
No dangerous reaction known	nder conditions of normal use.	
10.2 Chemical stability		
The product is chemically stab		
10.3 Possibility of hazardous rea	ions	
Hazardous reactions	: Stable under recommended storage condition	าร.
	Vapours may form explosive mixture with air.	
10.4 Conditions to avoid		
Conditions to avoid	: Heat, flames and sparks.	
10.5 Incompatible materials		
Materials to avoid	No data available	
10.6 Hazardous decomposition p	oducts	
No decomposition if stored and	applied as directed.	

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified based on available information.

Components:

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics:				
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg		
Acute inhalation toxicity	:	LC50 (Rat): ca. 1.600 mg/l Exposure time: 4 h Test atmosphere: vapour		
Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg		

# Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg



Date of last issue: 17.02.2023 Revision Date: 16.06.2023	Version 2.9	Print Date 31.07.2023
Acute inhalation toxicity	LC50 (Rat): > 23,3 mg/l Exposure time: 4 h Test atmosphere: vapour	
Acute dermal toxicity	LD50 Dermal (Rabbit): > 2.800 mg/kg	
<b>Skin corrosion/irritation</b> Repeated exposure may cause	skin dryness or cracking.	
Serious eye damage/eye irrita Causes serious eye irritation.	tion	
Respiratory or skin sensitisat	ion	
Skin sensitisation Not classified based on availabl	e information.	
<b>Respiratory sensitisation</b> Not classified based on availabl	e information.	
Germ cell mutagenicity Not classified based on available	e information.	
<b>Carcinogenicity</b> Not classified based on availabl	e information.	
<b>Reproductive toxicity</b> Not classified based on availabl	e information.	
<b>STOT - single exposure</b> May cause drowsiness or dizzir	ess.	
STOT - repeated exposure Not classified based on availab	e information.	
Aspiration toxicity Not classified based on available	e information.	
11.2 Information on other hazards		
Endocrine disrupting propert	es	
<u>Product:</u> Assessment	The substance/mixture does not contain co ered to have endocrine disrupting propertie REACH Article 57(f) or Commission Delega (EU) 2017/2100 or Commission Regulation levels of 0.1% or higher.	es according to according to according to



Date of last issue: 17.02.2023 Revision Date: 16.06.2023 Version 2.9

Print Date 31.07.2023

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment	
------------	--

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

#### Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Harmful to aquatic life with long lasting effects.

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.</li> <li>Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.</li> </ul>



Date of last issue: 17.02.2023 Revision Date: 16.06.2023		Version 2.9	Print Date 31.07.2023	
Disposal of this product, solutions and any by-pro at all times comply with the requirements of envir protection and waste disposal legislation and any local authority requirements. Avoid dispersal of spilled material and runoff and soil, waterways, drains and sewers.		s of environmental and any regional		
European Waste Catalogue	:	08 04 09* waste adhesives and sealants solvents or other dangerous substances	<b>a a</b>	
Contaminated packaging	:	15 01 10* packaging containing residues by dangerous substances	s of or contaminated	

# **SECTION 14: Transport information**

:	UN 1133	
:	UN 1133	
:	UN 1133	
:	ADHESIVES	
:	ADHESIVES	
:	Adhesives	
	Class	Subsidiary risks
:	3	
:	3	
:	3	
:	3	
		<ul> <li>: UN 1133</li> <li>: ADHESIVES</li> <li>: ADHESIVES</li> <li>: Adhesives</li> <li>Class</li> <li>: 3</li> <li>: 3</li> <li>: 3</li> <li>: 4</li> <li>: 111</li> <li>: 5</li> <li>: 111</li> <li>: 3</li> </ul>

## 14.1 UN number or ID number



Date of last issue: 17.02.2023 Revision Date: 16.06.2023	Version 2.9 Print Date 31.07		Print Date 31.07.2023	
Packing instruction (cargo aircraft)	:	366		
Packing instruction (LQ)	:	Y344		
Packing group	:			
Labels	÷	Flammable Liquids		
IATA (Passenger) Packing instruction (passen- ger aircraft)	:	355		
Packing instruction (LQ)	:	Y344		
Packing group	:			
Labels	÷	Flammable Liquids		
14.5 Environmental hazards				
<b>ADR</b> Environmentally hazardous	:	no		
<b>IMDG</b> Marine pollutant	:	no		
IATA (Passenger) Environmentally hazardous	:	no		
IATA (Cargo) Environmentally hazardous	:	no		
14.6 Special precautions for user				
The transport classification(s) provided herein are for informational purposes only, and solely based				

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

		Directive 2010/75/EU	of 24	4 November 2010 on industrial
	(VOCV)		ounc	ds (VOC) content: 29,9% w/w
	Volatile organic compounds :	Law on the incentive ta	ax fo	or volatile organic compounds
Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer				Not applicable
	International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors			Not applicable



Date of last issue: 17.02.2023 Revision Date: 16.06.2023	Version 2.9	Print Date 31.07.2023	
	emissions (integrated pollution prevention Volatile organic compounds (VOC) conte	,	
If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.			
Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	: Environmental Protection Act 1990 & Su Health and Safety at Work Act 1974 & S Control of Substances Hazardous to Hea (COSHH)	ubsidiary Regulations	

May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

# **SECTION 16: Other information**

Full text of H-Statements				
H225	:	Highly flammable liquid and vapour.		
H304	:	May be fatal if swallowed and enters airways.		
H315	:	Causes skin irritation.		
H319	:	Causes serious eye irritation.		
H336	:	May cause drowsiness or dizziness.		
H411	:	Toxic to aquatic life with long lasting effects.		
Full text of other abbreviations				
Aquatic Chronic	:	Long-term (chronic) aquatic hazard		
Asp. Tox.	:	Aspiration hazard		
Eye Irrit.	:	Eye irritation		
Flam. Liq.	:	Flammable liquids		
Skin Irrit.	:	Skin irritation		
STOT SE	:	Specific target organ toxicity - single exposure		
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a		
		fourth list of indicative occupational exposure limit values		
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits		
2017/164/EU / STEL	:	Short term exposure limit		
2017/164/EU / TWA	:	Limit Value - eight hours		
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)		
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)		
ADR	:	European Agreement concerning the International Carriage of		
		Dangerous Goods by Road		
CAS	:	Chemical Abstracts Service		
DNEL	:	Derived no-effect level		
EC50	:	Half maximal effective concentration		
GHS	:	Globally Harmonized System		
ΙΑΤΑ	:	International Air Transport Association		
IMDG	:	International Maritime Code for Dangerous Goods		



Date of last issue: 17.02.2023 Revision Date: 16.06.2023		Version 2.9	Print Date 31.07.2023	
LD50	:	Median lethal dosis (the amount of a material, once, which causes the death of 50% (one ha	0	
LC50	:	test animals) Median lethal concentration (concentrations o air that kills 50% of the test animals during the period)		
MARPOL	:	International Convention for the Prevention of Ships, 1973 as modified by the Protocol of 19		
OEL	:	Occupational Exposure Limit		
PBT	:	Persistent, bioaccumulative and toxic		
PNEC	:	Predicted no effect concentration		
REACH	:	Regulation (EC) No 1907/2006 of the Europea and of the Council of 18 December 2006 cond istration, Evaluation, Authorisation and Restric cals (REACH), establishing a European Chem	cerning the Reg- ction of Chemi-	
SVHC	:	Substances of Very High Concern	<u> </u>	
vPvB	:	Very persistent and very bioaccumulative		

## **Further information**

Classification of the m	ixture:	Classification procedure:
Flam. Liq. 2	H225	Based on product data or assessment
Eye Irrit. 2	H319	Calculation method
STOT SE 3	H336	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN