

Date of last issue: 01.06.2023	Version 3.2	Print Date 29.02.2024
Revision Date: 01.02.2024		

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

Trade name : SCHÖNOX® XA

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Floor levelling compound, Gypsum product

## 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

## 1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

# 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Date of last issue: 01.06.2023	Version 3.2	Print Date 29.02.2024
Revision Date: 01.02.2024		

# **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

## Components

oomponento			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Substances with a workplace expo	osure limit :		
calcium carbonate	471-34-1		>= 10 - < 20
	207-439-9		
	01-2119486795-18-		
	XXXX		
Limestone	1317-65-3		>= 10 - < 20
Contains:	215-279-6		
Quartz (SiO2) <5µm >= 0,1 %			
Ear avalanction of abbraviations a	an anotion 16		

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

4.1 Description of mist ald meas	uic	5
General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms a	nd e	effects, both acute and delayed
Symptoms	:	See Section 11 for more detailed information on health effects and symptoms.

Risks



Date of last issue: 01.06.2023 Revision Date: 01.02.2024	Version 3.2	Print Date 29.02.2024
4.3 Indication of any immediate m	nedical attention and special treatmen	t needed
Treatment	: Treat symptomatically.	
SECTION 5: Firefighting meas	ures	
5.1 Extinguishing media		
Suitable extinguishing media	: In case of fire, use water/water spray ide/sand/foam/alcohol resistant foam extinction.	
5.2 Special hazards arising from	the substance or mixture	
Hazardous combustion prod- ucts	: No hazardous combustion products a	are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	: In the event of fire, wear self-contain	ed breathing apparatus.
Further information	: Standard procedure for chemical fire	S.
SECTION 6: Accidental release	e measures	luroo

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Avoid breathing dust.
i oroonal probadiono	. , word broadning duot

#### 6.2 Environmental precautions

SCHÖNOX<sup>®</sup> XA

Environmental precautions : No special environmental precautions required.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal. Sweep up or vacuum up spillage and collect in suitable container for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling :

For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical



#### Date of last issue: 01.06.2023 Version 3.2 Print Date 29.02.2024 Revision Date: 01.02.2024 products Advice on protection against : Avoid dust formation. Provide appropriate exhaust ventilation fire and explosion at places where dust is formed. Hygiene measures When using do not eat or drink. When using do not smoke. : 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage Keep container tightly closed in a dry and well-ventilated : areas and containers place. Store in accordance with local regulations. No special restrictions on storage with other products. Advice on common storage 2 Further information on stor-Keep in a dry place. : age stability No decomposition if stored and applied as directed. 7.3 Specific end use(s) Specific use(s) Consult most current local Product Data Sheet prior to any : use.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

SCHÖNOX<sup>®</sup> XA

### Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame- ters *	Basis *
calcium carbonate	471-34-1	of exposure) TWA (inhalable	10 mg/m3	GB EH40
	Further inform dust and inhal will be collected the methods of pling and grav aerosols., The health include in air equal to dust or 4 mg.r any dust will b above these le WELs and exp limits., Most in	ation: For the purpo lable dust are those ed when sampling is described in MDHS1 vimetric analysis or r e COSHH definition of s dust of any kind w or greater than 10 m m-3 8-hour TWA of r be subject to COSHH evels. Some dusts h posure to these must industrial dusts contain naviour, deposition a	ses of these limits fractions of airbor undertaken in act 4/4 General meth espirable, thoracio of a substance ha hen present at a c ng.m-3 8-hour TW espirable dust. Th f if people are exp ave been assigne t comply with the in particles of a w	s, respirable ne dust which cordance with ods for sam- c and inhalable zardous to concentration /A of inhalable nis means that posed to dust d specific appropriate ide range of
	after entry into sponse that it	the human respirat elicits, depend on the shes two size fraction	ory system, and the nature and size	he body re- of the particle.



Versior	n 3.2	Print Da	ate 29.02.2024
the fraction of during breathi respiratory tra penetrates to tions and expl dusts contain the relevant lin short-term exp	airborne material th ng and is therefore ct. Respirable dust the gas exchange re anatory material are components that ha mits should be composure limit is listed	at enters the nose available for depo approximates to the egion of the lung. e given in MDHS1 ave their own assign oblied with., Where a figure three tim	e and mouth sition in the ne fraction that Fuller defini- 4/4., Where gned WEL, all no specific
	TWA (Respirable dust)	4 mg/m3	GB EH40
1317-65-3	•	10 mg/m3	GB EH40
dust and inha will be collected the methods of pling and grav aerosols., The health include in air equal to dust or 4 mg.r any dust will b above these le WELs and expl limits., Most ir sizes. The bel after entry into sponse that it HSE distinguis termed 'inhala the fraction of during breathi respiratory tra penetrates to tions and expl dusts contain the relevant lin short-term exp	lable dust are those ed when sampling is described in MDHS1 vimetric analysis or r e COSHH definition s dust of any kind w or greater than 10 r m-3 8-hour TWA of be subject to COSHI evels. Some dusts h cosure to these must haviour, deposition a o the human respirated ble' and 'respirable' airborne material the ng and is therefore ct. Respirable dust the gas exchange re anatory material are components that has mits should be compo- posure limit is listed e limit should be use TWA (Respirable	fractions of airbor s undertaken in ac 4/4 General meth respirable, thoracie of a substance ha when present at a c mg.m-3 8-hour TW respirable dust. Th H if people are exp nave been assigned st comply with the ain particles of a w and fate of any pa tory system, and t he nature and size ons for limit-setting ., Inhalable dust a nat enters the nose available for depo approximates to the egion of the lung. e given in MDHS1 ave their own assigned blied with., Where a figure three tim	ne dust which cordance with ods for sam- c and inhalable zardous to concentration /A of inhalable nis means that posed to dust ed specific appropriate ide range of rticular particle he body re- of the particle. g purposes pproximates to and mouth sition in the ne fraction that Fuller defini- 4/4., Where gned WEL, all no specific
	termed 'inhala the fraction of during breathi respiratory tra penetrates to tions and expl dusts contain the relevant lin short-term exp term exposure 1317-65-3 Further inform dust and inhal will be collected the methods of pling and grav aerosols., The health include in air equal to dust or 4 mg.r any dust will be above these le WELs and expl limits., Most in sizes. The bel after entry into sponse that it HSE distinguis termed 'inhala the fraction of during breathi respiratory tra penetrates to tions and expl dusts contain the relevant lin short-term exp	the fraction of airborne material th during breathing and is therefore respiratory tract. Respirable dust penetrates to the gas exchange in tions and explanatory material are dusts contain components that ha the relevant limits should be comp short-term exposure limit is listed term exposure limit should be use TWA (Respirable dust) 1317-65-3 TWA (inhalable dust) Further information: For the purped dust and inhalable dust are those will be collected when sampling is the methods described in MDHS1 pling and gravimetric analysis or aerosols., The COSHH definition health includes dust of any kind w in air equal to or greater than 10 r dust or 4 mg.m-3 8-hour TWA of any dust will be subject to COSHI above these levels. Some dusts f WELs and exposure to these mus limits., Most industrial dusts conta sizes. The behaviour, deposition a after entry into the human respira sponse that it elicits, depend on th HSE distinguishes two size fractic termed 'inhalable' and 'respirable' the fraction of airborne material th during breathing and is therefore respiratory tract. Respirable dust penetrates to the gas exchange re tions and explanatory material are dusts contain components that has the relevant limits should be comp short-term exposure limit is listed, term exposure limit should be use	termed 'inhalable' and 'respirable'., Inhalable dust a the fraction of airborne material that enters the nose during breathing and is therefore available for deporespiratory tract. Respirable dust approximates to the penetrates to the gas exchange region of the lung. tions and explanatory material are given in MDHS1 dusts contain components that have their own assig the relevant limits should be complied with., Where short-term exposure limit is listed, a figure three time term exposure limit should be used.   Image: TWA (Respirable dust approximates to the gas exchange region of the lung. tions and explanatory material are given in MDHS1 dusts contain components that have their own assig the relevant limits should be used.   Image: TWA (Respirable dust are those fractions of airbor dust) 4 mg/m3 dust)   Image: TWA (Respirable dust are those fractions of airbor will be collected when sampling is undertaken in ac the methods described in MDHS14/4 General methin pling and gravimetric analysis or respirable, thoraci aerosols., The COSHH definition of a substance ha health includes dust of any kind when present at a din air equal to or greater than 10 mg.m-3 8-hour TW dust or 4 mg.m-3 8-hour TWA of respirable dust. Th any dust will be subject to COSHH if people are explabove these levels. Some dusts have been assigned WELs and exposure to these must comply with the limits., Most industrial dusts contain particles of a w sizes. The behaviour, deposition and fate of any pa after entry into the human respiratory system, and t sponse that it elicits, depend on the nature and size HSE distinguishes two size fractions for limit-setting termed 'inhalable' and 'respirable'., Inhalable dust a the fraction of airborne material that enters the nose during breathing and is therefore available for depo respiratory tract. Respirable dust approximates to th penetrates to the gas exchange re

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### general dust value

Form of exposure	Value type	Control parameters	Basis
Inhalable	TWA	10 mg/m3	GB EH40
Respirable fraction	TWA	4 mg/m3	GB EH40





Date of last issue: 01.06.2023
Revision Date: 01.02.2024

Version 3.2

### 8.2 Exposure controls

<b>Engineering measures</b> Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.			
Personal protective equipm	nent		
Eye/face protection	:	Safety glasses	
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.	
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.	
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.	

### **Environmental exposure controls**

General advice	:	No special environmental	precautions re	equired
----------------	---	--------------------------	----------------	---------

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	solid
Appearance	:	powder
Colour	:	white
Odour	:	odourless

Melting point/range / Freezing : No data available



Date of last issue: 01.06.2023 Revision Date: 01.02.2024	Version 3.2	Print Date 29.02.2024
point		
	: Not applicable	
Flammability (solid, gas)	: No data available	
Upper/lower flammability or	explosive limits	
Upper explosion limit / Upper flammability limit		
Lower explosion limit / Lower flammability limit	: No data available	
Flash point	: Not applicable	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: ca. 10	
Viscosity Viscosity, kinematic	: Not applicable	
Solubility(ies) Water solubility	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: ca. 1,15 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	



Print Date 29.02.2024

# SCHÖNOX<sup>®</sup> XA

Date of last issue: 01.06.2023

V6151011 0.2	1 mit Date 23.02.202-
eactivity	
wn under conditions of normal use.	
table.	
reactions	
: No hazards to be specially mentioned.	
: No data available	
: No data available	
n products	
-	
r I	reactivity wn under conditions of normal use. table. reactions : No hazards to be specially mentioned. : No data available

Version 3.2

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Acute toxicity

Not classified based on available information.

## Skin corrosion/irritation

Not classified based on available information.

## Serious eye damage/eye irritation

Not classified based on available information.

## Respiratory or skin sensitisation

## Skin sensitisation

Not classified based on available information.

## **Respiratory sensitisation**

Not classified based on available information.

## Germ cell mutagenicity

Not classified based on available information.



Date of last issue: 01.06.2023 Revision Date: 01.02.2024 Version 3.2

Print Date 29.02.2024

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

2

2

### 11.2 Information on other hazards

### **Endocrine disrupting properties**

### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

### Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### **12.6 Endocrine disrupting properties**





\_

Date of last issue: 01.06.2023 Revision Date: 01.02.2024		Version 3.2	Print Date 29.02.2024		
Assessment	:	The substance/mixture does not contain comp ered to have endocrine disrupting properties a REACH Article 57(f) or Commission Delegated (EU) 2017/2100 or Commission Regulation (E levels of 0.1% or higher.	ccording to d regulation		
12.7 Other adverse effects					
Product: Additional ecological infor- mation	:	There is no data available for this product.			
SECTION 13: Disposal considerations					
13.1 Waste treatment methods					
Product	:	The generation of waste should be avoided or wherever possible. Empty containers or liners may retain some pr This material and its container must be dispos way.	oduct residues.		

waste disposal contractor.

local authority requirements.

soil, waterways, drains and sewers.

Dispose of surplus and non-recyclable products via a licensed

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional

Avoid dispersal of spilled material and runoff and contact with

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
$C_{\text{outplet}}$ $C_{\text{D}}$ $C_{\text{OOOOOC}}$ $C_{\text{OOOOOC}}$		



Date of last issue: 01.06.2023 Revision Date: 01.02.2024	Version 3.2	Print Date 29.02.2024	
IMDG	: Not regulated as a dangerous good		
ΙΑΤΑ	: Not regulated as a dangerous good		
14.4 Packing group			
ADR	: Not regulated as a dangerous good		
IMDG	: Not regulated as a dangerous good		
IATA (Cargo)	: Not regulated as a dangerous good		
IATA (Passenger)	: Not regulated as a dangerous good		
14.5 Environmental hazards Not regulated as a dange	ous good		
14.6 Special precautions for Not applicable	user		
<b>14.7 Maritime transport in bu</b> Not applicable for product	Ik according to IMO instruments as supplied.		

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
GB Export and import of hazardous chemicals - Prior	:	Not applicable



Date of last issue: 01.06.2023 Revision Date: 01.02.2024	Version 3.2	Print Date 29.02.2024
Informed Consent (PIC) Regulation	on	
Control of Major Accident Hazard 2015 (COMAH) Volatile organic compounds :		
If other regulatory information app Sheet, then it is described in this	plies that is not already provided elsewhere in subsection.	the Safety Data

Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	:	Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH) May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

# **SECTION 16: Other information**

## Full text of other abbreviations

GB EH40 GB EH40 / TWA ADR		UK. EH40 WEL - Workplace Exposure Limits Long-term exposure limit (8-hour TWA reference period) European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration



Date of last issue: 01.06.2023 Revision Date: 01.02.2024	Version 3.2	Print Date 29.02.2024
REACH	: Regulation (EC) No 1907/2006 of the E and of the Council of 18 December 200 istration, Evaluation, Authorisation and cals (REACH), establishing a European	06 concerning the Reg- Restriction of Chemi-
SVHC	: Substances of Very High Concern	
vPvB	: Very persistent and very bioaccumulati	ive

### **Further information**

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN