

Date of last issue: 11.01.2023	Version 4.1	Print Date 29.02.2024
Revision Date: 14.12.2023		

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

SikaBiresin<sup>®</sup> GC11 (GC 11) Part B

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Tooling system

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone	•	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

#### **1.4 Emergency telephone number**

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 127 Acute toxicity, Category 4	<b>72/2008)</b> H302: Harmful if swallowed.
Skin corrosion, Category 1	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 2	H361d: Suspected of damaging the unborn child.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)



Date of last issue: 11.01.2023 Revision Date: 14.12.2023		Ve	ersion 4.1	Print Date 29.02.2024
Hazard pictograms	:			
Signal word	:	Danger		
Hazard statements	:	H302 H314 H317 H361d H412	Harmful if swallowed. Causes severe skin burns a May cause an allergic skin Suspected of damaging the Harmful to aquatic life with fects.	reaction. e unborn child.
Supplemental Hazard Statements	:	EUH071	Corrosive to the respiratory	r tract.
Precautionary statements	:	<b>Prevention:</b> P201 P261 P280	Obtain special instructions Avoid breathing mist or vap Wear protective gloves/ pro eye protection/ face protect	oours. otective clothing/
		<b>Response:</b> P303 + P361 + F P304 + P340 + F P305 + P351 + F	ately all contaminated cloth with water.	ing. Rinse skin e person to fresh or breathing. Im- ENTER/ doctor. Rinse cautiously tes. Remove con- easy to do. Con-

#### Hazardous components which must be listed on the label:

Amines, polyethylenepoly-, triethylenetetramine fraction salicylic acid Phenol, styrenated

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Date of last issue: 11.01.2023 Revision Date: 14.12.2023 Version 4.1

Print Date 29.02.2024

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Amines, polyethylenepoly-, tri- ethylenetetramine fraction Contains: 2-(2-aminoethylamino)ethanol <= 0,3 %	90640-67-8 292-588-2 01-2119487919-13- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Corr. 1B; H314 Skin Sens. 1; H317 Aquatic Chronic 3; H412 EUH071EUH071 Acute toxicity estimate	>= 40 - < 60
		Acute oral toxicity: 1.716 mg/kg Acute dermal toxicity: 1.465 mg/kg	
salicylic acid	69-72-7 200-712-3 01-2119486984-17- XXXX	Acute Tox. 4; H302 Eye Dam. 1; H318 Repr. 2; H361d Acute toxicity esti- mate	>= 20 - < 25
		Acute oral toxicity: 891 mg/kg	



Date of last issue: 11.01.2023
Revision Date: 14.12.2023

Version 4.1

Print Date 29.02.2024

1,3-Cyclohexanedimethanamine	2579-20-6 219-941-5 01-2119543741-41- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Corr. 1A; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412 Acute toxicity esti- mate	>= 10 - < 20
		Acute oral toxicity: 780 mg/kg Acute dermal toxicity: 1.700 mg/kg	
Phenol, styrenated	61788-44-1 262-975-0 01-2119980970-27- XXXX, 01- 2119979575-18- XXXX	Skin Irrit. 2; H315 Skin Sens. 1A; H317 Aquatic Chronic 2; H411	>= 10 - < 20

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	<ul> <li>Move out of dangerous area.</li> <li>Consult a physician.</li> <li>Show this safety data sheet to the doctor in attendance.</li> </ul>
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty.
In case of eye contact	<ul> <li>Small amounts splashed into eyes can cause irreversible tissue damage and blindness.</li> <li>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</li> <li>Continue rinsing eyes during transport to hospital.</li> <li>Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> </ul>
If swallowed	: Do not induce vomiting without medical advice. Rinse mouth with water.



Date of last issue: 11.01.2023 Revision Date: 14.12.2023		Version 4.1	Print Date 29.02.2024
		Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious	s person.
4.2 Most important symptoms ar	nd	effects, both acute and delayed	
Symptoms	:	Gastrointestinal discomfort Allergic reactions Dermatitis See Section 11 for more detailed information on and symptoms.	health effects
Risks	:	Health injuries may be delayed. corrosive effects sensitising effects	
		Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye damage. Suspected of damaging the unborn child. Corrosive to the respiratory tract. Causes severe burns.	
4.3 Indication of any immediate	ne	dical attention and special treatment needed	
Treatment		Treat symptomatically.	

## **SECTION 5: Firefighting measures**

<b>5.1 Extinguishing media</b> Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
----------------------	---	------------------------------------



Date of last issue: 11.01.2023 Revision Date: 14.12.2023	Version 4.1	Print Date 29.02.2024
	Deny access to unprotected persons.	
6.2 Environmental precautions		
Environmental precautions :	Do not flush into surface water or sanitary sewe If the product contaminates rivers and lakes or o respective authorities.	
6.3 Methods and material for conta	inment and cleaning up	
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

	Advice on safe handling :	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
	Advice on protection against : fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures :	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, in	clı	uding any incompatibilities
	Requirements for storage : areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Further information on stor-	:	No decomposition if stored and applied as directed.



Date of last issue: 11.01.2023	Version 4.1	Print Date 29.02.2024
Revision Date: 14.12.2023		

age stability

#### 7.3 Specific end use(s)

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
------------	---------	----------------------------------	---------------------------	---------

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipme	nt
Eye/face protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.
Hand protection	: Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	: Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	: No special measures required.
Environmental exposure cor	trols
General advice	: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.



# SikaBiresin® GC11 (GC 11) Part B

Date of last issue: 11.01.2023 Revision Date: 14.12.2023 Version 4.1

Print Date 29.02.2024

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state		liquid
Colour	:	amber
Odour	:	amine-like
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	256 °C
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	vn	losivo limits
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 110 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	9 - 12 Concentration: 100 %
<b>Viscosity</b> Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available



Date of last issue: 11.01.2023 Revision Date: 14.12.2023	Version 4.1	Print Date 29.02.2024
Vapour pressure	: 0,34 hPa	
Density	: 1,08 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
<b>9.2 Other information</b> No data available		

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Harmful if swallowed.

#### **Components:**

#### Amines, polyethylenepoly-, triethylenetetramine fraction:

Acute oral toxicity : LD50 Oral (Rat): 1.716 mg/kg



ate of last issue: 11.01.2023 evision Date: 14.12.2023		Version 4.1	Print Date 29.02.2024
		Acute toxicity estimate: 1.716 mg/kg Method: Calculation method	
Acute inhalation toxicity	:	Assessment: Corrosive to the respiratory tract.	
Acute dermal toxicity		LD50 Dermal (Rabbit): 1.465 mg/kg	
Acute definal toxicity	•	Acute toxicity estimate: 1.465 mg/kg	
		Method: Calculation method	
salicylic acid:			
Acute oral toxicity	:	LD50 Oral (Rat): 891 mg/kg	
		Acute toxicity estimate: 891 mg/kg Method: Calculation method	
Acute dermal toxicity	:	LD50 Dermal (Rat): > 2.000 mg/kg	
1,3-Cyclohexanedimethan	amin	e:	
Acute oral toxicity	:	LD50 Oral (Rat): 780 mg/kg	
		Acute toxicity estimate: 780 mg/kg Method: Calculation method	
Acute dermal toxicity	:	LD50 Dermal (Rat): 1.700 mg/kg	
		Acute toxicity estimate: 1.700 mg/kg Method: Calculation method	
Phenol, styrenated:			
Acute oral toxicity	:	LD50 Oral (Rat): 2.500 mg/kg	
Acute dermal toxicity	:	LD50 Dermal (Rat): > 5.000 mg/kg	
Skin corrosion/irritation Causes severe burns.			
Serious eye damage/eye ir		on	
Causes serious eye damage		_	
Respiratory or skin sensiti	Isatic	on	
<b>Skin sensitisation</b> May cause an allergic skin re	eactio	on.	
<b>Respiratory sensitisation</b> Not classified based on avai			



Date of last issue: 11.01.2023 Revision Date: 14.12.2023 Version 4.1

Print Date 29.02.2024

### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Suspected of damaging the unborn child.

#### STOT - single exposure

Corrosive to the respiratory tract.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment :

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..



Date of last issue: 11.01.2023 Revision Date: 14.12.2023	Version 4.1	Print Date 29.02.2024					
12.6 Endocrine disrupting properties							
Product:							
Assessment :	The substance/mixture does not contain compor ered to have endocrine disrupting properties acc REACH Article 57(f) or Commission Delegated r (EU) 2017/2100 or Commission Regulation (EU) levels of 0.1% or higher.	cording to regulation					
12.7 Other adverse effects							
Product:							
Additional ecological infor- : mation	An environmental hazard cannot be excluded in unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.	the event of					

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

J. I	waste incatinent methods			
	Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.	
	European Waste Catalogue	:	20 01 27* paint, inks, adhesives and resins containing dan- gerous substances	
	Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances	

## **SECTION 14: Transport information**

## 14.1 UN number or ID number

ΙΑΤΑ		UN 2735
IMDG	:	UN 2735
ADR	:	UN 2735



Date of last issue: 11.01.2023 Revision Date: 14.12.2023		Version 4.1	Print Date 29.02.20
14.2 UN proper shipping name			
ADR	:	AMINES, LIQUID, CORROSIVE, N.O.S. (1,3-Cyclohexanedimethanamine, 3,6- diazaoctanethylenediamin)	
IMDG	:	AMINES, LIQUID, CORROSIVE, N.O.S. (1,3-Cyclohexanedimethanamine, 3,6- diazaoctanethylenediamin)	
ΙΑΤΑ	:	Amines, liquid, corrosive, n.o.s. (1,3-Cyclohexanedimethanamine, 3,6- diazaoctanethylenediamin)	
14.3 Transport hazard class(es)			
		Class Subsidiary risks	
ADR	:	8	
IMDG	:	8	
ΙΑΤΑ	:	8	
14.4 Packing group			
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code		II C7 80 8 (E)	
IMDG Packing group Labels EmS Code	:	II 8 F-A, S-B	
IATA (Cargo) Packing instruction (cargo aircraft)	:	855	
Packing instruction (LQ) Packing group Labels	:	Y840 II Corrosive	
IATA (Passenger) Packing instruction (passen- ger aircraft)	:	851	
Packing instruction (LQ) Packing group Labels	:	Y840 II Corrosive	
14.5 Environmental hazards			
<b>ADR</b> Environmentally hazardous	:	no	
IMDG			



Date of last issue: 11.01.2023 Revision Date: 14.12.2023		Version 4.1	Print Date 29.02.2024
Marine pollutant	: no		
IATA (Passenger) Environmentally hazardous	: no		

## IATA (Cargo)

Environmentally hazardous : no

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	: Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	: Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	: Not applicable
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	: Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	: Not applicable
Control of Major Accident Hazards Regulations 2015 (COMAH)	Not applicable



Date of last issue: 11.01.2023 Revision Date: 14.12.2023	Version 4.1	Print Date 29.02.2024	
Volatile organic compounds :	Law on the incentive tax for volatile organic com (VOCV) no VOC duties	pounds	
	Directive 2010/75/EU of 24 November 2010 on i emissions (integrated pollution prevention and co Volatile organic compounds (VOC) content: < 09	ontrol)	
If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.			
Health, safety and environ- : mental regulation/legislation specific for the substance or mixture:	Environmental Protection Act 1990 & Subsidiary Health and Safety at Work Act 1974 & Subsidiar Control of Substances Hazardous to Health Reg (COSHH) May be subject to the Control of Major Accident Regulations (COMAH), and amendments.	y Regulations julations	

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H302 H312 H314 H315 H317 H318 H361d H411		Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Suspected of damaging the unborn child. Toxic to aquatic life with long lasting effects.		
H412	:	Harmful to aquatic life with long lasting effects.		
Full text of other abbreviations				
Acute Tox. Aquatic Chronic Eye Dam. Repr. Skin Corr. Skin Irrit. Skin Sens. ADR		Acute toxicity Long-term (chronic) aquatic hazard Serious eye damage Reproductive toxicity Skin corrosion Skin irritation Skin sensitisation European Agreement concerning the International Carriage of Dangerous Goods by Road		
CAS DNEL EC50 GHS	:	Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System		



Date of last issue: 11.01.2023 Revision Date: 14.12.2023	Version 4.1	Print Date 29.02.2024
	International Air Transport Association International Maritime Code for Dangerous Goo Median lethal dosis (the amount of a material, g once, which causes the death of 50% (one half	given all at
LC50 :	test animals) Median lethal concentration (concentrations of air that kills 50% of the test animals during the period)	
MARPOL :	International Convention for the Prevention of F Ships, 1973 as modified by the Protocol of 1976	
OEL :	Occupational Exposure Limit	-
PBT :	Persistent, bioaccumulative and toxic	
PNEC :	Predicted no effect concentration	
REACH :	Regulation (EC) No 1907/2006 of the Europear and of the Council of 18 December 2006 conce istration, Evaluation, Authorisation and Restrict cals (REACH), establishing a European Chemin	erning the Reg- ion of Chemi-
SVHC :	Substances of Very High Concern	0
vPvB :	Very persistent and very bioaccumulative	

### **Further information**

Classification of the mixture:		Classification procedure:
Acute Tox. 4	H302	Calculation method
Skin Corr. 1	H314	Based on product data or assessment
Eye Dam. 1	H318	Based on product data or assessment
Skin Sens. 1	H317	Calculation method
Repr. 2	H361d	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN