

BUILDING TRUST

SikaViscoCrete-150 PF (GB)

DECLARATION OF PERFORMANCE No. 58248139

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT- TYPE:	58248139
2	INTENDED USE/S	EN 934-2:2009 +A1:2012 High range water reducing superplasticising concrete admixture according to Tables 3.1 & 3.2
3	MANUFACTURER:	Sika Limited Watchmead Welwyn Garden City Hertfordshire AL7 1BQ United Kingdom
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	System 2+
6a	HARMONISED STANDARD:	EN 934-2:2009 +A1:2012
	Notified body/ies:	1029

Declaration of Performance SikaViscoCrete-150 PF (GB) 58248139 2021.11 , ver. 02 1088

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification	
Water soluble chloride	<0.1%	System 2+		
Alkali content	<0.2%	System 2+		
Increase in consistence	>/= 120mm over control	System 2+		
Compressive strength	>/= 90% of control	System 2+		
Air Content	<2% over control	System 2+	— — EN 934-2:2009 — +A1:2012	
Corrosion behavior	No effect	System 2+		
Dangerous substances	Non hazardous	System 2+		
			_	

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR -SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Anthony Smith Function: Product Manager At Sika Ltd on 04 November 2021




Name : Martin Liska Function: R&D Manager At Sika Ltd on 04 November 2021

.

BUILDING TRUST

End of information as required by Regulation (EU) No 305/2011





	20
Sika Limited, H	ertfordshire, United Kingdom
Do	oP No. 58248139
EN 93	34-2:2009 +A1:2012
No	tified Body 1029
High range water reducing superplastici	sing concrete admixture according to Tables 3.1 & 3.2
Water soluble chloride	<0.1%
Alkali content	<0.2%
Increase in consistence	>/= 120mm over control
Compressive strength	>/= 90% of control
Air Content	<2% over control
Corrosion behavior	No effect
Dangerous substances	Non hazardous

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Declaration of Performance SikaViscoCrete-150 PF (GB) 58248139 2021.11, ver. 02 1088



Sika Limited Watchmead Welwyn Garden City Hertfordshire AL7 1BQ United Kingdom

www.sika.co.uk

Declaration of Performance

SikaViscoCrete-150 PF (GB) 58248139 2021.11 , ver. 02 1088



BUILDING TRUST