

Date of last issue: 18.01.2024	Version 2.4	Print Date 22.03.2024
Revision Date: 29.01.2024		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Various Semi-Finished

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Intermediate

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1	H290: May be corrosive to metals.
Skin corrosion, Sub-category 1A	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	L P	
Signal word	:	Danger	
Hazard statements	:	H290 H314	May be corrosive to metals. Causes severe skin burns and eye damage.

Date of last issue: 18.01.2024 Revision Date: 29.01.2024	Version 2.4		Print Date 22.03.2024
Precautionary statements :	Prevention:		
	P280	Wear protective gloves/ protect eye protection/ face protection.	ive clothing/
	Response:		
	P301 + P330 +	P331 IF SWALLOWED: Rinse NOT induce vomiting.	mouth. Do
	P303 + P361 +	P353 IF ON SKIN (or hair): Tak ately all contaminated clothing. with water.	
	P304 + P340 +	P310 IF INHALED: Remove pe air and keep comfortable for bre mediately call a POISON CENT	eathing. Im-
	P305 + P351 +	P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	e cautiously Remove con- to do. Con-
	P390	Absorb spillage to prevent mate	erial damage.

Hazardous components which must be listed on the label:

sodium hydroxide

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
sodium hydroxide	1310-73-2	Skin Corr. 1A; H314	>= 5 - < 10
	215-185-5	Met. Corr. 1; H290	
	01-2119457892-27-	Eye Dam. 1; H318	
	XXXX		
		specific concentration	
		limit	
		Skin Corr. 1A; H314	
		>= 5 %	
		Skin Corr. 1B; H314	
		2 - < 5 %	
		Skin Irrit. 2; H315	
		0,5 - < 2 %	
		Eye Irrit. 2; H319	
		0,5 - < 2 %	
		-,	

Version 2.4

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Co	ve out of dangerous area. nsult a physician. ow this safety data sheet to the doctor in attendance.
If inhaled		ve to fresh air. nsult a physician after significant exposure.
In case of skin contact	Wa Imr	the off contaminated clothing and shoes immediately. In this should be and plenty of water. In the additional treatment is necessary as untreated ands from corrosion of the skin heal slowly and with difficul-
In case of eye contact	sue In t of v Co Re	all amounts splashed into eyes can cause irreversible tis- e damage and blindness. he case of contact with eyes, rinse immediately with plenty vater and seek medical advice. ntinue rinsing eyes during transport to hospital. move contact lenses. ep eye wide open while rinsing.



Print Date 22.03.2024



Date of last issue: 18.01.2024 Revision Date: 29.01.2024		Version 2.4	Print Date 22.03.20
If swallowed	:	Do not induce vomiting without medical adv	vice.
		Rinse mouth with water.	
		Do not give milk or alcoholic beverages.	
		Never give anything by mouth to an uncons	scious person.
4.2 Most important symptoms a	and e	effects, both acute and delayed	
Symptoms	:	Dermatitis	
		See Section 11 for more detailed information	on on health effects
		and symptoms.	
Risks	:	Health injuries may be delayed.	
		corrosive effects	
		Causes serious eye damage.	
4.3 Indication of any immediate Treatment	me :	Causes severe burns. dical attention and special treatment need Treat symptomatically.	led
-	me :	dical attention and special treatment need	led
-	:	dical attention and special treatment need Treat symptomatically.	led
Treatment	:	dical attention and special treatment need Treat symptomatically.	led
Treatment SECTION 5: Firefighting mea	: asur	dical attention and special treatment need Treat symptomatically.	r jet/carbon diox-
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media	: asur	dical attention and special treatment need Treat symptomatically. Tes In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem	r jet/carbon diox-
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media	: asur	dical attention and special treatment need Treat symptomatically.	r jet/carbon diox-
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media	: asur	dical attention and special treatment need Treat symptomatically.	r jet/carbon diox-
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	asur asur	dical attention and special treatment need Treat symptomatically. es In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction.	r jet/carbon diox- ical powder for
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	asur asur	dical attention and special treatment need Treat symptomatically.	r jet/carbon diox- ical powder for
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod-	asur asur	dical attention and special treatment need Treat symptomatically. es In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction.	r jet/carbon diox- ical powder for
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters	: asur : : n the	dical attention and special treatment need Treat symptomatically. Tes In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction. E substance or mixture No hazardous combustion products are known	r jet/carbon diox- ical powder for own
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts	: asur : : n the	dical attention and special treatment need Treat symptomatically. es In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction.	r jet/carbon diox- ical powder for own

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
		Deny access to unprotected persons.



Date of last issue: 18.01.2024 Revision Date: 29.01.2024	Version 2.4	Print Date 22.03.2024
6.2 Environmental precautions		
Environmental precautions	: Do not flush into surface water or sa If the product contaminates rivers ar respective authorities.	
6.3 Methods and material for cor	ainment and cleaning up	
Methods for cleaning up	: Soak up with inert absorbent materia acid binder, universal binder, sawdu Keep in suitable, closed containers	ust).
6.4 Reference to other sections		
For personal protection see se	ction 8.	
SECTION 7: Handling and sto	age	
7.1 Precautions for safe handling		
Advice on safe handling	 Avoid exceeding the given occupation section 8). Do not get in eyes, on skin, or on close For personal protection see section Smoking, eating and drinking should plication area. 	othing. 8. d be prohibited in the ap-

			section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.



SAFETY DATA SHEET

Date of last issue: 18.01.2024	Version 2.4	Print Date 22.03.2024
Revision Date: 29.01.2024		

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
sodium hydroxide	1310-73-2	STEL	2 mg/m3	GB EH40

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Personal protective equipme	ent	
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.



e of last issue: 18.01.2024 ision Date: 29.01.2024		Version 2.4	Print Date 22.03.2
General advice	:	Do not flush into surface water or sanital If the product contaminates rivers and la respective authorities.	
CTION 9: Physical and cher	nie	cal properties	
Information on basic physical	ar	nd chemical properties	
Physical state	:	liquid	
Colour	:	clear, colourless	
Odour	:	mild	
Melting point/range / Freezing point	:	No data available	
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or o	exp	blosive limits	
Upper explosion limit / Up- per flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	> 101 °C Method: closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	ca. 13,8	
Viscosity Viscosity, kinematic	:	No data available	
Solubility(ies)			



Date of last issue: 18.01.2024 Revision Date: 29.01.2024		Version 2.4	Print Date 22.03.2024
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	23 hPa	
Density	:	ca. 1,1 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

10.5 Incompatible materials

data available
)

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.



Date of last issue: 18.01.2024 Revision Date: 29.01.2024	Version 2.4	Print Date 22.03.20
Skin corrosion/irritation		
Causes severe burns.		
Serious eye damage/eye irritation		
Causes serious eye damage.		
Respiratory or skin sensitisation		
Skin sensitisation		
Not classified based on available information.		
Respiratory sensitisation		
Not classified based on available information.		
Germ cell mutagenicity		
Not classified based on available information.		
Carcinogenicity		
Not classified based on available information.		
Reproductive toxicity		
Not classified based on available information.		
STOT - single exposure		
Not classified based on available information.		
STOT - repeated exposure		
Not classified based on available information.		
Aspiration toxicity Not classified based on available information.		
11.2 Information on other hazards		
SECTION 12: Ecological information		
12.1 Toxicity		
No data available		

- 12.2 Persistence and degradability No data available
- 12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or



Date of last issue: 18.01.2024	
Revision Date: 29.01.2024	

Version 2.4

Print Date 22.03.2024

very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number			
ADR	:	UN 1824	
IMDG	:	UN 1824	
ΙΑΤΑ	:	UN 1824	
14.2 UN proper shipping name			
ADR	:	SODIUM HYDROXID	DE SOLUTION
IMDG	:	SODIUM HYDROXIE	DE SOLUTION
ΙΑΤΑ	:	Sodium hydroxide so	lution
14.3 Transport hazard class(es)			
		Class	Subsidiary risks



Date of last issue: 18.01.2024 Revision Date: 29.01.2024		Version 2.4	Print Date 22.03.2024
		0	
ADR	:	8	
IMDG	:	8	
ΙΑΤΑ	:	8	
14.4 Packing group			
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	:	II C5 80 8 (E)	
IMDG Packing group Labels EmS Code	:	II 8 F-A, S-B	
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	:	855 Y840 II Corrosive	
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	:	851 Y840 II Corrosive	
14.5 Environmental hazards			
ADR Environmentally hazardous	:	no	
IMDG Marine pollutant	:	no	
IATA (Passenger) Environmentally hazardous	:	no	
IATA (Cargo) Environmentally hazardous	:	no	
14.6 Special precautions for use	•		
The transport classification(s) upon the properties of the unp	pro acl	vided herein are for informational purposes of aged material as it is described within this Sa	afety Data Sheet.

Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



Date of last issue: 18.01.2024	Version 2.4	Print Date 22.03.2024
Revision Date: 29.01.2024		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation			:	Not applicable	
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Brit- ain)			:	Not applicable	
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors			:	Not applicable	
	Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable	
UK REACH List of substances subject to authorisation : Not applicable (Annex XIV)					
	Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax fo	or volatile organic compounds	
				4 November 2010 on industrial ution prevention and control)	
If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.					
	Health, safety and environ- : mental regulation/legislation specific for the substance or mixture:	Health and Safety at W Control of Substances (COSHH)	Vork Ha:	Act 1990 & Subsidiary Regulations Act 1974 & Subsidiary Regulations zardous to Health Regulations	
		A. I.	<u> </u>	Contract Managers And States of the second	

(COSHH) May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.



Date of last issue: 18.01.2024 Revision Date: 29.01.2024 Version 2.4

Print Date 22.03.2024

SECTION 16: Other information

Full text of H-Statements					
H290	:	May be corrosive to metals.			
H314	÷	Causes severe skin burns and eye damage.			
H318	:	Causes serious eye damage.			
Full text of other abbreviations					
Eye Dam.	:	Serious eye damage			
Met. Corr.	:	Corrosive to metals			
Skin Corr.	:	Skin corrosion			
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits			
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)			
ADR	:	European Agreement concerning the International Carriage of			
		Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
ΙΑΤΑ	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at			
		once, which causes the death of 50% (one half) of a group of			
		test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in			
		air that kills 50% of the test animals during the observation			
		period)			
MARPOL	:	International Convention for the Prevention of Pollution from			
		Ships, 1973 as modified by the Protocol of 1978			
OEL	:	Occupational Exposure Limit			
PBT	:	Persistent, bioaccumulative and toxic			
PNEC	:	Predicted no effect concentration			
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament			
		and of the Council of 18 December 2006 concerning the Reg-			
		istration, Evaluation, Authorisation and Restriction of Chemi-			
		cals (REACH), establishing a European Chemicals Agency			
SVHC	:	Substances of Very High Concern			
vPvB	:	Very persistent and very bioaccumulative			
Eurthor information					

Further information

Classification of	f the mixture:	Classification procedure:
Met. Corr. 1	H290	Calculation method
Skin Corr. 1A	H314	Calculation method
Eye Dam. 1	H318	Calculation method



Date of last issue: 18.01.2024 Revision Date: 29.01.2024 Version 2.4

Print Date 22.03.2024

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN