

Date of last issue: 05.04.2023	Version 7.4	Print Date 29.02.2024
Revision Date: 02.01.2024		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Sika MonoTop[®]-620

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete prote

: Concrete protection and repair system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone Telefax E-mail address of person responsible for the SDS	:	+44 (0)1707 394444 +44 (0)1707 329129 EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

	Classification (REGULATION (EC) No 127 Skin corrosion, Category 1A	2/2008) H314: Causes severe skin burns and eye damage.
	Serious eye damage, Category 1	H318: Causes serious eye damage.
	Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
	Specific target organ toxicity - repeated exposure, Category 2, Lungs	H373: May cause damage to organs through pro- longed or repeated exposure.
2	Label elements	
	Labelling (REGULATION (EC) No 1272/200	08)
	Hazard pictograms :	

2.2



Date of last issue: 05.04.2023 Revision Date: 02.01.2024		Ve	ersion 7.4	Print Date 29.02.2024
Signal word	: C	Danger		
Hazard statements	F	H314 H335 H373	Causes severe skin burns and May cause respiratory irritation May cause damage to organs (through prolonged or repeated	Lungs)
Precautionary statements	: F	Prevention:		
	F	P260	Do not breathe dust/ fume/ gas pours/ spray.	/ mist/ va-
	F	280	Wear protective gloves/ protect eye protection/ face protection.	ive clothing/
	F	Response:		
	F	P301 + P330 + F	2331 IF SWALLOWED: Rinse NOT induce vomiting.	mouth. Do
	F	P303 + P361 + F	5	
	F	P304 + P340 + F	2310 IF INHALED: Remove per air and keep comfortable for br mediately call a POISON CENT	eathing. Im-
	F	P305 + P351 + F	P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	se cautiously Remove con- to do. Con-

Hazardous components which must be listed on the label:

Cement (chromium reduced) Quartz (SiO2) <5µm

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Date of last issue: 05.04.2023 Revision Date: 02.01.2024 Version 7.4

Print Date 29.02.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Cement (chromium reduced)	65997-15-1 266-043-4	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 25 - < 40
Quartz (SiO2) <5µm	14808-60-7 238-878-4	STOT RE 1; H372 (Lungs)	>= 1 - < 2,5
Substances with a workplace expe	osure limit :	•	•
Quartz (SiO2)	14808-60-7 238-878-4		>= 40 - < 60
cristobalite	14464-46-1 238-455-4		>= 2,5 - < 5
Fumes, silica	69012-64-2 273-761-1 01-2119486866-17- XXXX		>= 1 - < 2,5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.



ate of last issue: 05.04.2023 evision Date: 02.01.2024	Version 7.4	Print Date 29.02.20
	Continue rinsing eyes during transport Remove contact lenses. Keep eye wide open while rinsing.	to hospital.
If swallowed	 Do not induce vomiting without medica Rinse mouth with water. Do not give milk or alcoholic beverage Never give anything by mouth to an ur 	s.
.2 Most important symptoms a	nd effects, both acute and delayed	
Symptoms	 Cough Respiratory disorder Dermatitis See Section 11 for more detailed infor and symptoms. 	mation on health effects
Risks	: Health injuries may be delayed. corrosive effects irritant effects	
	Causes serious eye damage.	
	May cause respiratory irritation. May cause damage to organs through exposure. Causes severe burns.	prolonged or repeated
	May cause respiratory irritation	
Treatment	May cause damage to organs through exposure. Causes severe burns. medical attention and special treatment : Treat symptomatically.	
Treatment	May cause damage to organs through exposure. Causes severe burns. medical attention and special treatment : Treat symptomatically.	
Treatment	May cause damage to organs through exposure. Causes severe burns. medical attention and special treatment : Treat symptomatically. sures	needed
Treatment SECTION 5: Firefighting mea	May cause damage to organs through exposure. Causes severe burns. medical attention and special treatment : Treat symptomatically. sures : Use extinguishing measures that are a cumstances and the surrounding envir	needed
Treatment SECTION 5: Firefighting mea .1 Extinguishing media Suitable extinguishing media .2 Special hazards arising from	May cause damage to organs through exposure. Causes severe burns. medical attention and special treatment : Treat symptomatically. sures : Use extinguishing measures that are a cumstances and the surrounding envir	needed
Treatment SECTION 5: Firefighting mea .1 Extinguishing media Suitable extinguishing media .2 Special hazards arising from Hazardous combustion prod-	May cause damage to organs through exposure. Causes severe burns. medical attention and special treatment : Treat symptomatically. sures : Use extinguishing measures that are a cumstances and the surrounding envir the substance or mixture	needed
Treatment SECTION 5: Firefighting mea .1 Extinguishing media Suitable extinguishing media .2 Special hazards arising from Hazardous combustion prod- ucts	May cause damage to organs through exposure. Causes severe burns. medical attention and special treatment : Treat symptomatically. sures : Use extinguishing measures that are a cumstances and the surrounding envir the substance or mixture : No hazardous combustion products ar	needed appropriate to local cir- ronment.



Date of last issue: 05.04.2023 Revision Date: 02.01.2024	Version 7.4	Print Date 29.02.2024
SECTION 6: Accidental release	emeasures	
6.1 Personal precautions, protecti	ve equipment and emergency procedure	S
Personal precautions	 Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons. 	
6.2 Environmental precautions		
Environmental precautions	: Do not flush into surface water or sanitar If the product contaminates rivers and lal respective authorities.	
6.3 Methods and material for cont	ainment and cleaning up	
Methods for cleaning up	: Pick up and arrange disposal without cre Keep in suitable, closed containers for di	0
C 4 Deference to other costions		

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, ir	ncl	luding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.

Date of last issue: 05.04.2023	
Revision Date: 02.01.2024	

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *			
Cement (chromium reduced)	65997-15-1	TWA (inhalable	10 mg/m3	GB EH40			
	00007 10 1	dust)	i o mg/mo	OD LI 140			
		TWA (Respirable	4 mg/m3	GB EH40			
		dust)	4 mg/mo	OD LINHO			
cristobalite	14464-46-1	TWA (Respirable	0,1 mg/m3	2004/37/EC			
onotobalito		dust)	0,1 119/110	200 1/01/20			
	Further inform	Further information: Carcinogens or mutagens					
Fumes, silica	69012-64-2	TWA (inhalable	6 mg/m3	GB EH40			
Turres, silea	03012-04-2	dust)	(Silica)				
	Eurther inform	nation: For the purpo		rospirablo			
		alable dust are those					
		ed when sampling is					
		described in MDHS1					
		vimetric analysis or r					
	aerosols., Th	e COSHH definition	of a substance ha	zardous to			
	health include	es dust of any kind w	hen present at a d	concentration			
		o or greater than 10 n					
		m-3 8-hour TWA of r					
		be subject to COSH					
		levels. Some dusts h					
		posure to these mus					
		ndustrial dusts conta					
		haviour, deposition a					
	after entry int	o the human respirat	ory system, and t	he body re-			
	sponse that it	sponse that it elicits, depend on the nature and size of the particle.					
		HSE distinguishes two size fractions for limit-setting purposes					
		termed 'inhalable' and 'respirable'., Inhalable dust approximates to					
		the fraction of airborne material that enters the nose and mouth					
		during breathing and is therefore available for deposition in the					
		respiratory tract. Respirable dust approximates to the fraction that					
		penetrates to the gas exchange region of the lung. Fuller defini-					
		tions and explanatory material are given in MDHS14/4., Where					
	dusts contain	dusts contain components that have their own assigned WEL, all					
	the relevant l	the relevant limits should be complied with., Where no specific					
		short-term exposure limit is listed, a figure three times the long-					
	lenn exposur	e iimit snouid de use	d.				
		e limit should be use TWA (Respirable	a. 2,4 mg/m3	GB EH40			

Version 7.4

Print Date 29.02.2024





Sika MonoTop[®]-620

Date of last issue: 05.04.2023	Version 7.4	Print Date 29.02.2024
Revision Date: 02.01.2024		

general dust value

Form of exposure	Value type	Control parameters	Basis
Inhalable	TWA	10 mg/m3	GB EH40
Respirable fraction	TWA	4 mg/m3	GB EH40

8.2 Exposure controls

Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.
Environmental exposure contr	ols
General advice :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties



Date of last issue: 05.04.2023 Revision Date: 02.01.2024		Version 7.4	Print Date 29.02.2024
Physical state Appearance Colour	:	solid powder grey	
Odour	:	odourless	
Melting point/range / Freezing point	j :	No data available	
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability o	. ext	plosive limits	
Upper explosion limit / Upper flammability limit	• :	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	Not applicable	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	12 (20 °C) Concentration: 500 g/l	
Viscosity			
Viscosity, kinematic	:	Not applicable	
Solubility(ies)			
Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	Not applicable	



Date of last issue: 05.04.2023 Revision Date: 02.01.2024	Version 7.4	Print Date 29.02.2024
Density	: No data available	
Bulk density	: ca. 1.200 kg/m3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information No data available		

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes severe burns.



Date of last issue: 05.04.2023 Revision Date: 02.01.2024	Version 7.4	Print Date 29.02.202
Serious eye damage/eye irritation		
Causes serious eye damage.		
Respiratory or skin sensitisation		
Skin sensitisation		
Not classified based on available info	rmation.	
Respiratory sensitisation		
Not classified based on available info	rmation.	
Germ cell mutagenicity		
Not classified based on available info	rmation.	
Carcinogenicity		
Not classified based on available info	rmation.	
Reproductive toxicity		
Not classified based on available info	rmation.	
STOT - single exposure		
May cause respiratory irritation.		
STOT - repeated exposure		
May cause damage to organs (Lungs) through prolonged or repeated exp	oosure.
Aspiration toxicity		
Not classified based on available info	rmation.	
11.2 Information on other hazards		

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..



Date of last issue: 05.04.2023 Revision Date: 02.01.2024	Version 7.4	Print Date 29.02.2024
12.6 Endocrine disrupting properties No data available		

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residue This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licens waste disposal contractor. Disposal of this product, solutions and any by-products shou at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact wi soil, waterways, drains and sewers.	e sed uld
European Waste Catalogue	: 17 01 06* mixtures of, or separate fractions of concrete, bricks, tiles and ceramics containing dangerous substances	5
Contaminated packaging	15 01 10* packaging containing residues of or contaminated by dangerous substances	Ł

SECTION 14: Transport information

14.1 UN number or ID number

:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
	: : : :



Date of last issue: 05.04.2023 Revision Date: 02.01.2024	Version 7	.4	Print Date 29.02.2024
ADR	: Not regulated as a dang	gerous good	
IMDG	: Not regulated as a dang	gerous good	
ΙΑΤΑ	: Not regulated as a dang	gerous good	
14.4 Packing group			
ADR	: Not regulated as a dang	gerous good	
IMDG	: Not regulated as a dang	gerous good	
IATA (Cargo)	: Not regulated as a dang	gerous good	
IATA (Passenger)	: Not regulated as a dang	gerous good	
14.5 Environmental hazards			
Not regulated as a danger	us good		
14.6 Special precautions for Not applicable	ser		
14.7 Maritime transport in bu Not applicable for product	-	nts	
SECTION 15: Regulatory in	formation		
15.1 Safety, health and enviro Relevant EU provisions transpo	• •	on specific for the s	ubstance or mixture
UK REACH Candidate list concern (SVHC) for Author	of substances of very high sation	: Not applicable	
	utants Regulations (retained as amended for Great Brit-	: Not applicable	

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

Regulation (EC) No 1005/2009 on substances that de- : Not applicable plete the ozone layer

UK REACH List of substances subject to authorisation : Not applicable (Annex XIV)

Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties



Date of last issue: 05.04.2023 Revision Date: 02.01.2024	Version 7.4	Print Date 29.02.2024

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environmental regulation/legislation specific for the substance or mixture: Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH)
 May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

Other regulations:

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements				
H315 : H318 : H335 : H372 :	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. Causes damage to organs through prolonged or repeated exposure if inhaled.			
Full text of other abbreviations				
Eye Dam.:Skin Irrit.:STOT RE:STOT SE:2004/37/EC:	Serious eye damage Skin irritation Specific target organ toxicity - repeated exposure Specific target organ toxicity - single exposure Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work			
GB EH40 : 2004/37/EC / TWA : GB EH40 / TWA : ADR :	UK. EH40 WEL - Workplace Exposure Limits Long term exposure limit Long-term exposure limit (8-hour TWA reference period) European Agreement concerning the International Carriage of Dangerous Goods by Road			
CAS : DNEL : EC50 : GHS : IATA : IMDG : LD50 :	Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)			



Date of last issue: 05.04.2023 Revision Date: 02.01.2024		Version 7.4	Print Date 29.02.2024
LC50	:	Median lethal concentration (concentration air that kills 50% of the test animals during period)	
MARPOL	:	International Convention for the Preventior Ships, 1973 as modified by the Protocol of	
OEL	:	Occupational Exposure Limit	
PBT		Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the Euro and of the Council of 18 December 2006 c istration, Evaluation, Authorisation and Res cals (REACH), establishing a European CI	oncerning the Reg- striction of Chemi-
SVHC	:	Substances of Very High Concern	5 ,
vPvB	:	Very persistent and very bioaccumulative	
Further information			

Further information

Classification of the mixture:		Classification procedure:
Skin Corr. 1A	H314	Based on product data or assessment
Eye Dam. 1	H318	Based on product data or assessment
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN