

FEBGROUT FLOWABLE UNIVERSAL ANCHORING GROUT

DECLARATION OF PERFORMANCE No. 76577310

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT- TYPE:	76577310
2	INTENDED USE/S	Anchoring of reinforcing steel bar. Repair method 4.2 Conforming to the Annex ZA Table ZA.1
3	MANUFACTURER:	Everbuild Building Products LTD Site 41, Knowsthorpe Way, Cross Green Ind. Estate Leeds, LS9 0SW
4	AUTHORISED REPRESENTATIVE:	N/A
5	SYSTEM/S OF AVCP:	System 2+
6a	HARMONISED STANDARD:	EN 1504-6:2007
	Conformity Assessment body/ies:	0120

Declaration of Performance

FEBGROUT FLOWABLE UNIVERSAL GROUT

76577310

06/2022 , ver. 01

1088

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Pull out (dry) Displacement ≤0.6mm at load of 75kN	≤0.6mm	EN1881	EN1504-6:2007
Pull out (wet) Displacement ≤0.6mm at load of 75kN	≤0.6mm	EN1881	
Chloride ion content	≤0.05%	EN1015-7	

**8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR -
SPECIFIC TECHNICAL DOCUMENTATION**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Paul Thomas
Function: Technical Product
Coordinator
At Leeds on 14 June 2022

Name : Mariam Maqsood
Function: Product Manager
At Leeds on 14 June 2022



End of information as required by Regulation

Declaration of Performance

FEBGROUT FLOWABLE UNIVERSAL GROUT
76577310
06/2022 , ver. 01
1088



Everbuild Building Products LTD, Leeds, UK

DoP No. 76577310

EN 1504-6:2007

Conformity Assessment Body 0120

Anchoring of reinforcing steel bar. Repair method 4.2
Conforming to the Annex ZA Table ZA.1

Pull out (dry) Displacement $\leq 0.6\text{mm}$ at load of 75kN	$\leq 0.6\text{mm}$
Pull out (wet) Displacement $\leq 0.6\text{mm}$ at load of 75kN	$\leq 0.6\text{mm}$
Chloride ion content	$\leq 0.05\%$

www.everbuild.co.uk

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

User must read the most recent corresponding Safety Data Sheets (SDS) before using any products. The SDS provides information and advice on the safe handling, storage and disposal of chemical products and contains physical, ecological, toxicological and other safety-related data.

LEGAL NOTE

Any information provided in this Declaration of Performance ("DoP"), including any descriptions and recommendations relating to the application and end-use of any Sika products ("Products"), are given in good faith based on Sika's current knowledge and experience of the Products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. Please note that the materials, substrates and actual site conditions may vary considerably, and therefore Sika makes no warranty for merchantability or fitness for a particular purpose, and accepts no liability for the application and use of the Products, for any recommendations, or for any advice offered. Prior to using, the Product must be tested for its suitability for the intended application and purpose, and the most recent version of the Product Data Sheet must be consulted. Sika reserves the right to change the properties of its Products any time without prior notice. Any orders for Products or services provided by Sika are subject to Sika's current terms and conditions of sale.

Declaration of Performance

FEBGROUT FLOWABLE UNIVERSAL GROUT

76577310

06/2022, ver. 01

1088

Declaration of Performance

FEBGROUT FLOWABLE UNIVERSAL GROUT

76577310

06/2022 , ver. 01

1088

