

**BUILDING TRUST** 

# PRODUCT DATA SHEET Sika<sup>®</sup> AS Accelerator

# ANHYDRITE SCREED ADMIXTURE

#### **PRODUCT DESCRIPTION**

Sika® AS Accelerator is a powdered accelerator / activator which is suitable for all calcium sulphate binders.

#### USES

Sika® AS Accelerator is a unique product that is suitable for the production of Anhydrite/Calcium sulphate based floor screeds.

#### **CHARACTERISTICS / ADVANTAGES**

Improved setting times

Improved early and ultimate strengths

#### **PRODUCT INFORMATION**

Chemical Base	Powder blend of alkali metal sulphates, viscosity modifiers and surfactants
Packaging	1000kg bags
Appearance / Colour	White Powder
Shelf Life	6 months from date of production if stored in unopened and undamaged original sealed containers.
Storage Conditions	Protect from moisture at temperatures between +5°C and +25°C. Protect from direct sunlight and frost.
Bulk Density	1.15kg/litre (approx)
Specific Advice	Water Soluble Chloride Content: <0.1% (chloride free)

#### **APPLICATION INFORMATION**

Recommended Dosage	0.5 – 1.5% by weight of binder
Dispensing	Sika <sup>®</sup> AS Accelerator should be dispensed through suitable calibrated dos- ing equipment

### **APPLICATION INSTRUCTIONS**

#### **APPLICATION METHOD / TOOLS**

- The standard rules of good anhydrite screed practice, concerning production as well as placing and curing, are to be followed. Refer to relevant standards.
- Sika<sup>®</sup> AS Accelerator should be pre blended with the anhydrite/calcium sulphate and fully dispersed to ensure optimum performance levels.

#### NOTES ON APPLICATION / LIMITATIONS

- When using Sika<sup>®</sup> AS Acceleratora suitable mix design is required and local materials sources should be evaluated.
- The quality of Sika<sup>®</sup> AS Accelerator will depend on the required screed specification.
- Support from our Technical Department is recommended

# VALUE BASE

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

# LOCAL RESTRICTIONS

Please note that as a result of specific local regulations the performance of this product may vary from country to country. Please consult the local Product Data Sheet for the exact description of the application fields.

#### ECOLOGY, HEALTH AND SAFETY

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety-related data.

# LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

SIKA LIMITED

Watchmead Welwyn Garden City Hertfordshire, AL7 1BQ Tel: 01707 394444 Web: www.sika.co.uk Twitter: @SikaLimited



Product Data Sheet Sika® AS Accelerator March 2019, Version 01.01 021401011000000102 SIKA IRELAND LIMITED

Ballymun Industrial Estate Ballymun Dublin 11, Ireland Tel: +353 1 862 0709 Web: www.sika.ie Twitter: @Sikalreland





**BUILDING TRUST**