

Date of last issue: 06.10.2022 Revision Date: 31.03.2023	Version 9.1	Print Date 23.03.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Incorez 726/001 (SC381) UFI:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Product is	not intended for consumer use
--------------------------	-------------------------------

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

	Classification (REGULATION (EC) No 1272 Flammable liquids, Category 3				Flammable liquid and vapour.
	Specific target organ toxicity - single ex- posure, Category 3, Central nervous system		H336:	May cause drowsiness or dizziness.	
2.2 Label elements	5				
Labelling (RE	Labelling (REGULATION (EC) No 1272/2008)				
Hazard pictogr	ams	:			
Signal word		:	Warning		
Hazard statem	ents	:	H226	F	Flammable liquid and vapour.
Country GB 00000	0605356				



Date of last issue: 06.10.2022 Revision Date: 31.03.2023	V	ersion 9.1	Print Date 23.03.2024
	H336	May cause drowsiness or dizzin	ess.
Precautionary statements :	Prevention:		
	P210	Keep away from heat, hot surface open flames and other ignition s smoking.	
	P261	Avoid breathing mist or vapours	
	Response:		
	P303 + P361 + I	P353 IF ON SKIN (or hair): Tak ately all contaminated clothing. with water.	
	P304 + P340 + I	P312 IF INHALED: Remove per air and keep comfortable for bre POISON CENTER/ doctor if you	athing. Call a
	P370 + P378	In case of fire: Use dry sand, dry alcohol-resistant foam to exting	y chemical or
	Storage:		
	P403 + P233	Store in a well-ventilated place. tainer tightly closed.	Keep con-

Hazardous components which must be listed on the label:

2-methoxy-1-methylethyl acetate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Date of last issue: 06.10.2022 Revision Date: 31.03.2023 Version 9.1

Print Date 23.03.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		(/0 11/11)
2-methoxy-1-methylethyl acetate Contains: 2-methoxypropyl acetate <= 1 %	108-65-6 203-603-9 01-2119475791-29-	Flam. Liq. 3; H226 STOT SE 3; H336	>= 25 - < 40
	XXXX		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in atte	ndance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	: Take off contaminated clothing and shoes imme Wash off with soap and plenty of water. If symptoms persist, call a physician.	diately.
In case of eye contact	 Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. 	
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious 	s person.
4.2 Most important symptoms	d effects, both acute and delayed	
Symptoms	 Loss of balance Vertigo See Section 11 for more detailed information on and symptoms. 	health effects
Risks	: No known significant effects or hazards.	
	May cause drowsiness or dizziness.	



Date of last issue: 06.10.2022 Revision Date: 31.03.2023		Version 9.1	Print Date 23.03.2024
4.3 Indication of any immediate	me	dical attention and special treatment nee	eded
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting mea	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	:	Water High volume water jet	
5.2 Special hazards arising from	h the	e substance or mixture	
Specific hazards during fire- fighting	:	Do not use a solid water stream as it may fire.	scatter and spread
Hazardous combustion prod- ucts	:	No hazardous combustion products are ki	nown
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained br	eathing apparatus.
Further information	:	Use water spray to cool unopened contair	ners.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions Use personal protective equipment. Remove all sources of ignition. Deny access to unprotected persons. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. 6.2 Environmental precautions Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible ab-
		sorbent material, (e.g. sand, earth, diatomaceous earth, ver-
		miculite) and place in container for disposal according to local

Date of last issue: 06.10.2022 Revision Date: 31.03.2023

/ national regulations (see section 13).

Version 9.1

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Use explosion-proof equipment. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Take precautionary measures against electrostatic discharges.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, in	nclu	uding any incompatibilities
	Requirements for storage areas and containers	:	Store in original container. Keep in a well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Store in accordance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.



Print Date 23.03.2024



Date of last issue: 06.10.2022 Revision Date: 31.03.2023 Version 9.1

Print Date 23.03.2024

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
2-methoxy-1-methylethyl acetate	108-65-6	STEL	100 ppm 550 mg/m3	2000/39/EC
	Further inform	ation: Identifies the	possibility of signi	ficant uptake
	through the sk	in, Indicative		-
		TWA	50 ppm 275 mg/m3	2000/39/EC
		TWA	50 ppm 274 mg/m3	GB EH40
	signed substar	ation: Can be absor nces are those for w tion will lead to syst	hich there are co	
	I	STEL	100 ppm 548 mg/m3	GB EH40

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection.



ate of last issue: 06.10.2022 evision Date: 31.03.2023	Version 9.1	Print Date 23.03.2024			
	exposure levels, the hazards of the proc ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < Ensure adequate ventilation. This can b exhaust extraction or by general ventilat ods for determining inhalation exposure ticular to the mixing / stirring area. In cas to keep the concentrations under the oc	•			
Environmental exposur	e controls				
General advice	 Prevent product from entering drains. If the product contaminates rivers and la respective authorities. 	akes or drains inform			

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid yellow
Odour	:	sweet
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	ca. 160 °C
Flammability (solid, gas)		No data available
Upper/lower flammability or	exp	losive limits
Upper explosion limit / Upper explosion limit / Upper explosion limit	•	
Lower explosion limit / Lower flammability limit	:	1,5 %(V)
Flash point	:	52 °C Method: closed cup
Auto-ignition temperature	:	333 °C



Date of last issue: 06.10.2022 Revision Date: 31.03.2023	Version 9.1	Print Date 23.03.2024
Decomposition temperature	: No data available	
рН	: Not applicable	
Viscosity Viscosity, dynamic	: ca. 500 mPa.s (20 °C)	
Viscosity, kinematic	: >7 mm2/s (40 °C)	
Solubility(ies) Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 3,1 hPa	
Density	: ca. 1,03 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

Vapours may form explosive mixture with air.



ate of last issue: 06.10.2022 evision Date: 31.03.2023	Version 9.1	Print Date 23.03.202
0.4 Conditions to avoid		
Conditions to avoid	: Heat, flames and sparks.	
0.5 Incompatible materials		
Materials to avoid	: No data available	
0.6 Hazardous decomposition	n products	
No decomposition if stored	and applied as directed.	
SECTION 11: Toxicological	information	
-		
	sses as defined in Regulation (EC) No 1272/20	08
Acute toxicity Not classified based on ava	ilable information.	
Components:		
2-methoxy-1-methylethyl	acetate:	
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg	
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 5.000 mg/kg	
Skin corrosion/irritation Not classified based on ava	ilable information.	
Serious eye damage/eye i	rritation	
Not classified based on ava	ilable information.	
Respiratory or skin sensit	tisation	
Skin sensitisation Not classified based on ava	ilable information	
Respiratory sensitisation		
Not classified based on ava	ilable information.	
Germ cell mutagenicity Not classified based on ava	ilable information.	
Carcinogenicity	ilable information	
Carcinogenicity Not classified based on ava	ilable information.	
Carcinogenicity		
Carcinogenicity Not classified based on ava Reproductive toxicity		



Date of last issue: 06.10.2022 Revision Date: 31.03.2023 Version 9.1

Print Date 23.03.2024

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Date of last issue: 06.10.2022	Version 9.1	Print Date 23.03.2024
Revision Date: 31.03.2023		

12.7 Other adverse effects

Product:

Additional ecological infor-: There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized : wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional

local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

:	UN 1992	
:	UN 1992	
:	UN 1992	
:		D, TOXIC, N.O.S. nate, 2-methoxy-1-methylethyl acetate)
:	FLAMMABLE LIQUIE (isophorone diisocya	D, TOXIC, N.O.S. nate, 2-methoxy-1-methylethyl acetate)
:	Flammable liquid, tox (isophorone diisocya	kic, n.o.s. nate, 2-methoxy-1-methylethyl acetate)
	Class	Subsidiary risks
:	3	6.1
:	3	6.1
	: : :	 : UN 1992 : UN 1992 : FLAMMABLE LIQUIT (isophorone diisocya) : FLAMMABLE LIQUIT (isophorone diisocya) : Flammable liquid, tox (isophorone diisocya) Class : 3

14.1 UN number or ID number

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Incorez 726/001 (SC381)

Date of last issue: 06.10.2022 Revision Date: 31.03.2023	Version 9.1 Print Date 23	.03.2024
ΙΑΤΑ	: 3 6.1	
14.4 Packing group		
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	: III : FT1 : 36 : 3 (6.1) : (D/E)	
IMDG Packing group Labels EmS Code	: III : 3 (6.1) : F-E, S-D	
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	: 366 : Y343 : III : Flammable Liquids, Toxic	
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	 355 Y343 III Flammable Liquids, Toxic 	
14.5 Environmental hazards		
ADR Environmentally hazardous	: no	
IMDG Marine pollutant	: no	
IATA (Passenger) Environmentally hazardous	: no	
IATA (Cargo) Environmentally hazardous	: no	
14.6 Special precautions for user The transport classification(s) provided herein are for informational purposes only, and solely based		

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



Date of last issue: 06.10.2022 Revision Date: 31.03.2023 Version 9.1

Print Date 23.03.2024

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	: Not applicable		
UK REACH Candidate list of substances of concern (SVHC) for Authorisation	ery high : Not applicable		
The Persistent Organic Pollutants Regulatio Regulation (EU) 2019/1021 as amended for ain)			
International Chemical Weapons Convention Schedules of Toxic Chemicals and Precurso			
Regulation (EC) No 1005/2009 on substance plete the ozone layer	s that de- : Not applicable		
UK REACH List of substances subject to au (Annex XIV)	norisation : Not applicable		
GB Export and import of hazardous chemicals - Prior : Not applicable Informed Consent (PIC) Regulation			
Control of Major Accident Hazards Regulation 2015 (COMAH)	ns P5c FLAMMABLE LIQUIDS		
Volatile organic compounds : Law on th (VOCV)	e incentive tax for volatile organic compounds ganic compounds (VOC) content: 29,1% w/w		
emissions	2010/75/EU of 24 November 2010 on industrial (integrated pollution prevention and control) ganic compounds (VOC) content: 29,1% w/w		
If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.			

Health, safety and environ-
mental regulation/legislation
specific for the substance or
mixture:Environmental Protection Act 1990 & Subsidiary Regulations
Health and Safety at Work Act 1974 & Subsidiary Regulations
Control of Substances Hazardous to Health Regulations
(COSHH)



Date of last issue: 06.10.2022 Revision Date: 31.03.2023

Incorez 726/001 (SC381)

Version 9.1

Print Date 23.03.2024

May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

Other regulations:

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H226	:	Flammable liquid and vapour.
H336	:	May cause drowsiness or dizziness.
Full text of other abbreviation	ns	
Flam. Liq.	:	Flammable liquids
STOT SE	:	Specific target organ toxicity - single exposure
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
2000/39/EC / TWA	:	Limit Value - eight hours
2000/39/EC / STEL	:	Short term exposure limit
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)
ADR	:	European Agreement concerning the International Carriage of
0.1.0		Dangerous Goods by Road
CAS	÷	Chemical Abstracts Service
DNEL EC50	÷	Derived no-effect level Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	÷	Median lethal dosis (the amount of a material, given all at
	•	once, which causes the death of 50% (one half) of a group of test animals)
LC50		Median lethal concentration (concentrations of the chemical in
2000	•	air that kills 50% of the test animals during the observation
		period) International Convention for the Prevention of Pollution from
MARPOL	•	Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi-
SVHC		cals (REACH), establishing a European Chemicals Agency Substances of Very High Concern
VPvB	:	Very persistent and very bioaccumulative
	•	vory persistent and very bioaccumulative



Date of last issue: 06.10.2022 Revision Date: 31.03.2023	Version 9.1	Print Date 23.03.2024

Further information				
Classification of the mixture:		Classification procedure:		
Flam. Liq. 3	H226	Based on product data or assessment		
STOT SE 3	H336	Calculation method		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN