

Date of last issue: 21.06.2023	Version 3.25	Print Date 29.02.2024
Revision Date: 02.01.2024		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	[:] Sika [®] Concrete Primer LO Part B
UK REACH Registration Number	: UK-01-9399634765-9-0001
Substance name	: Hardener MH (1,6-Hexanedi(morpholinoaldimine))
EC-No.	: 700-570-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Pi

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 127	72/2008)
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



Date of last issue: 21.06.2023 Revision Date: 02.01.2024		Ň	Version 3.25	Print Date 29.02.2024
Hazard pictograms	:			
Signal word	:	Warning		
Hazard statements	:	H315 H317 H319 H412	Causes skin irritation. May cause an allergic skin re Causes serious eye irritation Harmful to aquatic life with lo fects.	
Precautionary statements	:	Prevention:		
		P261 P264 P273 P280	Avoid breathing dust/ fume/ g pours/ spray. Wash skin thoroughly after h Avoid release to the environr Wear protective gloves/ eye protection.	andling. nent.
		Response:		
		P333 + P313 P337 + P313	If skin irritation or rash occurs advice/ attention. If eye irritation persists: Get r attention.	

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Components

Chemical name CAS-No. Concentration (% M-Factor, SCL, ATE



Date of last issue: 21.06.2023 Revision Date: 02.01.2024

Version 3.25

Print Date 29.02.2024

	EC-No.	w/w)	
Hardener MH (1,6-	1217271-49-2	100	
Hex-	700-570-7		
anedi(morpholinoaldimine))			
Contains:			
2,2-Dimethyl-3-(4-			
morpholinyl)propanal <= 7			
%			

SECTION 4: First aid measures

4.1 Description of first aid measu	ires
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms an	d effects, both acute and delayed
Symptoms	: Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	: irritant effects sensitising effects
	Causes skin irritation. May cause an allergic skin reaction.
Country GB 100000015985	3.



Date of last issue: 21.06.2023 Revision Date: 02.01.2024		Version 3.25	Print Date 29.02.2024
		Causes serious eye irritation.	
4.3 Indication of any immediate	me	dical attention and special treatment ne	eded
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting mean	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/wat ide/sand/foam/alcohol resistant foam/che extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are k	known
5.3 Advice for firefighters			
	:	In the event of fire, wear self-contained b	reathing apparatus.
for firefighters			

SECTION 6: Accidental release measures

6.1 Personal precautions, protectiv	e equipment and emergency procedures			
Personal precautions :	Use personal protective equipment.			
	Deny access to unprotected persons.			
6.2 Environmental precautions				
Environmental precautions :	Do not flush into surface water or sanitary sewer system.			
	If the product contaminates rivers and lakes or drains inform respective authorities.			
6.3 Methods and material for containment and cleaning up				
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand, silica gel,			
	acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.			
	, , ,			

6.4 Reference to other sections

For personal protection see section 8.



Date of last issue: 21.06.2023 Revision Date: 02.01.2024 Version 3.25

Print Date 29.02.2024

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products		
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.		
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.		
7.2 Conditions for safe storage, including any incompatibilities				
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.		
Further information on stor- age stability	:	No decomposition if stored and applied as directed.		

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

	Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
\overline{C}	Contains no substances with occupation	al exposure limi	t values		

Contains no substances with occupational exposure limit values.

:

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water



Date of last issue: 21.06.2023 Revision Date: 02.01.2024		Version 3.25	Print Date 29.02.2024
Hand protection	:	Chemical-resistant, impervious gloves complyin proved standard must be worn at all times wher chemical products. Reference number EN 374. facturer specifications.	handling
		Suitable for short time use or protection against Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	splashes:
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN long-sleeved working clothing, long trousers). R and protective boots are additionaly recommend and stirring work.	ubber aprons
Respiratory protection	:	No special measures required.	
Environmental exposure co	ntr	ols	
General advice	:	Do not flush into surface water or sanitary sewe If the product contaminates rivers and lakes or o respective authorities.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid colourless	
Odour	:	mild	
Melting point/range / Freezing point	:	No data available	
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or explosive limits			

Upper explosion limit / Up- : No data available per flammability limit



Sika® Concrete Primer LO Part B

Date of last issue: 21.06.2023 Revision Date: 02.01.2024		Version 3.25	Print Date 29.02.2024
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	> 61 °C Method: closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture reacts with water	
Viscosity			
Viscosity, dynamic	:	ca. 300 mPa.s (20 °C)	
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
Solubility(icc)			
Solubility(ies)		incoluble	
Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	ca. 0,98 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.



Date of last issue: 21.06.2023 Revision Date: 02.01.2024	Version 3.25	Print Date 29.02.2024
10.2 Chemical stability		
The product is chemically s	table.	
10.3 Possibility of hazardous	reactions	
Hazardous reactions	: No hazards to be specially mentioned.	
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition	n products	
No decomposition if stored	and applied as directed.	
	information asses as defined in Regulation (EC) No 1272/	2008
11.1 Information on hazard cla Acute toxicity Not classified based on ava	usses as defined in Regulation (EC) No 1272/	2008
11.1 Information on hazard cla Acute toxicity	usses as defined in Regulation (EC) No 1272/	2008
11.1 Information on hazard cla Acute toxicity Not classified based on ava	usses as defined in Regulation (EC) No 1272/	2008
11.1 Information on hazard cla Acute toxicity Not classified based on ava <u>Components:</u>	usses as defined in Regulation (EC) No 1272/ nilable information. di(morpholinoaldimine)):	2008
11.1 Information on hazard cla Acute toxicity Not classified based on ava <u>Components:</u> Hardener MH (1,6-Hexane	usses as defined in Regulation (EC) No 1272/ ilable information. di(morpholinoaldimine)):	2008
Acute toxicity Not classified based on ava <u>Components:</u> Hardener MH (1,6-Hexane Acute oral toxicity	usses as defined in Regulation (EC) No 1272/ ilable information. di(morpholinoaldimine)):	2008
 11.1 Information on hazard cla Acute toxicity Not classified based on ava <u>Components:</u> Hardener MH (1,6-Hexane Acute oral toxicity Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye i 	usses as defined in Regulation (EC) No 1272/ uilable information. di(morpholinoaldimine)): : LD50 Oral (Rat): > 2.001 mg/kg	2008
11.1 Information on hazard cla Acute toxicity Not classified based on ava <u>Components:</u> Hardener MH (1,6-Hexane Acute oral toxicity Skin corrosion/irritation Causes skin irritation.	usses as defined in Regulation (EC) No 1272/ uilable information. di(morpholinoaldimine)): : LD50 Oral (Rat): > 2.001 mg/kg	2008
 11.1 Information on hazard cla Acute toxicity Not classified based on ava <u>Components:</u> Hardener MH (1,6-Hexane Acute oral toxicity Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye i 	<pre>asses as defined in Regulation (EC) No 1272/ ailable information. di(morpholinoaldimine)): : LD50 Oral (Rat): > 2.001 mg/kg arritation n.</pre>	2008
 11.1 Information on hazard cla Acute toxicity Not classified based on ava <u>Components:</u> Hardener MH (1,6-Hexane Acute oral toxicity Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye i Causes serious eye irritatio 	<pre>asses as defined in Regulation (EC) No 1272/ ailable information. di(morpholinoaldimine)): : LD50 Oral (Rat): > 2.001 mg/kg arritation n.</pre>	2008
 11.1 Information on hazard cla Acute toxicity Not classified based on ava Components: Hardener MH (1,6-Hexane Acute oral toxicity Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye i Causes serious eye irritatio Respiratory or skin sensition 	<pre>asses as defined in Regulation (EC) No 1272/ wilable information. di(morpholinoaldimine)): : LD50 Oral (Rat): > 2.001 mg/kg rritation n. tisation</pre>	2008
 11.1 Information on hazard cla Acute toxicity Not classified based on ava <u>Components:</u> Hardener MH (1,6-Hexane Acute oral toxicity Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye i Causes serious eye irritatio Respiratory or skin sensiti Skin sensitisation 	Asses as defined in Regulation (EC) No 1272/ hilable information. di(morpholinoaldimine)): : LD50 Oral (Rat): > 2.001 mg/kg nritation n. tisation reaction.	2008

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.



Date of last issue: 21.06.2023 Revision Date: 02.01.2024 Version 3.25

Print Date 29.02.2024

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Hardener MH (1,6-Hexanedi(morpholinoaldimine)):

Toxicity to daphnia and other aquatic invertebrates	:	NOEC (Daphnia magna (Water flea)): 44 mg/l Exposure time: 48 h
		EC50 (Daphnia magna (Water flea)): 81 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 52,4 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered



Date of last issue: 21.06.2023 Revision Date: 02.01.2024	Version 3.25	Print Date 29.02.2024
	to be either persistent, bioaccumulative and toxi very persistent and very bioaccumulative (vPvB) 0.1% or higher	
12.6 Endocrine disrupting propert	es	
Product:		
Assessment :	The substance/mixture does not contain comporered to have endocrine disrupting properties acc REACH Article 57(f) or Commission Delegated (EU) 2017/2100 or Commission Regulation (EU) levels of 0.1% or higher.	cording to regulation
12.7 Other adverse effects		
Product: Additional ecological infor- : mation	An environmental hazard cannot be excluded in unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.	the event of

SECTION 13: Disposal considerations

13.1 Waste treatment meth	S	
Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a license waste disposal contractor. Disposal of this product, solutions and any by-products shoul at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. 	d
European Waste Catal	e : 08 01 11* waste paint and varnish containing organic sol- vents or other dangerous substances	
Contaminated packagir	: 15 01 10* packaging containing residues of or contaminated by dangerous substances	

SECTION 14: Transport information

14.1 UN number or ID number



Date of last issue: 21.06.2023 Revision Date: 02.01.2024	Version 3.25	Print Date 29.02.202
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.2 UN proper shipping na	me	
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.3 Transport hazard class	s(es)	
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.4 Packing group		
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA (Cargo)	: Not regulated as a dangerous good	
IATA (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazards Not regulated as a dange		
14.6 Special precautions fo Not applicable	r user	
14.7 Maritime transport in b Not applicable for produc	ulk according to IMO instruments ct as supplied.	

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	•	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable



Date of last issue: 21.06.2023 Revision Date: 02.01.2024	Version 3.25	Print Date 29.02.2024
International Chemical Weapons Schedules of Toxic Chemicals an		
Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de- : Not applicable	
UK REACH List of substances su (Annex XIV)	bject to authorisation : Not applicable	
GB Export and import of hazardo Informed Consent (PIC) Regulation		
Control of Major Accident Hazard 2015 (COMAH) Volatile organic compounds :	s Regulations Not applicable Law on the incentive tax for volatile organic c (VOCV) no VOC duties Directive 2010/75/EU of 24 November 2010 o emissions (integrated pollution prevention an Not applicable	on industrial
If other regulatory information app Sheet, then it is described in this	blies that is not already provided elsewhere in t subsection.	he Safety Data
Health, safety and environ- : mental regulation/legislation specific for the substance or mixture:	Environmental Protection Act 1990 & Subsidi Health and Safety at Work Act 1974 & Subsidi Control of Substances Hazardous to Health F (COSHH) May be subject to the Control of Major Accide Regulations (COMAH), and amendments.	diary Regulations Regulations

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance by the supplier.

SECTION 16: Other information

Full text of other abbreviations

ADR	: European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS	: Chemical Abstracts Service
DNEL	: Derived no-effect level
EC50	: Half maximal effective concentration



Date of last issue: 21.06.2023 Revision Date: 02.01.2024	Version 3.25	Print Date 29.02.2024
GHS : IATA : IMDG : LD50 :	Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goo Median lethal dosis (the amount of a material, g once, which causes the death of 50% (one half	given all at
LC50 :	test animals) Median lethal concentration (concentrations of t air that kills 50% of the test animals during the operiod)	
MARPOL :	International Convention for the Prevention of F Ships, 1973 as modified by the Protocol of 1978	
OEL :	Occupational Exposure Limit	-
PBT : PNEC :	Persistent, bioaccumulative and toxic Predicted no effect concentration	
REACH :	Regulation (EC) No 1907/2006 of the Europear and of the Council of 18 December 2006 conce istration, Evaluation, Authorisation and Restricti cals (REACH), establishing a European Chemic	rning the Reg- ion of Chemi-
SVHC : vPvB :	Substances of Very High Concern Very persistent and very bioaccumulative	5

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN