

Date of last issue: 29.11.2023	Version 9.16	Print Date 22.03.2024
Revision Date: 18.12.2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Sterisept

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Acrylate coating

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited
		Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person	:	EHS@uk.sika.com
responsible for the SDS		

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH210	Safety data sheet available on request.
--------	---

EUH208 Contains 1,2-benzisothiazol-3(2H)-one (BIT), 3-iodo-2-propynyl butylcarbamate (IPBC). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Date of last issue: 29.11.2023	Version 9.16	Print Date 22.03.2024
Revision Date: 18.12.2023		

Contains a biocide in order to protect the product. Active ingredient: 3-iodo-2-propynyl butylcarbamate (IPBC), 55406-53-6. Please use treated articles responsibly.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
2-(2-butoxyethoxy)ethanol	112-34-5 203-961-6 01-2119475104-44- XXXX	Eye Irrit. 2; H319	>= 1 - < 2,5
3-iodo-2-propynyl butylcarbamate (IPBC)	55406-53-6 259-627-5 01-2120762115-60- XXXX	Acute Tox. 4; H302 Acute Tox. 3; H331 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT RE 1; H372 (larynx) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1010 M-Factor (Chronic aquatic toxicity): 11 Acute toxicity esti- mate Acute oral toxicity: 1.056 mg/kg Acute inhalation tox- icity (dust/mist): 0,763 mg/l	>= 0,025 - < 0,25



Date of last issue: 29.11.2023 Revision Date: 18.12.2023	Version 9.	Print Date 22.03.2024	
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H315 Eye Dam. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 	>= 0,025 - < 0,05

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	No hazards which require special first aid measures.	
If inhaled	:	Move to fresh air.	
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.	
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.	
4.2 Most important symptoms and effects, both acute and delayed			
Symptoms	:	See Section 11 for more detailed information on health effects and symptoms.	



Date of last issue: 29.11.2023 Revision Date: 18.12.2023		Version 9.16	Print Date 22.03.202
Risks	:	No known significant effects or hazards.	
4.3 Indication of any immediate	me	dical attention and special treatment needed	ł
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	
5.2 Special hazards arising from	th	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are know	'n
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breat	hing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	se i	neasures	
6.1 Personal precautions, protec	tiv	e equipment and emergency procedures	
Personal precautions	:		
6.2 Environmental precautions			
Environmental precautions	:	No special environmental precautions require	ed.
6.3 Methods and material for cor	ntai	nment and cleaning up	
Methods for cleaning up	:	Wipe up with absorbent material (e.g. cloth, fl Keep in suitable, closed containers for dispos	
6.4 Reference to other sections			

SECTION 7: Handling and storage

7.1 Precautions for safe handling



	of last issue: 29.11.2023 on Date: 18.12.2023		Version 9.16	Print Date 22.03.2024
,	Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handlir products	ng chemical
	Advice on protection against ire and explosion	:	Normal measures for preventive fire protection.	
ł	Hygiene measures	:	When using do not eat or drink. When using do r	not smoke.
7.2 C	onditions for safe storage, i	ncl	uding any incompatibilities	
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ve place. Store in accordance with local regulations	
1	Advice on common storage	:	No special restrictions on storage with other proc	lucts.
	Further information on stor- age stability	:	No decomposition if stored and applied as direct	ed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
2-(2-butoxyethoxy)ethanol	112-34-5	STEL	15 ppm 101,2 mg/m3	2006/15/EC
	Further infor	mation: Indicative		
		TWA	10 ppm 67,5 mg/m3	2006/15/EC
		TWA	10 ppm 67,5 mg/m3	GB EH40
		STEL	15 ppm 101,2 mg/m3	GB EH40

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Safety glasses
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu-



Date of last issue: 29.11.2023 Revision Date: 18.12.2023	Version 9.16	Print Date 22.03.2024
	facturer specifications.	
	Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber glove	S.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN long-sleeved working clothing, long trousers). Ru and protective boots are additionaly recommend and stirring work.	ubber aprons
Respiratory protection :	Respirator selection must be based on known or exposure levels, the hazards of the product and ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 p Ensure adequate ventilation. This can be achiev exhaust extraction or by general ventilation. (EN ods for determining inhalation exposure). This ap ticular to the mixing / stirring area. In case this is to keep the concentrations under the occupation limits then respiration protection measures must	the safe work- opm ed by local 689 - Meth- oplies in par- not sufficent al exposure

Environmental exposure controls

General advice : No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid various		
Odour	:	sweet		
Melting point/range / Freezing point	:	No data available		
Boiling point/boiling range	:	> 100 °C		
Flammability (solid, gas)	:	No data available		
Upper/lower flammability or explosive limits				

Upper explosion limit / Up- : No data available per flammability limit



-

Date of last issue: 29.11.2023 Revision Date: 18.12.2023		Version 9.16	Print Date 22.03.2024
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	Not applicable	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	ca. 9 (20 °C)	
Viscosity Viscosity, kinematic	:	> 7 mm2/s (40 °C)	
Solubility(ies) Water solubility	:	soluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	23 hPa	
Density	:	ca. 1,25 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions



Date of last issue: 29.11.2023 Version 9.16 Print Date 22 Revision Date: 18.12.2023 Hazardous reactions : No hazards to be specially mentioned. 10.4 Conditions to avoid : No data available 10.5 Incompatible materials Materials to avoid : No data available 10.6 Hazardous decomposition products No data available	Stensept			
10.4 Conditions to avoid : No data available 10.5 Incompatible materials Materials to avoid : No data available 10.6 Hazardous decomposition products No data available 10.6 Hazardous decomposition products No decomposition if stored and applied as directed. SECTION 11: Toxicological information 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Not classified based on available information. Components: 2-(2-butoxyethoxy)ethanol: Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg Acute dermal toxicity : LD50 Oral (Rat): > 5.000 mg/kg Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Acute inhalation toxicity : LC50 (Rat): 0.763 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute toxicity estimate: 0.763 mg/l Test atmosphere: dust/mist			Version 9.16	Print Date 22.03.202
Conditions to avoid : No data available 10.5 Incompatible materials Materials to avoid : No data available 10.6 Hazardous decomposition protucts No decomposition if stored and applied as directed. SECTION 11: Toxicological information SECTION 11: Toxicological information 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Not classified based on available information. Components: 2-(2-butoxyethoxy)ethanol: Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg Acute dermal toxicity : LD50 Dermal (Rabbit): ca. 2.700 mg/kg 3-iodo-2-propynyl butylcarbarbarbet (IPBC): Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Method: Calculation method Acute inhalation toxicity : LD50 Oral (Rat): 1.056 mg/kg Method: Calculation method Acute inhalation toxicity : LC50 (Rat): 0.763 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute toxicity estimate: 0.763 mg/l Test atmosphere: dust/mist Acute toxicity estimate: 0.763 mg/l	Hazardous reactions	: No h	azards to be specially mentioned	
10.5 Incompatible materials Materials to avoid : No data available 10.6 Hazardous decomposition products No decomposition if stored and applied as directed. SECTION 11: Toxicological information 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Not classified based on available information. Components: 2-(2-butoxyethoxy)ethanol: Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg Acute dermal toxicity : LD50 Dermal (Rabbit): ca. 2.700 mg/kg 3-iodo-2-propynyl butylcarbamate (IPBC): Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Method: Calculation method Acute inhalation toxicity : LC50 (Rat): 0.763 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute toxicity estimate: 0.763 mg/l	10.4 Conditions to avoid			
Materials to avoid : No data available 10.6 Hazardous decomposition products No decomposition if stored and applied as directed. SECTION 11: Toxicological information 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Not classified based on available information. Components: 2-(2-butoxyethoxy)ethanol: Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg Acute dermal toxicity : LD50 Dermal (Rabbit): ca. 2.700 mg/kg 3-iodo-2-propynyl butylcarbarmate (IPBC): Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Method: Calculation method Acute inhalation toxicity : LC50 (Rat): 0.763 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute toxicity estimate: 0.763 mg/l Test atmosphere: dust/mist	Conditions to avoid	: No da	ata available	
10.6 Hazardous decomposition products No decomposition if stored and applied as directed. SECTION 11: Toxicological information 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Not classified based on available information. Components: 2-(2-butoxyethoxy)ethanol: Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg Acute dermal toxicity : LD50 Dermal (Rabbit): ca. 2.700 mg/kg 3-iodo-2-propynyl butylcarbamate (IPBC): Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Method: Calculation method Acute inhalation toxicity : LC50 (Rat): 0,763 mg/l Exposure time: 4 h Test atmosphere: dust/mist	10.5 Incompatible materials			
No decomposition if stored and applied as directed. SECTION 11: Toxicological information 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Not classified based on available information. Components: 2-(2-butoxyethoxy)ethanol: Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg Acute dermal toxicity : LD50 Dermal (Rabbit): ca. 2.700 mg/kg 3-iodo-2-propynyl butylcarbar te (IPBC): Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Acute inhalation toxicity : LC50 (Rat): 0.763 mg/l Exposure time: 4 h Test atmosphere: dust/mist	Materials to avoid	: No da	ata available	
11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Not classified based on available information. Components: 2-(2-butoxyethoxy)ethanol: Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg Acute dermal toxicity : LD50 Dermal (Rabbit): ca. 2.700 mg/kg 3-iodo-2-propynyl butylcarbamete (IPBC): Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Acute inhalation toxicity : LC50 (Rat): 0,763 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute toxicity estimate: 0,763 mg/l Exposure time: 4 n Test atmosphere: dust/mist	•	-	as directed.	
Acute toxicity Not classified based on available information. Components: 2-(2-butoxyethoxy)ethanol: Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg Acute dermal toxicity : LD50 Dermal (Rabbit): ca. 2.700 mg/kg 3-iodo-2-propynyl butylcarbamate (IPBC): Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Acute inhalation toxicity : LC50 (Rat): 0.763 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute toxicity estimate: 0.763 mg/l Exposure time: 4 h Test atmosphere: dust/mist	SECTION 11: Toxicological	nformatio	n	
Acute toxicity Not classified based on available information. Components: 2-(2-butoxyethoxy)ethanol: Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg Acute dermal toxicity : LD50 Dermal (Rabbit): ca. 2.700 mg/kg 3-iodo-2-propynyl butylcarbarbate (IPBC): Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Acute inhalation toxicity : LC50 (Rat): 0.763 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute toxicity estimate: 0.763 mg/l Exposure time: 4 h Test atmosphere: dust/mist				
Not classified based on available information. Components: 2-(2-butoxyethoxy)ethanol: Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg Acute dermal toxicity : 2-iodo-2-propynyl butylcarbarbate (IPBC): Acute oral toxicity : Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Acute inhalation toxicity : LC50 (Rat): 0.763 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute toxicity estimate: 0.763 mg/l Test atmosphere: dust/mist	11.1 Information on hazard cla	ses as defi	ned in Regulation (EC) No 1272	2/2008
2-(2-butoxyethoxy)ethanol: Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg Acute dermal toxicity : LD50 Dermal (Rabbit): ca. 2.700 mg/kg 3-iodo-2-propynyl butylcarbamate (IPBC): Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Acute inhalation toxicity : LC50 (Rat): 0.763 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute toxicity estimate: 0.763 mg/l Test atmosphere: dust/mist	•	lable inform;	ation.	
Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg Acute dermal toxicity : LD50 Dermal (Rabbit): ca. 2.700 mg/kg 3-iodo-2-propynyl butylcarbamate (IPBC): Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Acute inhalation toxicity : LC50 (Rat): 0.763 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute toxicity estimate: 0,763 mg/l Exposure time: 4 n Test atmosphere: dust/mist	Components:			
Acute dermal toxicity : LD50 Dermal (Rabbit): ca. 2.700 mg/kg 3-iodo-2-propynyl butylcarbamate (IPBC): Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Acute toxicity estimate: 1.056 mg/kg Acute inhalation toxicity : LC50 (Rat): 0,763 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute toxicity estimate: 0,763 mg/l Test atmosphere: dust/mist	2-(2-butoxyethoxy)ethano	:		
3-iodo-2-propynyl butylcarbamate (IPBC): Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Acute toxicity estimate: 1.056 mg/kg Method: Calculation method Acute inhalation toxicity : LC50 (Rat): 0,763 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute toxicity estimate: 0,763 mg/l Test atmosphere: dust/mist	Acute oral toxicity	: LD50	Oral (Rat): > 5.000 mg/kg	
Acute oral toxicity : LD50 Oral (Rat): 1.056 mg/kg Acute toxicity estimate: 1.056 mg/kg Acute toxicity estimate: 1.056 mg/kg Method: Calculation method Acute inhalation toxicity : LC50 (Rat): 0,763 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute toxicity estimate: 0,763 mg/l Test atmosphere: dust/mist	Acute dermal toxicity	: LD50	Dermal (Rabbit): ca. 2.700 mg/kg	9
Acute toxicity estimate: 1.056 mg/kg Method: Calculation method Acute inhalation toxicity : LC50 (Rat): 0,763 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute toxicity estimate: 0,763 mg/l Test atmosphere: dust/mist	3-iodo-2-propynyl butylca	bamate (IP	3C):	
Method: Calculation method Acute inhalation toxicity : LC50 (Rat): 0,763 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute toxicity estimate: 0,763 mg/l Test atmosphere: dust/mist	Acute oral toxicity	: LD50	Oral (Rat): 1.056 mg/kg	
Exposure time: 4 h Test atmosphere: dust/mist Acute toxicity estimate: 0,763 mg/l Test atmosphere: dust/mist				
Test atmosphere: dust/mist	Acute inhalation toxicity	Expos	sure time: 4 h	
		Test a	tmosphere: dust/mist	
Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg	Acute dermal toxicity	: LD50	Dermal (Rabbit): > 2.000 mg/kg	

1,2-benzisothiazol-3(2H)-one (BIT):

Acute oral toxicity	:	LD50 Oral (Rat): 597 mg/kg
		Acute toxicity estimate: 597 mg/kg Method: Calculation method



ate of last issue: 29.11.2023 evision Date: 18.12.2023	Version 9.16	Print Date 22.03.202
Acute inhalation toxicity	: LC50: 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403	
	Acute toxicity estimate: 0,4 mg/l Test atmosphere: dust/mist Method: Calculation method	
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 2.000 mg/kg	
Skin corrosion/irritation		
Not classified based on av	ailable information.	
Serious eye damage/eye Not classified based on av		
Respiratory or skin sens	tisation	
Skin sensitisation Not classified based on av	ailable information.	
Respiratory sensitisation Not classified based on av		
Components:		
1,2-benzisothiazol-3(2H)	one (BIT):	
Assessment	: May cause sensitisation by skin contac	t.
Germ cell mutagenicity Not classified based on av	ailable information.	
Carcinogenicity Not classified based on av	ailable information.	
Reproductive toxicity		
Not classified based on av	ailable information.	
STOT - single exposure Not classified based on av	ailable information.	
STOT - repeated exposu Not classified based on av		
Aspiration toxicity		
Not classified based on av	ailable information.	
1.2 Information on other haz	_	



Date of last issue: 29.11.2023 Revision Date: 18.12.2023	Version 9.16	Print Date 22.03.202
SECTION 12: Ecological infe	ormation	
12.1 Toxicity		
Components:		
3-iodo-2-propynyl butylca	bamate (IPBC):	
M-Factor (Acute aquatic tox icity)	: 10	
	10	
M-Factor (Chronic aquatic toxicity)	: 1	
	1	
1,2-benzisothiazol-3(2H)-o	ne (BIT):	
Toxicity to daphnia and othe aquatic invertebrates	r : EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h	
12.2 Persistence and degradat No data available	ility	
12.3 Bioaccumulative potential No data available		
12.4 Mobility in soil No data available		
12.5 Results of PBT and vPvB	assessment	
Product:		
Assessment	 This substance/mixture contains no of to be either persistent, bioaccumulativery persistent and very bioaccumulation. 0.1% or higher. 	ive and toxic (PBT), or
12.6 Endocrine disrupting prop No data available	erties	
12.7 Other adverse effects		
<u>Product:</u> Additional ecological infor- mation	: There is no data available for this pro	oduct.



Date of last issue: 29.11.2023 Revision Date: 18.12.2023 Version 9.16

Print Date 22.03.2024

SECTION 13: Disposal considerations

13.1 Waste treatment methods Product The generation of waste should be avoided or minimized : wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. European Waste Catalogue : 08 01 12 waste paint and varnish other than those mentioned in 08 01 11

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2	2 UN proper shipping name		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.3	3 Transport hazard class(es)		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.4	Packing group		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	IATA (Cargo)	:	Not regulated as a dangerous good



Date of last issue: 29.11.2023	Version 9.16	Print Date 22.03.2024
Revision Date: 18.12.2023		
IATA (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazards		
Not regulated as a dange	rous good	
14.6 Special precautions for	user	
Not applicable		
14.7 Maritime transport in bu	Ik according to IMO instruments	
Not applicable for product	as supplied.	
SECTION 15: Regulatory i	nformation	
0,		
		• · · • ·

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant EU provisions transposed through retained EU law

UK REACH Candidate list of sub concern (SVHC) for Authorisation	:	Not applicable	
The Persistent Organic Pollutants Regulation (EU) 2019/1021 as ar ain)	:	Not applicable	
International Chemical Weapons Schedules of Toxic Chemicals ar		:	Not applicable
Regulation (EC) No 1005/2009 o plete the ozone layer	n substances that de-	:	Not applicable
UK REACH List of substances su (Annex XIV)	ubject to authorisation	:	Not applicable
Volatile organic compounds :	(VOCV)		or volatile organic compounds ds (VOC) content: 3,2% w/w
		poll	

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.



Date of last issue: 29.11.2023 Revision Date: 18.12.2023	Version 9.16	Print Date 22.03.2024
Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	: Environmental Protection Act 1990 & S Health and Safety at Work Act 1974 & S Control of Substances Hazardous to He (COSHH) May be subject to the Control of Major / Regulations (COMAH), and amendmen	Subsidiary Regulations ealth Regulations Accident Hazards

Other regulations:

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H330	:	Fatal if inhaled.
H331	:	Toxic if inhaled.
H372	:	Causes damage to organs through prolonged or repeated exposure.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
Full text of other abbreviation	ns	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure
2006/15/EC	:	Europe. Indicative occupational exposure limit values
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
2006/15/EC / TWA	:	Limit Value - eight hours
2006/15/EC / STEL	:	Short term exposure limit
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System



Date of last issue: 29.11.2023 Revision Date: 18.12.2023		Version 9.16	Print Date 22.03.2024
IATA		International Air Transport Association	
IMDG	÷	International Maritime Code for Dangerous Goo	ds
LD50	:	Median lethal dosis (the amount of a material, g once, which causes the death of 50% (one half) test animals)	iven all at
LC50	:	Median lethal concentration (concentrations of t air that kills 50% of the test animals during the c period)	
MARPOL	:	International Convention for the Prevention of P Ships, 1973 as modified by the Protocol of 1978	
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the European and of the Council of 18 December 2006 concer istration, Evaluation, Authorisation and Restriction cals (REACH), establishing a European Chemic	rning the Reg- on of Chemi-
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative	<u> </u>

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN