

PRODUCT DATA SHEET

Sika® Premix T Deep Fill

BLEND OF POWDERED ADMIXTURES FOR USE IN CEMENTITIOUS PRODUCTS

PRODUCT DESCRIPTION

Sika® Premix T Deep Fill is a blend of powdered admixtures for incorporation into cementitious products.

USES

Sika® Premix T Deep Fill is suitable for inclusion in cementitious products to enhance fresh and hardened characteristics.

CHARACTERISTICS / ADVANTAGES

- Enhanced flow characteristics
- Extended open life
- Increased flexural and compressive strength
- Reduced shrinkage
- Rapid dispersal through fresh product

PRODUCT INFORMATION

Chemical Base	Polymer and self-leveller admixtures in inert filler base
Packaging	25kg Bags, 1000kg Bulk Bags & Bulk Powder Tanker
Appearance / Colour	Off-white powder
Shelf Life	6 months from date of production if stored in unopened and undamaged original sealed containers.
Storage Conditions	Protect from moisture at temperatures between +5°C and +25°C. Protect from direct sunlight and frost.
Bulk Density	~1.3kg per litre
Recommended Dosage	10-15% of total formulation by weight
Dispensing	Sika® Premix T Deep Fill should be dispensed through suitable calibrated dosing equipment.

VALUE BASE

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

ECOLOGY, HEALTH AND SAFETY

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety-related data.

LOCAL RESTRICTIONS

Please note that as a result of specific local regulations the performance of this product may vary from country to country. Please consult the local Product Data Sheet for the exact description of the application fields.

LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

SIKA LIMITED

Watchmead
Welwyn Garden City
Hertfordshire, AL7 1BQ
Tel: 01707 394444
Web: www.sika.co.uk
Twitter: @SikaLimited



Product Data Sheet

Sika® Premix T Deep Fill
January 2021, Version 01.01
021304011000000086

SikaPremixTDeepFill-en-GB-(01-2021)-1-1.pdf