

# Sika MaxMix® Concentrated Mortar Tone Black

## DECLARATION OF PERFORMANCE No. 92527815

<b>1</b>	<b>UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:</b>	92527815
<b>2</b>	<b>INTENDED USE/S</b>	Liquid mortar tone for use in concrete, mortar and grout applications
<b>3</b>	<b>MANUFACTURER:</b>	Sika Services AG Tüffenwies 16-22 8064 Zürich
<b>4</b>	<b>AUTHORISED REPRESENTATIVE:</b>	Not applicable
<b>5</b>	<b>SYSTEM/S OF AVCP:</b>	System 2+
<b>6a</b>	<b>HARMONISED STANDARD:</b>	EN12878:2005
	Notified body/ies:	2797

---

**7 DECLARED PERFORMANCE/S**

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Setting Time	Pass		
Water Soluble Content	Category A		
Soluble Chloride	Category A		EN 12878: 2005
Total Chlorine	Category A		
Loss on Ignition @ 1000°C	99 %		
Dangerous substances	None		

---

**8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR -  
SPECIFIC TECHNICAL DOCUMENTATION**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Paul Thomas  
Function: Technical Product Co-ordinator  
At Leeds on 29 July 2025



Name : Charlotte Ogden  
Function: Product Manager  
At Leeds on 29 July 2025



---

End of information as required by Regulation (EU) No 305/2011

**Declaration of Performance**

Sika MaxMix® Concentrated Mortar Tone  
92527815  
2025.07 , ver. 02  
1213



13

Sika Services AG, Zurich, Switzerland

DoP No. 92527815

EN 12878:2005

Notified Body 2797

Liquid mortar tone for use in concrete, mortar and grout applications

Setting Time	Pass
Water Soluble Content	Category A
Soluble Chloride	Category A
Total Chlorine	Category A
Loss on Ignition @ 1000°C	99 %
Dangerous substances	None

[sika.co.uk](http://sika.co.uk)

## ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

## LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

## Declaration of Performance

Sika MaxMix® Concentrated Mortar Tone

92527815

2025.07, ver. 02

1213

**Declaration of Performance**

Sika MaxMix® Concentrated Mortar Tone  
92527815  
2025.07 , ver. 02  
1213